

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082718\
 Data File : VW004967.D
 Acq On : 27 Aug 2018 16:07
 Operator : SY/AP
 Sample : J4649-05
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAB90

Quant Time: Aug 28 04:46:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 28 01:39:39 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	561620	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	597944	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	323576	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	204301	19.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.00%
7) Chloroethane-d5	2.88	69	158157	20.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.40%
10) 1,1-Dichloroethene-d2	4.03	63	274268	20.23	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.92%
20) 2-Butanone-d5	7.09	46	115492	53.46	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.92%
24) Chloroform-d	7.65	84	259369	20.80	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.20%
26) 1,2-Dichloroethane-d4	8.31	65	149713	22.10	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.40%
29) Benzene-d6	8.28	84	652780	21.22	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.88%
33) 1,2-Dichloropropane-d6	9.28	67	194155	21.48	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.92%
37) Toluene-d8	10.33	98	715565	21.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.84%
38) trans-1,3-Dichloropropene-	10.58	79	83545	21.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.96%
39) 2-Hexanone-d5	10.93	63	118377	52.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.74%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	210003	23.13	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.52%
61) 1,2-Dichlorobenzene-d4	13.86	152	294673	22.67	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.68%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
3) Chloromethane	2.21	50	236398	19.74	ug/L	98
6) Bromomethane	2.78	94	65777	10.35	ug/L	99
9) Trichlorofluoromethane	3.26	101	179650	14.64	ug/L	99
12) 1,1-Dichloroethene	4.04	96	145060	22.19	ug/L	94
13) Acetone	4.15	43	79419	47.46	ug/L	100
15) Methyl Acetate	4.68	43	155873	41.19	ug/L	97
16) Methylene chloride	4.92	84	130093	11.95	ug/L	95
17) Methyl tert-butyl Ether	5.43	73	490132	34.70	ug/L	98
18) trans-1,2-Dichloroethene	5.43	96	73023	10.73	ug/L	99
22) cis-1,2-Dichloroethene	7.18	96	188776	25.69	ug/L	91
23) Bromochloromethane	7.52	128	58842	15.17	ug/L	95
27) 1,2-Dichloroethane	8.40	62	79791	9.77	ug/L	98
30) Cyclohexane	7.96	56	125783	9.88	ug/L	96
31) 1,1,1-Trichloroethane	7.88	97	115851	10.06	ug/L	99
32) Carbon tetrachloride	8.07	117	128848	12.51	ug/L	100
35) Trichloroethene	9.10	95	319451	37.68	ug/L	99
36) Methylcyclohexane	9.34	83	368506	23.50	ug/L	99

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082718\
 Data File : VW004967.D
 Acq On : 27 Aug 2018 16:07
 Operator : SY/AP
 Sample : J4649-05
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAB90

Quant Time: Aug 28 04:46:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 28 01:39:39 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)


40) 1,2-Dichloropropane	9.37	63	99343	11.85	ug/L	98
41) Bromodichloromethane	9.65	83	180119	19.49	ug/L	99
42) cis-1,3-Dichloropropene	10.08	75	191628	16.46	ug/L	97
44) Toluene	10.39	91	841665	20.56	ug/L	99
45) trans-1,3-Dichloropropene	10.61	75	81176	7.69	ug/L	99
47) Tetrachloroethene	10.87	164	334693	40.33	ug/L	96
49) 2-Hexanone	10.98	43	178278	37.26	ug/L	99
50) Dibromochloromethane	11.13	129	138449	19.05	ug/L	97
53) Ethylbenzene	11.74	91	681907	14.80	ug/L	97
54) m,p-Xylene	11.85	106	185028	10.35	ug/L	96
55) o-xylene	12.17	106	209648	12.55	ug/L	97
57) Isopropylbenzene	12.47	105	546793	12.26	ug/L	99
63) 1,3-Dichlorobenzene	13.51	146	441283	19.79	ug/L	97
65) 1,2-Dichlorobenzene	13.88	146	214651	10.05	ug/L	98
66) 1,2-Dibromo-3-chloropropan	14.49	75	35675	19.69	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082718\
Data File : VW004967.D
Acq On : 27 Aug 2018 16:07
Operator : SY/AP
Sample : J4649-05
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAB90

Quant Time: Aug 28 04:46:55 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 28 01:39:39 2018
Response via : Initial Calibration









#3
Chloromethane
Concen: 19.74 ug/L
RT: 2.21 min Scan# 103
Delta R.T. -0.00 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07




Instrument :
MSVOA_W
ClientSampleId :
GAB90


Tot Ion: 50 Resp: 236398
Ion Ratio Lower Upper
50 100
52 33.3 22.5 41.9



#6
Bromomethane
Concen: 10.35 ug/L
RT: 2.78 min Scan# 195
Delta R.T. -0.01 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07

Tgt Ion: 94 Resp: 65777
Ion Ratio Lower Upper
94 100
96 94.5 9.3 177.7









#9

Trichlorofluoromethane
 Concen: 14.64 ug/L
 RT: 3.26 min Scan# 275
 Delta R.T. -0.00 min
 Lab File: VW004967.D
 Acq: 27 Aug 2018 16:07

Instrument :
 MSVOA_W
 ClientSampleId :
 GAB90




Tot Ion:101 Resp: 179650
 Ion Ratio Lower Upper
 101 100
 103 65.5 45.1 83.7




#12

1,1-Dichloroethene
 Concen: 22.19 ug/L
 RT: 4.04 min Scan# 403
 Delta R.T. -0.01 min
 Lab File: VW004967.D
 Acq: 27 Aug 2018 16:07

Tgt Ion: 96 Resp: 145060
 Ion Ratio Lower Upper
 96 100
 61 156.6 107.0 198.8
 63 99.2 76.9 142.7









#13
Acetone
Concen: 47.46 ug/L
RT: 4.15 min Scan# 420
Delta R.T. 0.01 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07




Instrument :
MSVOA_W
ClientSampleId :
GAB90


Tot Ion: 43 Resp: 79419
Ion Ratio Lower Upper
43 100
58 34.6 0.0 69.4



#15
Methyl Acetate
Concen: 41.19 ug/L
RT: 4.68 min Scan# 508
Delta R.T. -0.00 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07

Tgt Ion: 43 Resp: 155873
Ion Ratio Lower Upper
43 100
74 24.6 18.6 27.8









#16
Methylene chloride
Concen: 11.95 ug/L
RT: 4.92 min Scan# 547
Delta R.T. -0.00 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07




Instrument :
MSVOA_W
ClientSampled :
GAB90


Tot Ion: 84 Resp: 130093
Ion Ratio Lower Upper
84 100
49 112.7 83.8 155.6
86 63.0 42.6 79.0



#17
Methyl tert-butyl Ether
Concen: 34.70 ug/L
RT: 5.43 min Scan# 631
Delta R.T. -0.01 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07

Tgt Ion: 73 Resp: 490132
Ion Ratio Lower Upper
73 100
43 17.5 14.6 22.0
57 22.0 18.2 27.4





#18

trans-1,2-Dichloroethene

Concen: 10.73 ug/L

RT: 5.43 min Scan# 630

Delta R.T. -0.01 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :

GAB90





Tot Ion: 96 Resp: 73023

Ion Ratio Lower Upper

96 100

61 130.5 92.5 171.9

98 61.9 42.8 79.4



#22

cis-1,2-Dichloroethene

Concen: 25.69 ug/L

RT: 7.18 min Scan# 917

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07




Tgt Ion: 96 Resp: 188776


Ion Ratio Lower Upper

96 100

61 116.2 89.7 166.7

98 60.4 45.0 83.6





#23

Bromochloromethane

Concen: 15.17 ug/L

RT: 7.52 min Scan# 973

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :

GAB90

Tot Ion:128 Resp: 58842


Ion Ratio Lower Upper

128 100

49 147.3 111.3 206.7

130 127.9 90.2 167.6

51 48.5 39.3 58.9





Abundance Ion 128.00 (127.70 to 128.70): V

Ion 49.00 (48.70 to 49.70): VW

Ion 130.00 (129.70 to 130.70): V

Ion 51.00 (50.70 to 51.70): VW



#27

1,2-Dichloroethane

Concen: 9.77 ug/L

RT: 8.40 min Scan# 1118

Delta R.T. -0.00 min

Lab File: VW004967.D



Acq: 27 Aug 2018 16:07

Tgt Ion: 62 Resp: 79791

Ion Ratio Lower Upper



62 100


98 10.6 8.0 12.0



Abundance Ion 62.00 (61.70 to 62.70): VW

Ion 98.00 (97.70 to 98.70): VW









#30
Cyclohexane
Concen: 9.88 ug/L
RT: 7.96 min Scan# 1046
Delta R.T. -0.00 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07




Instrument :
MSVOA_W
ClientSampleId :
GAB90


Tot Ion	Ratio	Lower	Upper
56	100		
69	31.0	24.1	36.1
84	88.5	67.7	101.5



#31
1,1,1-Trichloroethane
Concen: 10.06 ug/L
RT: 7.88 min Scan# 1032
Delta R.T. -0.00 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07

Tgt Ion	Ratio	Lower	Upper
97	100		
99	64.4	51.2	76.8
61	42.6	34.9	52.3





#32

Carbon tetrachloride

Concen: 12.51 ug/L

RT: 8.07 min Scan# 1064

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :


GAB90

Tot Ion:117 Resp: 128848

Ion Ratio Lower Upper

117 100

119 98.2 78.2 117.4



Abundance Ion 117.00 (116.70 to 117.70): V

Ion 119.00 (118.70 to 119.70): V

8.07

60000

50000

40000



30000

20000

10000

0

Time--> 7.95 8.00 8.05 8.10 8.15



#35

Trichloroethene

Concen: 37.68 ug/L

RT: 9.10 min Scan# 1232

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Tgt Ion: 95 Resp: 319451


Ion Ratio Lower Upper

95 100

97 64.7 45.9 85.3

132 101.3 69.2 128.4

130 104.7 72.7 135.1



Abundance Ion 95.00 (94.70 to 95.70): VW

Ion 97.00 (96.70 to 97.70): VW

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

250000

200000


150000


100000

50000

0

Time--> 9.00 9.10 9.20









#36
Methvlcvclohexane
Concen: 23.50 ug/L
RT: 9.34 min Scan# 1272
Delta R.T. -0.00 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07




Instrument :
MSVOA_W
ClientSampled :
GAB90


Tot Ion	83	Resp	368506
Ion Ratio	Lower	Upper	
83	100		
55	74.9	61.1	91.7
98	46.6	37.0	55.4



#40
1,2-Dichloropropane
Concen: 11.85 ug/L
RT: 9.37 min Scan# 1277
Delta R.T. -0.00 min
Lab File: VW004967.D
Acq: 27 Aug 2018 16:07

Tgt Ion	63	Resp	99343
Ion Ratio	Lower	Upper	
63	100		
112	4.5	3.2	4.8





#41

Bromodichloromethane

Concen: 19.49 ug/L

RT: 9.65 min Scan# 1322

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :

GAB90


Tot Ion: 83 Resp: 180119

Ion Ratio Lower Upper

83 100

85 62.9 43.6 81.0




127 9.0 7.0 10.6



Abundance Ion 83.00 (82.70 to 83.70): VW

Ion 85.00 (84.70 to 85.70): VW

Ion 127.00 (126.70 to 127.70): VW



#42

cis-1,3-Dichloropropene

Concen: 16.46 ug/L

RT: 10.08 min Scan# 1393

Delta R.T. -0.00 min

Lab File: VW004967.D


Acq: 27 Aug 2018 16:07

Tgt Ion: 75 Resp: 191628

Ion Ratio Lower Upper



75 100


77 30.3 22.4 41.6



Abundance Ion 75.00 (74.70 to 75.70): VW

Ion 77.00 (76.70 to 77.70): VW





#44

Toluene

Concen: 20.56 ug/L

RT: 10.39 min Scan# 1444

Delta R.T. -0.01 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :





GAB90

Tot Ion: 91 Resp: 841665

Ion Ratio Lower Upper

91 100

92 57.5 40.6 75.4



#45

trans-1,3-Dichloropropene

Concen: 7.69 ug/L

RT: 10.61 min Scan# 1480

Delta R.T. -0.00 min

Lab File: VW004967.D




Acq: 27 Aug 2018 16:07


Tgt Ion: 75 Resp: 81176

Ion Ratio Lower Upper

75 100

77 32.2 22.2 41.2





#47

Tetrachloroethene

Concen: 40.33 ug/L

RT: 10.87 min Scan# 1522

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :

GAB90

Tot Ion:164 Resp: 334693


Ion Ratio Lower Upper

164 100

129 90.0 66.8 124.0

131 86.6 64.0 119.0

166 126.5 89.8 166.8






Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V



#49

2-Hexanone

Concen: 37.26 ug/L

RT: 10.98 min Scan# 1540

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Tgt Ion: 43 Resp: 178278


Ion Ratio Lower Upper

43 100

58 55.9 44.6 67.0

57 19.8 15.4 23.2

100 12.8 9.6 14.4






Abundance Ion 43.00 (42.70 to 43.70): V

Ion 58.00 (57.70 to 58.70): V

Ion 57.00 (56.70 to 57.70): V

Ion 100.00 (99.70 to 100.70): V





#50

Dibromochloromethane

Concen: 19.05 ug/L

RT: 11.13 min Scan# 1566

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :


GAB90

Tot Ion:129 Resp: 138449

Ion Ratio Lower Upper




129 100

127 73.9 53.8 99.8



Abundance Ion 129.00 (128.70 to 129.70): V

Ion 127.00 (126.70 to 127.70): V



#53

Ethylbenzene

Concen: 14.80 ug/L

RT: 11.74 min Scan# 1665

Delta R.T. -0.00 min

Lab File: VW004967.D


Acq: 27 Aug 2018 16:07

Tgt Ion: 91 Resp: 681907

Ion Ratio Lower Upper



91 100


106 32.4 21.6 40.2



Abundance Ion 91.00 (90.70 to 91.70): VW

Ion 106.00 (105.70 to 106.70): V





#54

m,p-Xylene

Concen: 10.35 ug/L

RT: 11.85 min Scan# 1684

Delta R.T. 0.01 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampled :


GAB90

Tot Ion:106 Resp: 185028

Ion Ratio Lower Upper




106 100

91 195.9 141.4 262.6



Abundance Ion 106.00 (105.70 to 106.70): V

Ion 91.00 (90.70 to 91.70): VW



#55

o-xylene

Concen: 12.55 ug/L

RT: 12.17 min Scan# 1736

Delta R.T. -0.00 min

Lab File: VW004967.D


Acq: 27 Aug 2018 16:07

Tgt Ion:106 Resp: 209648

Ion Ratio Lower Upper



106 100


91 205.2 147.0 273.0



Abundance Ion 106.00 (105.70 to 106.70): V

Ion 91.00 (90.70 to 91.70): VW





#57

Isopropylbenzene

Concen: 12.26 ug/L

RT: 12.47 min Scan# 1785

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :

GAB90


Tot Ion:105 Resp: 546793

Ion Ratio Lower Upper




105 100

120 27.1 21.3 31.9

77 15.1 12.0 18.0



Abundance Ion 105.00 (104.70 to 105.70): V
Ion 120.00 (119.70 to 120.70): V
Ion 77.00 (76.70 to 77.70): V



#63

1,3-Dichlorobenzene

Concen: 19.79 ug/L

RT: 13.51 min Scan# 1955

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07


Tgt Ion:146 Resp: 441283

Ion Ratio Lower Upper



146 100


111 38.3 25.6 47.6

148 63.9 42.7 79.3



Abundance Ion 146.00 (145.70 to 146.70): V
Ion 111.00 (110.70 to 111.70): V
Ion 148.00 (147.70 to 148.70): V





#65

1,2-Dichlorobenzene

Concen: 10.05 ug/L

RT: 13.88 min Scan# 2016

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07

Instrument :

MSVOA_W

ClientSampleId :

GAB90


Tot Ion:146 Resp: 214651

Ion Ratio Lower Upper

146 100

111 40.2 32.0 48.0




148 65.2 50.6 75.8



Abundance Ion 146.00 (145.70 to 146.70): V

Ion 111.00 (110.70 to 111.70): V

Ion 148.00 (147.70 to 148.70): V



#66

1,2-Dibromo-3-chloropropane

Concen: 19.69 ug/L

RT: 14.49 min Scan# 2117

Delta R.T. -0.00 min

Lab File: VW004967.D

Acq: 27 Aug 2018 16:07


Tgt Ion: 75 Resp: 35675

Ion Ratio Lower Upper

75 100

157 119.2 90.7 136.1

155 92.3 69.5 104.3



Abundance Ion 75.00 (74.70 to 75.70): VW

Ion 157.00 (156.70 to 157.70): V

Ion 155.00 (154.70 to 155.70): V

