

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082720\
 Data File : VW016392.D
 Acq On : 27 Aug 2020 16:27
 Operator : SY/VA
 Sample : L3800-11
 Misc : 5.02G/10ML/MSVOA W/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Aug 28 09:05:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 28 08:08:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	274805	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	261072	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	120582	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	45874	15.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	62.52%
7) Chloroethane-d5	2.89	69	36284	16.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.16%
10) 1,1-Dichloroethene-d2	4.01	63	90322	12.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.84%
20) 2-Butanone-d5	7.08	46	32518	38.97	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.94%
24) Chloroform-d	7.65	84	137845	19.24	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.96%
26) 1,2-Dichloroethane-d4	8.31	65	77410	20.97	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.88%
29) Benzene-d6	8.27	84	269144	18.46	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	73.84%
33) 1,2-Dichloropropane-d6	9.27	67	76359	18.93	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	75.72%
37) Toluene-d8	10.32	98	257265	18.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	74.84%
38) trans-1,3-Dichloropropene-	10.58	79	35711	18.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.40%
39) 2-Hexanone-d5	10.93	63	23841	36.90	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.80%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	70003	20.85	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.40%
61) 1,2-Dichlorobenzene-d4	13.85	152	94091	20.35	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.40%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11638	2.291 ug/L	90




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082720\
Data File : VW016392.D
Acq On : 27 Aug 2020 16:27
Operator : SY/VA
Sample : L3800-11
Misc : 5.02G/10ML/MSVOA W/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Aug 28 09:05:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 28 08:08:30 2020
Response via : Initial Calibration





#16
 Methylene chloride
 Concen: 2.291 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.00 min
 Lab File: VW016392.D
 Acq: 27 Aug 2020 16:27

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 11638
 Ion Ratio Lower Upper
 84 100
 49 95.4 75.3 139.9
 86 56.2 43.3 80.3

