

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW082819\
 Data File : VW012266.D
 Acq On : 28 Aug 2019 20:50
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.05G/5ML/MSVOA W/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 29 07:04:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W082319S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 26 07:18:31 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.308	0.300	2.6	77	0.00
3 P	Chloromethane	0.477	0.487	-2.1	86	0.00
4 C	Vinyl Chloride	0.584	0.582	0.3#	82	0.00
5 T	Bromomethane	0.296	0.306	-3.4	83	0.00
6 T	Chloroethane	0.329	0.346	-5.2	85	0.00
7 T	Trichlorofluoromethane	0.293	0.318	-8.5	88	0.00
8 T	Diethyl Ether	0.278	0.317	-14.0	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.498	0.524	-5.2	86	0.00
10 T	Methyl Iodide	0.674	0.727	-7.9	87	0.00
11 T	Tert butyl alcohol	0.036	0.046	-27.8#	107	0.00
12 CM	1,1-Dichloroethene	0.502	0.519	-3.4#	84	0.00
13 T	Acrolein	0.034	0.034	0.0	91	0.00
14 T	Allyl chloride	1.072	1.164	-8.6	88	0.00
15 T	Acrylonitrile	0.138	0.174	-26.1#	105	0.00
16 T	Acetone	0.152	0.158	-3.9	77	0.00
17 T	Carbon Disulfide	1.516	1.546	-2.0	80	0.00
18 T	Methyl Acetate	0.376	0.482	-28.2#	109	0.00
19 T	Methyl tert-butyl Ether	0.811	0.974	-20.1#	98	0.00
20 T	Methylene Chloride	0.574	0.613	-6.8	92	0.00
21 T	trans-1,2-Dichloroethene	0.538	0.572	-6.3	86	0.00
22 T	Diisopropyl ether	1.987	2.245	-13.0	92	0.00
23 T	Vinyl Acetate	1.223	1.460	-19.4	94	0.00
24 P	1,1-Dichloroethane	1.082	1.160	-7.2	88	0.00
25 T	2-Butanone	0.206	0.245	-18.9	93	0.00
26 T	2,2-Dichloropropane	0.612	0.632	-3.3	87	0.00
27 T	cis-1,2-Dichloroethene	0.575	0.632	-9.9	89	0.00
28 T	Bromochloromethane	0.472	0.479	-1.5	93	0.00
29 T	Tetrahydrofuran	0.124	0.161	-29.8#	104	0.00
30 C	Chloroform	0.990	1.061	-7.2#	90	0.00
31 T	Cyclohexane	1.071	1.052	1.8	83	0.00
32 T	1,1,1-Trichloroethane	0.783	0.837	-6.9	89	0.00
33 S	1,2-Dichloroethane-d4	0.594	0.607	-2.2	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.298	0.297	0.3	87	0.00
36 T	1,1-Dichloropropene	0.517	0.540	-4.4	87	0.00
37 T	Ethyl Acetate	0.283	0.341	-20.5#	100	0.00
38 T	Carbon Tetrachloride	0.447	0.466	-4.3	87	0.00
39 T	Methylcyclohexane	0.580	0.612	-5.5	85	0.00
40 TM	Benzene	1.411	1.486	-5.3	88	0.00
41 T	Methacrylonitrile	0.166	0.213	-28.3#	107	0.00
42 TM	1,2-Dichloroethane	0.442	0.485	-9.7	92	0.00
43 T	Isopropyl Acetate	0.524	0.644	-22.9#	102	0.00
44 TM	Trichloroethene	0.343	0.364	-6.1	89	0.00
45 C	1,2-Dichloropropane	0.380	0.411	-8.2#	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW082819\
 Data File : VW012266.D
 Acq On : 28 Aug 2019 20:50
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.05G/5ML/MSVOA W/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 29 07:04:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W082319S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 26 07:18:31 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.169	0.192	-13.6	96	0.00
47 T	Bromodichloromethane	0.450	0.494	-9.8	91	0.00
48 T	Methyl methacrylate	0.250	0.307	-22.8#	99	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	107	0.00
50 S	Toluene-d8	1.210	1.187	1.9	85	0.00
51 T	4-Methyl-2-Pentanone	0.267	0.335	-25.5#	103	0.00
52 CM	Toluene	0.848	0.913	-7.7#	89	0.00
53 T	t-1,3-Dichloropropene	0.458	0.521	-13.8	91	0.00
54 T	cis-1,3-Dichloropropene	0.553	0.614	-11.0	90	0.00
55 T	1,1,2-Trichloroethane	0.239	0.277	-15.9	98	0.00
56 T	Ethyl methacrylate	0.348	0.433	-24.4#	100	0.00
57 T	1,3-Dichloropropane	0.452	0.516	-14.2	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.179	0.209	-16.8	104	0.00
59 T	2-Hexanone	0.189	0.229	-21.2#	95	0.00
60 T	Dibromochloromethane	0.266	0.306	-15.0	94	0.00
61 T	1,2-Dibromoethane	0.223	0.259	-16.1	96	0.00
62 S	4-Bromofluorobenzene	0.427	0.425	0.5	88	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	89	0.00
64 T	Tetrachloroethene	0.324	0.350	-8.0	90	0.00
65 PM	Chlorobenzene	0.985	1.052	-6.8	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.343	0.378	-10.2	92	0.00
67 C	Ethyl Benzene	1.897	2.023	-6.6#	89	0.00
68 T	m/p-Xylenes	0.683	0.725	-6.1	88	0.00
69 T	o-Xylene	0.632	0.692	-9.5	90	0.00
70 T	Styrene	1.094	1.205	-10.1	90	0.00
71 P	Bromoform	0.171	0.203	-18.7	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	3.747	3.986	-6.4	89	0.00
74 T	N-amyl acetate	1.132	1.361	-20.2#	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.687	0.803	-16.9	100	0.00
76 T	1,2,3-Trichloropropane	0.487	0.539	-10.7	95	0.00
77 T	Bromobenzene	0.811	0.873	-7.6	92	0.00
78 T	n-propylbenzene	4.574	4.809	-5.1	88	0.00
79 T	2-Chlorotoluene	2.597	2.738	-5.4	89	0.00
80 T	1,3,5-Trimethylbenzene	3.131	3.325	-6.2	89	0.00
81 T	trans-1,4-Dichloro-2-butene	0.222	0.265	-19.4	98	0.00
82 T	4-Chlorotoluene	2.719	2.859	-5.1	89	0.00
83 T	tert-Butylbenzene	2.652	2.876	-8.4	91	0.00
84 T	1,2,4-Trimethylbenzene	3.145	3.301	-5.0	88	0.00
85 T	sec-Butylbenzene	3.799	4.007	-5.5	89	0.00
86 T	p-Isopropyltoluene	3.393	3.626	-6.9	89	0.00
87 T	1,3-Dichlorobenzene	1.585	1.662	-4.9	91	0.00
88 T	1,4-Dichlorobenzene	1.574	1.659	-5.4	91	0.00
89 T	n-Butylbenzene	3.374	3.511	-4.1	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW082819\
Data File : VW012266.D
Acq On : 28 Aug 2019 20:50
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.05G/5ML/MSVOA W/SOIL
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Aug 29 07:04:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W082319S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 26 07:18:31 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.595	0.634	-6.6	89	0.00
91 T	1,2-Dichlorobenzene	1.391	1.493	-7.3	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.116	0.141	-21.6#	107	0.00
93 T	1,2,4-Trichlorobenzene	0.961	1.048	-9.1	90	0.00
94 T	Hexachlorobutadiene	0.635	0.674	-6.1	92	0.00
95 T	Naphthalene	1.683	2.131	-26.6#	101	0.00
96 T	1,2,3-Trichlorobenzene	0.839	0.932	-11.1	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6