




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082923\
 Data File : VW026955.D
 Acq On : 29 Aug 2023 17:12
 Operator : SY/MD
 Sample : VIBLK499
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK499

Manual IntegrationsAPPROVED

Quant Time: Aug 29 20:50:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 29 20:47:20 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2023
 Supervised By :Mahesh Dadoda 09/01/2023



TIC: VW026955.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.240min (+ 0.220) 0.04 ug/L

response 132

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	124.90	125.76
102.00	16.90	20.45
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082923\
 Data File : VW026955.D
 Acq On : 29 Aug 2023 17:12
 Operator : SY/MD
 Sample : VIBLK499
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK499

Manual IntegrationsAPPROVED

Quant Time: Aug 29 20:50:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 29 20:47:20 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2023
 Supervised By :Mahesh Dadoda 09/01/2023



TIC: VW026955.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.021min (+ 0.000) 20.06 ug/L m

response 71527

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	124.90	0.23#
102.00	16.90	0.04#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082923\
 Data File : VW026955.D
 Acq On : 29 Aug 2023 17:12
 Operator : SY/MD
 Sample : VIBLK499
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK499

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2023
 Supervised By :Mahesh Dadoda 09/01/2023

Quant Time: Aug 29 20:50:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 29 20:47:20 2023
 Response via : Initial Calibration



TIC: VW026955.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.124min (-0.183) 0.02 ug/L

response 197

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.60	40.10
51.00	112.90	101.02
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082923\
 Data File : VW026955.D
 Acq On : 29 Aug 2023 17:12
 Operator : SY/MD
 Sample : VIBLK499
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK499

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2023
 Supervised By :Mahesh Dadoda 09/01/2023

Quant Time: Aug 29 20:50:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 29 20:47:20 2023
 Response via : Initial Calibration



TIC: VW026955.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (+ 0.000) 25.98 ug/L m

response 212220

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.60	0.04#
51.00	112.90	0.09#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082923\
 Data File : VW026955.D
 Acq On : 29 Aug 2023 17:12
 Operator : SY/MD
 Sample : VIBLK499
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK499

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2023
 Supervised By :Mahesh Dadoda 09/01/2023

Quant Time: Aug 29 20:50:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 29 20:47:20 2023
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		441109	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		442835	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		238611	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.363	65		137764	18.998	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	76.000%		
7) Chloroethane-d5	2.893	69		105281	19.525	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	78.120%		
11) 1,1-Dichloroethene-d2	4.021	65		71527m	20.056	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	80.240%		
21) 2-Butanone-d5	7.075	46		121573	58.331	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	116.660%		
24) Chloroform-d	7.648	84		341617	23.075	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	92.280%		
26) 1,2-Dichloroethane-d4	8.307	65		212220m	25.975	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	103.920%		
32) Benzene-d6	8.276	84		671589	22.005	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	88.000%		
36) 1,2-Dichloropropane-d6	9.276	67		216304	22.753	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	91.000%		
41) Toluene-d8	10.319	98		551597	21.055	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	84.200%		
43) trans-1,3-Dichloroprop...	10.575	79		85002	21.656	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	86.640%		
47) 2-Hexanone-d5	10.922	63		56676	56.737	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	113.480%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		181341	24.154	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	96.600%		
66) 1,2-Dichlorobenzene-d4	13.854	152		192675	22.560	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	90.240%		
Target Compounds							
13) Acetone	4.118	43		9341	4.508	ug/L	81
16) Methylene chloride	4.929	84		41607	4.876	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082923\
Data File : VW026955.D
Acq On : 29 Aug 2023 17:12
Operator : SY/MD
Sample : VIBLK499
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK499

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2023
Supervised By :Mahesh Dadoda 09/01/2023

Quant Time: Aug 29 20:50:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 29 20:47:20 2023
Response via : Initial Calibration

