

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW083021\
 Data File : VW019940.D
 Acq On : 30 Aug 2021 15:56
 Operator : SY/VA
 Sample : VIBLK422
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK422

Quant Time: Aug 31 01:04:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081821SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 31 01:00:58 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	306503	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	294967	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	138350	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	102136	21.507	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.040%
7) Chloroethane-d5	2.898	69	90768	21.776	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.120%
11) 1,1-Dichloroethene-d2	4.025	63	120976	14.681	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.720%
21) 2-Butanone-d5	7.086	46	46653	48.364	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.720%
24) Chloroform-d	7.653	84	195092	23.145	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.560%
26) 1,2-Dichloroethane-d4	8.311	65	109334	24.069	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.280%
32) Benzene-d6	8.281	84	380137	22.603	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.400%
36) 1,2-Dichloropropane-d6	9.274	67	117959	23.161	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.640%
41) Toluene-d8	10.329	98	336606	21.840	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.360%
43) trans-1,3-Dichloroprop...	10.579	79	46539	22.119	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.480%
47) 2-Hexanone-d5	10.927	63	31839	44.875	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.740%
56) 1,1,2,2-Tetrachloroeth...	12.695	84	100119	24.153	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.600%
66) 1,2-Dichlorobenzene-d4	13.853	152	118940	25.063	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.240%
Target Compounds						Qvalue
16) Methylene chloride	4.922	84	12593	2.394	ug/L	95
46) Tetrachloroethene	10.860	164	8574	2.405	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW083021\
Data File : VW019940.D
Acq On : 30 Aug 2021 15:56
Operator : SY/VA
Sample : VIBLK422
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK422

Quant Time: Aug 31 01:04:29 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081821SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 31 01:00:58 2021
Response via : Initial Calibration









#16
Methylene chloride
Concen: 2.394 ug/L
RT: 4.922 min Scan# 495
Delta R.T. -0.006 min
Lab File: VW019940.D
Acq: 30 Aug 2021 15:56

Instrument :
MSVOA_W
ClientSampleId :
VIBLK422

Tgt Ion: 84 Resp: 12593

Ion	Ratio	Lower	Upper
84	100		
86	58.6	45.3	84.1
49	128.1	86.6	160.8



#46
Tetrachloroethene
Concen: 2.405 ug/L
RT: 10.860 min Scan# 1469
Delta R.T. -0.006 min
Lab File: VW019940.D
Acq: 30 Aug 2021 15:56

Tgt Ion: 164 Resp: 8574

Ion	Ratio	Lower	Upper
164	100		
129	99.8	66.7	123.9
131	97.9	61.1	113.5
166	121.3	87.0	161.6

