

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW083119\
 Data File : VW012403.D
 Acq On : 31 Aug 2019 16:26
 Operator : SY/VA
 Sample : K4493-12
 Misc : 5.14G/5ML/MSVOA W/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 T9-12-13-K2-(0)

Quant Time: Aug 31 17:48:58 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W082319S.M
 Quant Title : SW846 8260
 QLast Update : Mon Aug 26 07:18:31 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	206573	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	339851	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	283498	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	110702	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	137911	56.16	ug/l	0.00
Spiked Amount 50.000			Recovery	=	112.32%	
35) Dibromofluoromethane	7.88	113	107617	53.05	ug/l	0.00
Spiked Amount 50.000			Recovery	=	106.10%	
50) Toluene-d8	10.32	98	417269	50.73	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.46%	
62) 4-Bromofluorobenzene	12.62	95	132585	45.73	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.46%	
Target Compounds						
20) Methylene Chloride	4.91	84	22604	9.525	ug/l	96
29) Tetrahydrofuran	7.54	42	4481	8.756	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW083119\
Data File : VW012403.D
Acq On : 31 Aug 2019 16:26
Operator : SY/VA
Sample : K4493-12
Misc : 5.14G/5ML/MSVOA W/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
T9-12-13-K2-(0)

Quant Time: Aug 31 17:48:58 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W082319S.M
Quant Title : SW846 8260
QLast Update : Mon Aug 26 07:18:31 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW012403.D

Acq: 31 Aug 2019 16:26

Instrument :

MSVOA_W

ClientSampleId :


T9-12-13-K2-(0)

Tot Ion:168 Resp: 206573

Ion Ratio Lower Upper




168 100

99 61.2 49.2 73.8



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#20

Methylene Chloride

Concen: 9.525 ug/l

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW012403.D

Acq: 31 Aug 2019 16:26

Tgt Ion: 84 Resp: 22604


Ion Ratio Lower Upper

84 100

49 149.2 117.8 176.8

51 47.8 35.6 53.4

86 56.6 51.2 76.8






Abundance Ion 83.90 (83.60 to 84.60): VW

Ion 48.90 (48.60 to 49.60): VW

Ion 50.90 (50.60 to 51.60): VW

Ion 85.90 (85.60 to 86.60): VW





#29

Tetrahydrofuran

Concen: 8.756 ug/l

RT: 7.54 min Scan# 924

Delta R.T. 0.01 min

Lab File: VW012403.D

Acq: 31 Aug 2019 16:26

Instrument :

MSVOA_W

ClientSampleId :

T9-12-13-K2-(0)


Tot Ion: 42 Resp: 4481

Ion Ratio Lower Upper




42 100

72 33.2 27.3 40.9

71 34.9 25.5 38.3



Abundance Ion 42.00 (41.70 to 42.70): VW
Ion 72.00 (71.70 to 72.70): VW
Ion 71.00 (70.70 to 71.70): VW



#33

1,2-Dichloroethane-d4

Concen: 56.161 ug/l

RT: 8.30 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW012403.D


Acq: 31 Aug 2019 16:26

Tgt Ion: 65 Resp: 137911



Ion Ratio Lower Upper


65 100

67 50.6 0.0 102.6



Abundance Ion 64.90 (64.60 to 65.60): VW
Ion 66.90 (66.60 to 67.60): VW





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. -0.00 min

Lab File: VW012403.D

Acq: 31 Aug 2019 16:26

Instrument :

MSVOA_W

ClientSampleId :

T9-12-13-K2-(0)


Tot Ion:114 Resp: 339851

Ion Ratio Lower Upper

114 100

63 26.0 0.0 48.6




88 17.6 0.0 32.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 53.050 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW012403.D

Acq: 31 Aug 2019 16:26


Tgt Ion:113 Resp: 107617

Ion Ratio Lower Upper

113 100

111 101.6 82.7 124.1



192 20.3 16.2 24.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 50.730 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. -0.00 min
Lab File: VW012403.D
Acq: 31 Aug 2019 16:26




Instrument :
MSVOA_W
ClientSampleId :
T9-12-13-K2-(0)


Tot Ion: 98 Resp: 417269
Ion Ratio Lower Upper
98 100
100 65.5 52.4 78.6



#62
4-Bromofluorobenzene
Concen: 45.728 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. -0.00 min
Lab File: VW012403.D
Acq: 31 Aug 2019 16:26

Tgt Ion: 95 Resp: 132585
Ion Ratio Lower Upper
95 100
174 77.1 0.0 150.8
176 72.8 0.0 148.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW012403.D
Acq: 31 Aug 2019 16:26

Instrument :
MSVOA_W
ClientSampleId :
T9-12-13-K2-(0)

Tot Ion:117 Resp: 283498
Ion Ratio Lower Upper
117 100
82 61.7 47.4 71.2
119 32.8 25.4 38.2



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW012403.D
Acq: 31 Aug 2019 16:26

Tgt Ion:152 Resp: 110702
Ion Ratio Lower Upper
152 100
115 60.1 30.1 90.3
150 157.8 0.0 345.8

