

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090722\
 Data File : VW024576.D
 Acq On : 07 Sep 2022 16:55
 Operator : SY/VA
 Sample : VIBLK553
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK553

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 09/08/2022
 Supervised By : Mahesh Dadoda 09/08/2022

Quant Time: Sep 08 01:20:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Sep 07 04:52:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	251241	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	259230	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	107858	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	151050	29.120	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 116.480%			
7) Chloroethane-d5	2.879	69	108017	28.006	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 112.040%			
11) 1,1-Dichloroethene-d2	4.007	63	97893	17.888	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 71.560%			
21) 2-Butanone-d5	7.080	46	39344	47.018	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 94.040%			
24) Chloroform-d	7.647	84	156499	24.457	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 97.840%			
26) 1,2-Dichloroethane-d4	8.299	65	94142m	26.094	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 104.360%			
32) Benzene-d6	8.275	84	315319	24.728	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 98.920%			
36) 1,2-Dichloropropane-d6	9.268	67	91687	24.387	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 97.560%			
41) Toluene-d8	10.323	98	309208	24.874	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 99.480%			
43) trans-1,3-Dichloroprop...	10.579	79	37218	22.090	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 88.360%			
47) 2-Hexanone-d5	10.920	63	31542	45.643	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 91.280%			
56) 1,1,2,2-Tetrachloroeth...	12.688	84	76523	21.236	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 84.960%			
66) 1,2-Dichlorobenzene-d4	13.847	152	89767	26.277	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 105.120%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090722\
Data File : VW024576.D
Acq On : 07 Sep 2022 16:55
Operator : SY/VA
Sample : VIBLK553
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK553

Quant Time: Sep 08 01:20:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090622SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Sep 07 04:52:14 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 09/08/2022
Supervised By : Mahesh Dadoda 09/08/2022

