

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090821\
 Data File : VW019994.D
 Acq On : 08 Sep 2021 09:52
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 09 04:07:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W090721S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 08 12:18:21 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	107	0.00
2 T	Dichlorodifluoromethane	0.304	0.305	-0.3	101	0.00
3 P	Chloromethane	0.452	0.409	9.5	101	0.00
4 C	Vinyl Chloride	0.733	0.711	3.0#	101	0.00
5 T	Bromomethane	0.594	0.544	8.4	97	0.00
6 T	Chloroethane	0.505	0.476	5.7	94	0.00
7 T	Trichlorofluoromethane	0.419	0.454	-8.4	112	0.00
8 T	Diethyl Ether	0.257	0.244	5.1	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.547	0.526	3.8	102	0.00
10 T	Methyl Iodide	0.750	0.718	4.3	99	0.00
11 T	Tert butyl alcohol	0.028	0.025	10.7	99	-0.04
12 CM	1,1-Dichloroethene	0.516	0.512	0.8#	101	0.00
13 T	Acrolein	0.021	0.016	23.8	93	0.00
14 T	Allyl chloride	0.702	0.683	2.7	98	0.00
15 T	Acrylonitrile	0.107	0.102	4.7	98	-0.01
16 T	Acetone	0.093	0.104	-11.8	120	-0.01
17 T	Carbon Disulfide	1.570	1.510	3.8	100	0.00
18 T	Methyl Acetate	0.265	0.233	12.1	94	0.00
19 T	Methyl tert-butyl Ether	0.681	0.672	1.3	98	0.00
20 T	Methylene Chloride	0.701	0.533	24.0	96	0.00
21 T	trans-1,2-Dichloroethene	0.586	0.567	3.2	98	0.00
22 T	Diisopropyl ether	1.487	1.407	5.4	96	0.00
23 T	Vinyl Acetate	0.811	0.797	1.7	97	0.00
24 P	1,1-Dichloroethane	1.053	0.976	7.3	97	0.00
25 T	2-Butanone	0.134	0.136	-1.5	105	0.00
26 T	2,2-Dichloropropane	0.637	0.640	-0.5	108	0.00
27 T	cis-1,2-Dichloroethene	0.626	0.597	4.6	97	0.00
28 T	Bromochloromethane	0.418	0.362	13.4	88	0.00
29 T	Tetrahydrofuran	0.083	0.081	2.4	100	0.00
30 C	Chloroform	1.109	1.000	9.8#	95	0.00
31 T	Cyclohexane	0.946	0.893	5.6	102	0.00
32 T	1,1,1-Trichloroethane	0.898	0.849	5.5	100	0.00
33 S	1,2-Dichloroethane-d4	0.580	0.491	15.3	97	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.328	0.304	7.3	96	0.00
36 T	1,1-Dichloropropene	0.526	0.551	-4.8	100	0.00
37 T	Ethyl Acetate	0.193	0.202	-4.7	101	0.00
38 T	Carbon Tetrachloride	0.536	0.553	-3.2	101	0.00
39 T	Methylcyclohexane	0.610	0.676	-10.8	101	0.00
40 TM	Benzene	1.449	1.448	0.1	96	0.00
41 T	Methacrylonitrile	0.107	0.113	-5.6	106	0.00
42 TM	1,2-Dichloroethane	0.445	0.434	2.5	95	0.00
43 T	Isopropyl Acetate	0.367	0.381	-3.8	99	0.00
44 TM	Trichloroethene	0.380	0.393	-3.4	100	0.00
45 C	1,2-Dichloropropane	0.352	0.349	0.9#	95	0.00
46 T	Dibromomethane	0.199	0.192	3.5	94	0.00
47 T	Bromodichloromethane	0.495	0.492	0.6	97	0.00
48 T	Methyl methacrylate	0.161	0.179	-11.2	105	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090821\
 Data File : VW019994.D
 Acq On : 08 Sep 2021 09:52
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 09 04:07:38 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W090721S.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 08 12:18:21 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.002	33.3#	81	-0.01
50 S	Toluene-d8	1.221	1.199	1.8	101	0.00
51 T	4-Methyl-2-Pentanone	0.190	0.205	-7.9	102	0.00
52 CM	Toluene	0.917	0.975	-6.3#	101	0.00
53 T	t-1,3-Dichloropropene	0.475	0.491	-3.4	98	0.00
54 T	cis-1,3-Dichloropropene	0.553	0.558	-0.9	95	0.00
55 T	1,1,2-Trichloroethane	0.269	0.258	4.1	97	0.00
56 T	Ethyl methacrylate	0.301	0.337	-12.0	101	0.00
57 T	1,3-Dichloropropane	0.462	0.461	0.2	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.138	0.141	-2.2	101	0.00
59 T	2-Hexanone	0.127	0.147	-15.7	105	0.00
60 T	Dibromochloromethane	0.312	0.313	-0.3	97	0.00
61 T	1,2-Dibromoethane	0.252	0.253	-0.4	99	0.00
62 S	4-Bromofluorobenzene	0.452	0.461	-2.0	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	104	0.00
64 T	Tetrachloroethene	0.347	0.346	0.3	102	0.00
65 PM	Chlorobenzene	1.075	1.062	1.2	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.383	0.384	-0.3	99	0.00
67 C	Ethyl Benzene	1.896	2.039	-7.5#	103	0.00
68 T	m/p-Xylenes	0.748	0.782	-4.5	98	0.00
69 T	o-Xylene	0.686	0.726	-5.8	98	0.00
70 T	Styrene	1.162	1.244	-7.1	97	0.00
71 P	Bromoform	0.189	0.194	-2.6	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.538	3.819	-7.9	99	0.00
74 T	N-amyl acetate	0.726	0.767	-5.6	97	0.00
75 P	1,1,2,2-Tetrachloroethane	0.650	0.634	2.5	98	0.00
76 T	1,2,3-Trichloropropane	0.464	0.432	6.9	94	0.00
77 T	Bromobenzene	0.821	0.817	0.5	95	0.00
78 T	n-propylbenzene	4.455	4.755	-6.7	99	0.00
79 T	2-Chlorotoluene	2.593	2.685	-3.5	99	0.00
80 T	1,3,5-Trimethylbenzene	3.118	3.363	-7.9	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.192	0.201	-4.7	100	0.00
82 T	4-Chlorotoluene	2.726	2.842	-4.3	98	0.00
83 T	tert-Butylbenzene	2.612	2.856	-9.3	102	0.00
84 T	1,2,4-Trimethylbenzene	3.054	3.265	-6.9	97	0.00
85 T	sec-Butylbenzene	3.966	4.293	-8.2	100	0.00
86 T	p-Isopropyltoluene	3.339	3.641	-9.0	99	0.00
87 T	1,3-Dichlorobenzene	1.740	1.716	1.4	97	0.00
88 T	1,4-Dichlorobenzene	1.727	1.710	1.0	99	0.00
89 T	n-Butylbenzene	3.199	3.594	-12.3	103	0.00
90 T	Hexachloroethane	0.638	0.671	-5.2	101	0.00
91 T	1,2-Dichlorobenzene	1.511	1.525	-0.9	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.107	0.110	-2.8	97	0.00
93 T	1,2,4-Trichlorobenzene	0.922	0.956	-3.7	102	0.00
94 T	Hexachlorobutadiene	0.547	0.577	-5.5	99	0.00
95 T	Naphthalene	1.594	1.783	-11.9	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090821\
Data File : VW019994.D
Acq On : 08 Sep 2021 09:52
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00g/5mL/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Sep 09 04:07:38 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W090721S.M
Quant Title : SW846 8260
QLast Update : Wed Sep 08 12:18:21 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.808	0.811	-0.4	96	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6