

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW090919\
 Data File : VW012843.D
 Acq On : 10 Sep 2019 01:29
 Operator : SY/VA
 Sample : K4644-02
 Misc : 5.67G/5ML/MSVOA W/SOIL
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 T11-D3-(0)

Quant Time: Sep 10 07:57:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
 Quant Title : SW846 8260
 QLast Update : Sun Sep 08 05:04:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	272733	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	412473	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	319699	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.55	152	102518	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	144347	47.37	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.74%	
35) Dibromofluoromethane	7.88	113	120339	49.07	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.14%	
50) Toluene-d8	10.32	98	478052	49.76	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.52%	
62) 4-Bromofluorobenzene	12.62	95	128744	36.91	ug/l	0.00
Spiked Amount 50.000			Recovery	=	73.82%	
Target Compounds						
29) Tetrahydrofuran	7.53	42	4955	7.386	ug/l #	Qvalue 60

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW090919\
Data File : VW012843.D
Acq On : 10 Sep 2019 01:29
Operator : SY/VA
Sample : K4644-02
Misc : 5.67G/5ML/MSVOA W/SOIL
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
T11-D3-(0)

Quant Time: Sep 10 07:57:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
Quant Title : SW846 8260
QLast Update : Sun Sep 08 05:04:40 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. 0.00 min

Lab File: VW012843.D

Acq: 10 Sep 2019 01:29

Instrument :

MSVOA_W

ClientSampleId :


T11-D3-(0)

Tot Ion:168 Resp: 272733

Ion Ratio Lower Upper

168 100

99 53.9 47.8 71.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95



150000

100000

50000

0

Time-->



#29

Tetrahydrofuran

Concen: 7.386 ug/l

RT: 7.53 min Scan# 923

Delta R.T. 0.01 min

Lab File: VW012843.D

Acq: 10 Sep 2019 01:29


Tgt Ion: 42 Resp: 4955

Ion Ratio Lower Upper

42 100

72 22.3 28.4 42.6#

71 0.0 27.1 40.7#



Abundance Ion 42.00 (41.70 to 42.70): VW

Ion 72.00 (71.70 to 72.70): VW

Ion 71.00 (70.70 to 71.70): VW

2500

2000


1500


1000

500

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 47.368 ug/l
 RT: 8.30 min Scan# 1049
 Delta R.T. -0.01 min
 Lab File: VW012843.D
 Acq: 10 Sep 2019 01:29




Instrument :
 MSVOA_W
 ClientSampleId :
 T11-D3-(0)

Tot Ion: 65 Resp: 144347
 Ion Ratio Lower Upper
 65 100
 67 51.4 0.0 101.8



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1137
 Delta R.T. -0.01 min
 Lab File: VW012843.D
 Acq: 10 Sep 2019 01:29

Tgt Ion: 114 Resp: 412473
 Ion Ratio Lower Upper
 114 100
 63 22.6 0.0 47.2
 88 15.8 0.0 34.0





#35

Dibromofluoromethane

Concen: 49.073 ug/l

RT: 7.88 min Scan# 980

Delta R.T. -0.01 min

Lab File: VW012843.D

Acq: 10 Sep 2019 01:29

Instrument :

MSVOA_W

ClientSampleId :

T11-D3-(0)


Tot Ion:113 Resp: 120339

Ion Ratio Lower Upper

113 100

111 103.4 80.2 120.4




192 22.3 17.3 25.9



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 49.759 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. 0.00 min

Lab File: VW012843.D


Acq: 10 Sep 2019 01:29

Tgt Ion: 98 Resp: 478052

Ion Ratio Lower Upper



98 100


100 66.1 52.2 78.4



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW





#62

4-Bromofluorobenzene

Concen: 36.913 ug/l

RT: 12.62 min Scan# 1757

Delta R.T. 0.00 min

Lab File: VW012843.D

Acq: 10 Sep 2019 01:29

Instrument :

MSVOA_W

ClientSampleId :

T11-D3-(0)


Tot Ion: 95 Resp: 128744

Ion Ratio Lower Upper

95 100

174 83.8 0.0 161.0




176 79.8 0.0 156.4



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1595

Delta R.T. -0.01 min

Lab File: VW012843.D

Acq: 10 Sep 2019 01:29


Tgt Ion: 117 Resp: 319699

Ion Ratio Lower Upper

117 100

82 58.1 48.2 72.4



119 31.1 25.8 38.6




Abundance Ion 116.90 (116.60 to 117.60): VW

Ion 82.00 (81.70 to 82.70): VW

Ion 118.90 (118.60 to 119.60): VW





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.55 min Scan# 1911

Delta R.T. -0.01 min

Lab File: VW012843.D

Acq: 10 Sep 2019 01:29

Instrument :

MSVOA_W

ClientSampleId :

T11-D3-(0)


Tot Ion:152 Resp: 102518

Ion Ratio Lower Upper

152 100

115 56.7 30.0 90.1

150 154.5 0.0 349.0



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

