

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW090920\
 Data File : VW016503.D
 Acq On : 09 Sep 2020 17:43
 Operator : SY/VA
 Sample : L3950-09
 Misc : 6.27G/10ML/MSVOA W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Sep 10 05:50:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM090320S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 10 05:09:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	725155	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	633208	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	285832	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	175754	22.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.36%
7) Chloroethane-d5	2.90	69	152212	22.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.12%
10) 1,1-Dichloroethene-d2	4.03	63	273806	15.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.92%
20) 2-Butanone-d5	7.08	46	85260	31.03	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	62.06%
24) Chloroform-d	7.65	84	358611	21.11	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.44%
26) 1,2-Dichloroethane-d4	8.31	65	190565	20.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	82.08%
29) Benzene-d6	8.28	84	723736	22.48	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.92%
33) 1,2-Dichloropropane-d6	9.28	67	202283	21.39	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.56%
37) Toluene-d8	10.33	98	692750	22.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.56%
38) trans-1,3-Dichloropropene-	10.58	79	96601	20.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.00%
39) 2-Hexanone-d5	10.93	63	71825	37.16	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.32%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	158861	19.86	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.44%
61) 1,2-Dichlorobenzene-d4	13.85	152	216985	21.97	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.88%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	33237m	2.937 ug/L	
47) Tetrachloroethene	10.87	164	6104	0.794 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW090920\
Data File : VW016503.D
Acq On : 09 Sep 2020 17:43
Operator : SY/VA
Sample : L3950-09
Misc : 6.27G/10ML/MSVOA W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Sep 10 05:50:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM090320S.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 10 05:09:14 2020
Response via : Initial Calibration

