

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW091020\
 Data File : VW016530.D
 Acq On : 10 Sep 2020 17:33
 Operator : SY/VA
 Sample : L3957-02
 Misc : 4.96G/10ML/MSVOA W/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFWP9

Quant Time: Sep 11 07:39:19 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM090320S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 11 06:07:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	575724	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	510480	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	212534	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	125099	20.48	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.92%
7) Chloroethane-d5	2.90	69	122247	22.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.16%
10) 1,1-Dichloroethene-d2	4.03	63	181418	12.92	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.68%
20) 2-Butanone-d5	7.08	46	66950	30.69	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	61.38%
24) Chloroform-d	7.65	84	299933	22.24	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.96%
26) 1,2-Dichloroethane-d4	8.31	65	153947	20.88	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.52%
29) Benzene-d6	8.28	84	547694	21.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.40%
33) 1,2-Dichloropropane-d6	9.28	67	163959	21.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.04%
37) Toluene-d8	10.33	98	494598	20.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.20%
38) trans-1,3-Dichloropropene-	10.58	79	74212	19.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.16%
39) 2-Hexanone-d5	10.93	63	54229	34.80	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	126371	19.60	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	78.40%
61) 1,2-Dichlorobenzene-d4	13.85	152	174702	23.79	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.16%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	22398	2.493 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW091020\
Data File : VW016530.D
Acq On : 10 Sep 2020 17:33
Operator : SY/VA
Sample : L3957-02
Misc : 4.96G/10ML/MSVOA W/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFWP9

Quant Time: Sep 11 07:39:19 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM090320S.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 11 06:07:14 2020
Response via : Initial Calibration

