

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW091020\
 Data File : VW016531.D
 Acq On : 10 Sep 2020 17:57
 Operator : SY/VA
 Sample : L3957-03
 Misc : 6.51G/10ML/MSVOA W/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFWQ0

Quant Time: Sep 11 07:41:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM090320S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 11 06:07:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	619988	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	543964	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	231001	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	118497	18.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.04%
7) Chloroethane-d5	2.90	69	116435	19.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.84%
10) 1,1-Dichloroethene-d2	4.03	63	173609	11.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	45.92%
20) 2-Butanone-d5	7.09	46	65696	27.97	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	55.94%
24) Chloroform-d	7.65	84	283722	19.54	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.16%
26) 1,2-Dichloroethane-d4	8.31	65	147889	18.62	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	74.48%
29) Benzene-d6	8.28	84	514230	18.60	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	74.40%
33) 1,2-Dichloropropane-d6	9.28	67	152571	18.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	75.12%
37) Toluene-d8	10.33	98	469835	17.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	71.52%
38) trans-1,3-Dichloropropene-	10.58	79	70666	17.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	68.96%
39) 2-Hexanone-d5	10.93	63	52582	31.67	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	63.34%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	121491	17.68	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	70.72%
61) 1,2-Dichlorobenzene-d4	13.85	152	171076	21.43	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.72%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	24137	2.495 ug/L	97




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW091020\
Data File : VW016531.D
Acq On : 10 Sep 2020 17:57
Operator : SY/VA
Sample : L3957-03
Misc : 6.51G/10ML/MSVOA W/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFWQ0

Quant Time: Sep 11 07:41:02 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM090320S.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 11 06:07:14 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 2.495 ug/L

RT: 4.92 min Scan# 495

Delta R.T. -0.00 min

Lab File: VW016531.D

Acq: 10 Sep 2020 17:57

Instrument :

MSVOA_W

ClientSampleId :

BFWQ0

Tot Ion: 84 Resp: 24137

Ion Ratio Lower Upper

84 100

49 119.8 86.7 160.9

86 65.6 44.9 83.5

