

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091621\
 Data File : VW020036.D
 Acq On : 16 Sep 2021 10:41
 Operator : SY/VA
 Sample : VW0916SBL06
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Sep 16 14:40:31 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Sep 16 00:47:26 2021
 Response via : Initial Calibration


Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards							
1) 1,4-Difluorobenzene		8.848	114	291635	25.000	ug/L	0.00
28) Chlorobenzene-d5		11.634	117	276486	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		13.560	152	130715	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		2.361	65	130411	27.150	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.600%	
7) Chloroethane-d5		2.898	69	105293	25.468	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.880%	
11) 1,1-Dichloroethene-d2		4.025	63	146206	18.622	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.480%	
21) 2-Butanone-d5		7.080	46	48791	37.131	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.260%	
24) Chloroform-d		7.653	84	209840	26.114	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.440%	
26) 1,2-Dichloroethane-d4		8.305	65	124648	26.331	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.320%	
32) Benzene-d6		8.281	84	399938	26.512	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	106.040%	
36) 1,2-Dichloropropane-d6		9.274	67	120273	26.880	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	107.520%	
41) Toluene-d8		10.329	98	366137	25.893	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	103.560%	
43) trans-1,3-Dichloroprop...		10.579	79	52047	25.288	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	101.160%	
47) 2-Hexanone-d5		10.927	63	35697	39.052	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.100%	
56) 1,1,2,2-Tetrachloroeth...		12.695	84	101075	22.962	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.840%	
66) 1,2-Dichlorobenzene-d4		13.853	152	126696	28.441	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	113.760%	
Target Compounds							Qvalue
16) Methylene chloride		4.928	84	8673	1.688	ug/L	96
34) Trichloroethene		8.842	95	8813	2.000	ug/L #	5
39) cis-1,3-Dichloropropene		10.036	75	4198	0.690	ug/L #	75
42) Toluene		10.390	91	6311	0.355	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091621\
Data File : VW020036.D
Acq On : 16 Sep 2021 10:41
Operator : SY/VA
Sample : VW0916SBL06
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Sep 16 14:40:31 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091421SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Sep 16 00:47:26 2021
Response via : Initial Calibration









#16
Methylene chloride
Concen: 1.688 ug/L
RT: 4.928 min Scan# 496
Delta R.T. 0.006 min
Lab File: VW020036.D
Acq: 16 Sep 2021 10:41




Instrument :
MSVOA_W
ClientSampled :


Tgt Ion: 84 Resp: 8673
Ion Ratio Lower Upper
84 100
86 64.7 45.3 84.1
49 117.6 86.6 160.8



#34
Trichloroethene
Concen: 2.000 ug/L
RT: 8.842 min Scan# 1138
Delta R.T. -0.256 min
Lab File: VW020036.D
Acq: 16 Sep 2021 10:41

Tgt Ion: 95 Resp: 8813
Ion Ratio Lower Upper
95 100
97 0.0 47.3 87.8#
132 0.0 71.0 131.8#
130 0.0 65.1 120.9#









#39
cis-1,3-Dichloropropene
Concen: 0.690 ug/L
RT: 10.036 min Scan# 1334
Delta R.T. -0.037 min
Lab File: VW020036.D
Acq: 16 Sep 2021 10:41

Instrument :
MSVOA_W
ClientSampled :

Tgt Ion: 75 Resp: 4198
Ion Ratio Lower Upper
75 100
77 46.5 22.6 42.0#



#42
Toluene
Concen: 0.355 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. -0.000 min
Lab File: VW020036.D
Acq: 16 Sep 2021 10:41

Tgt Ion: 91 Resp: 6311
Ion Ratio Lower Upper
91 100
92 56.1 39.5 73.3

