

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW091719\
 Data File : VW013083.D
 Acq On : 17 Sep 2019 12:11
 Operator : SY/VA
 Sample : K4851-02MS
 Misc : 5.98G/5ML/MSVOA W/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Sep 18 05:31:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W091419S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 13 17:26:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	64865	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	97184	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	84376	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	40800	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.31	65	29798	49.74	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.48%	
35) Dibromofluoromethane	7.88	113	25354	48.08	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.16%	
50) Toluene-d8	10.32	98	103187	50.01	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.02%	
62) 4-Bromofluorobenzene	12.62	95	35740	48.17	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.34%	

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	2.01	85	5494	19.387	ug/l	96
3) Chloromethane	2.21	50	17794	57.761	ug/l	94
4) Vinyl Chloride	2.36	62	23740	51.133	ug/l	98
5) Bromomethane	2.78	94	13445	47.420	ug/l	92
6) Chloroethane	2.92	64	14655	51.466	ug/l	99
7) Trichlorofluoromethane	3.26	101	33572	103.404	ug/l	100
8) Diethyl Ether	3.68	74	12896	50.869	ug/l	96
9) 1,1,2-Trichlorotrifluoroet	4.07	101	25487	51.758	ug/l	98
10) Methyl Iodide	4.27	142	33230	53.922	ug/l	98
11) Tert butyl alcohol	5.17	59	13313	336.625	ug/l	98
12) 1,1-Dichloroethene	4.04	96	21286	47.542	ug/l	93
13) Acrolein	3.90	56	4709	102.491	ug/l	91
14) Allyl chloride	4.67	41	43621	51.319	ug/l	94
15) Acrylonitrile	5.37	53	38023	293.658	ug/l	98
16) Acetone	4.12	43	47535	375.488	ug/l	100
17) Carbon Disulfide	4.37	76	42925	48.108	ug/l	99
18) Methyl Acetate	4.68	43	23048	67.529	ug/l	100
19) Methyl tert-butyl Ether	5.43	73	65696	74.333	ug/l	98
20) Methylene Chloride	4.92	84	25830	53.759	ug/l	98
21) trans-1,2-Dichloroethene	5.42	96	22979	47.919	ug/l	90
22) Diisopropyl ether	6.31	45	95435	54.046	ug/l	99
23) Vinyl Acetate	6.26	43	237822	224.867	ug/l	99
24) 1,1-Dichloroethane	6.21	63	51497	50.581	ug/l	98
25) 2-Butanone	7.17	43	56904	298.722	ug/l	100
26) 2,2-Dichloropropane	7.17	77	44936	71.403	ug/l	98
27) cis-1,2-Dichloroethene	7.17	96	28056	48.868	ug/l	99
28) Bromochloromethane	7.52	49	23299	54.371	ug/l	99
29) Tetrahydrofuran	7.53	42	33144	305.366	ug/l	98
30) Chloroform	7.68	83	52163	50.425	ug/l	96
31) Cyclohexane	7.95	56	41722	55.018	ug/l	95
32) 1,1,1-Trichloroethane	7.87	97	45154	53.003	ug/l	100
36) 1,1-Dichloropropene	8.09	75	36181	46.590	ug/l	99
37) Ethyl Acetate	7.25	43	21359	51.817	ug/l	99
38) Carbon Tetrachloride	8.07	117	37350	46.932	ug/l	97

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW091719\
 Data File : VW013083.D
 Acq On : 17 Sep 2019 12:11
 Operator : SY/VA
 Sample : K4851-02MS
 Misc : 5.98G/5ML/MSVOA W/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Sep 18 05:31:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W091419S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 13 17:26:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
39) Methylcyclohexane	9.34	83	39019	45.852	ug/l	98
40) Benzene	8.32	78	106515	49.131	ug/l	97
41) Methacrylonitrile	7.48	41	14858	54.736	ug/l	93
42) 1,2-Dichloroethane	8.40	62	35434	48.757	ug/l	97
43) Isopropyl Acetate	8.43	43	44123	55.750	ug/l	98
44) Trichloroethene	9.09	130	28502	47.997	ug/l	91
45) 1,2-Dichloropropane	9.37	63	29429	51.092	ug/l	98
46) Dibromomethane	9.46	93	13868	50.254	ug/l	99
47) Bromodichloromethane	9.64	83	37312	48.203	ug/l	96
48) Methyl methacrylate	9.43	41	19267	51.872	ug/l	94
49) 1,4-Dioxane	9.45	88	5207	1126.074	ug/l #	89
51) 4-Methyl-2-Pentanone	10.21	43	120278	294.364	ug/l	99
52) Toluene	10.39	92	68815	49.952	ug/l	99
53) t-1,3-Dichloropropene	10.60	75	37967	48.770	ug/l	97
54) cis-1,3-Dichloropropene	10.07	75	43410	48.735	ug/l	97
55) 1,1,2-Trichloroethane	10.79	97	22102	52.575	ug/l	94
56) Ethyl methacrylate	10.65	69	29700	52.486	ug/l	95
57) 1,3-Dichloropropane	10.93	76	39381	52.808	ug/l	99
58) 2-Chloroethyl Vinyl ether	9.92	63	74392	245.078	ug/l	99
59) 2-Hexanone	10.97	43	86695	304.712	ug/l	99
60) Dibromochloromethane	11.13	129	25455	50.083	ug/l	98
61) 1,2-Dibromoethane	11.23	107	20571	53.641	ug/l	100
64) Tetrachloroethene	10.86	164	33898	67.532	ug/l	99
65) Chlorobenzene	11.66	112	72217	48.051	ug/l	96
66) 1,1,1,2-Tetrachloroethane	11.73	131	27286	47.376	ug/l	97
67) Ethyl Benzene	11.73	91	134126	48.321	ug/l	99
68) m/p-Xylenes	11.84	106	98105	96.749	ug/l	100
69) o-Xylene	12.16	106	47146	49.593	ug/l	100
70) Styrene	12.18	104	80091	47.360	ug/l	100
71) Bromoform	12.35	173	14941	49.387	ug/l #	98
73) Isopropylbenzene	12.46	105	137058	50.681	ug/l	99
74) N-amyl acetate	12.27	43	36211	52.052	ug/l	99
75) 1,1,2,2-Tetrachloroethane	12.71	83	27020	56.886	ug/l	98
76) 1,2,3-Trichloropropane	12.77	75	34330	96.061	ug/l #	100
77) Bromobenzene	12.74	156	31220	50.112	ug/l	98
78) n-propylbenzene	12.80	91	157240	49.429	ug/l	100
79) 2-Chlorotoluene	12.89	91	92928	50.817	ug/l	100
80) 1,3,5-Trimethylbenzene	12.94	105	112937	49.364	ug/l	99
81) trans-1,4-Dichloro-2-buten	12.51	75	7972	50.603	ug/l	97
82) 4-Chlorotoluene	12.99	91	94543	49.000	ug/l	100
83) tert-Butylbenzene	13.21	119	102268	49.974	ug/l	99
84) 1,2,4-Trimethylbenzene	13.25	105	113179	50.062	ug/l	99
85) sec-Butylbenzene	13.38	105	138992	49.851	ug/l	99
86) p-Isopropyltoluene	13.50	119	121325	47.396	ug/l	98
87) 1,3-Dichlorobenzene	13.50	146	58465	47.405	ug/l	99
88) 1,4-Dichlorobenzene	13.58	146	56311	46.462	ug/l	99
89) n-Butylbenzene	13.82	91	109635	45.414	ug/l	99
90) Hexachloroethane	14.09	117	21138	46.079	ug/l	99
91) 1,2-Dichlorobenzene	13.87	146	53985	49.775	ug/l	97
92) 1,2-Dibromo-3-Chloropropan	14.48	75	4039	46.456	ug/l	95


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW091719\
Data File : VW013083.D
Acq On : 17 Sep 2019 12:11
Operator : SY/VA
Sample : K4851-02MS
Misc : 5.98G/5ML/MSVOA W/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Sep 18 05:31:46 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W091419S.M
Quant Title : SW846 8260
QLast Update : Fri Sep 13 17:26:01 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
93) 1,2,4-Trichlorobenzene	15.13	180	25437	32.886	ug/l	98
94) Hexachlorobutadiene	15.24	225	21094	38.523	ug/l	99
95) Naphthalene	15.36	128	41228	31.901	ug/l	98
96) 1,2,3-Trichlorobenzene	15.55	180	23052	33.714	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W


ClientSampleId :

Tot Ion:168 Resp: 64865

Ion Ratio Lower Upper

168 100

99 53.5 46.2 69.2



Abundance Ion 167.90 (167.60 to 168.60): VW

Ion 98.90 (98.60 to 99.60): VW

7.95

30000

20000



10000

0

7.90

8.00

Time-->



#2

Dichlorodifluoromethane

Concen: 19.387 ug/l

RT: 2.01 min Scan# 17

Delta R.T. 0.00 min

Lab File: VW013083.D


Acq: 17 Sep 2019 12:11

Tgt Ion: 85 Resp: 5494

Ion Ratio Lower Upper

85 100

87 28.7 15.4 46.4



Abundance Ion 84.90 (84.60 to 85.60): VW

Ion 86.90 (86.60 to 87.60): VW

2.01

2500

2000

1500

1000

500

0

1.90


1.95


2.00

2.05

2.10

Time-->





#3

Chloromethane

Concen: 57.761 ug/l

RT: 2.21 min Scan# 51

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11





Instrument :
MSVOA_W
ClientSampled :

Tot Ion: 50 Resp: 17794

Ion Ratio Lower Upper

50 100

52 36.4 26.6 39.8



#4

Vinyl Chloride

Concen: 51.133 ug/l

RT: 2.36 min Scan# 75

Delta R.T. 0.01 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion: 62 Resp: 23740

Ion Ratio Lower Upper

62 100

64 31.4 24.2 36.4





#5

Bromomethane

Concen: 47.420 ug/l

RT: 2.78 min Scan# 144

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampleId :

Tot Ion: 94 Resp: 13445

Ion Ratio Lower Upper

94 100

96 89.2 77.8 116.6



#6

Chloroethane

Concen: 51.466 ug/l

RT: 2.92 min Scan# 166

Delta R.T. 0.00 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion: 64 Resp: 14655

Ion Ratio Lower Upper

64 100

66 33.1 25.9 38.9









#7

Trichlorofluoromethane
 Concen: 103.404 ug/l
 RT: 3.26 min Scan# 222
 Delta R.T. 0.01 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Instrument :
 MSVOA_W
 ClientSampleId :




Tot Ion:101 Resp: 33572
 Ion Ratio Lower Upper
 101 100
 103 63.4 50.7 76.1




#8

Diethyl Ether
 Concen: 50.869 ug/l
 RT: 3.68 min Scan# 292
 Delta R.T. 0.01 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion: 74 Resp: 12896
 Ion Ratio Lower Upper
 74 100
 45 112.0 53.8 161.4





#9

1,1,2-Trichlorotrifluoroethane

Concen: 51.758 ug/l

RT: 4.07 min Scan# 355

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampleId :


Tot Ion:101 Resp: 25487

Ion Ratio Lower Upper

101 100

85 41.2 34.9 52.3




151 81.3 66.0 99.0



Abundance Ion 100.90 (100.60 to 101.60): V

Ion 84.90 (84.60 to 85.60): V

Ion 150.80 (150.50 to 151.50): V



#10

Methyl Iodide

Concen: 53.922 ug/l

RT: 4.27 min Scan# 388

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11


Tgt Ion:142 Resp: 33230

Ion Ratio Lower Upper

142 100

127 42.1 34.7 52.1



141 16.2 12.2 18.2




Abundance Ion 141.80 (141.50 to 142.50): V

Ion 126.80 (126.50 to 127.50): V

Ion 140.80 (140.50 to 141.50): V





#11

Tert butyl alcohol

Concen: 336.625 ug/l

RT: 5.17 min Scan# 535

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampleId :

Tot Ion: 59 Resp: 13313

Ion Ratio Lower Upper

59 100

57 11.5 8.5 12.7



#12

1,1-Dichloroethene

Concen: 47.542 ug/l

RT: 4.04 min Scan# 350

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11




Tgt Ion: 96 Resp: 21286


Ion Ratio Lower Upper

96 100

61 184.9 137.9 206.9

98 60.0 48.9 73.3





#13

Acrolein

Concen: 102.491 ug/l

RT: 3.90 min Scan# 327

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampleId :

Tot Ion: 56 Resp: 4709

Ion Ratio Lower Upper

56 100

55 76.9 55.8 83.8



#14

Allyl chloride

Concen: 51.319 ug/l

RT: 4.67 min Scan# 454

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11




Tgt Ion: 41 Resp: 43621


Ion Ratio Lower Upper

41 100

39 64.7 56.7 85.1

76 30.4 25.1 37.7





#15

Acrylonitrile

Concen: 293.658 ug/l

RT: 5.37 min Scan# 568

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampleId :





Tot Ion: 53 Resp: 38023

Ion Ratio Lower Upper

53 100

52 84.6 66.6 100.0

51 38.7 29.8 44.8



#16

Acetone

Concen: 375.488 ug/l

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion: 43 Resp: 47535

Ion Ratio Lower Upper

43 100

58 27.9 22.3 33.5









#17
Carbon Disulfide
Concen: 48.108 ug/l
RT: 4.37 min Scan# 405
Delta R.T. -0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampleId :


Tot Ion: 76 Resp: 42925
Ion Ratio Lower Upper
76 100
78 9.0 7.0 10.4



#18
Methyl Acetate
Concen: 67.529 ug/l
RT: 4.68 min Scan# 455
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 43 Resp: 23048
Ion Ratio Lower Upper
43 100
74 22.2 17.8 26.8









#19
Methyl tert-butyl Ether
Concen: 74.333 ug/l
RT: 5.43 min Scan# 578
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion: 73 Resp: 65696
Ion Ratio Lower Upper
73 100
57 21.5 16.4 24.6



#20
Methylene Chloride
Concen: 53.759 ug/l
RT: 4.92 min Scan# 494
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 84 Resp: 25830
Ion Ratio Lower Upper
84 100
49 127.6 102.0 153.0
51 42.5 34.0 51.0
86 65.0 48.5 72.7





#21

trans-1,2-Dichloroethene

Concen: 47.919 ug/l

RT: 5.42 min Scan# 576

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :
MSVOA_W
ClientSampleId :


Tot Ion: 96 Resp: 22979

Ion Ratio Lower Upper




96 100

61 129.6 116.2 174.2

98 64.4 49.8 74.6



Abundance Ion 95.90 (95.60 to 96.60): VW
Ion 60.90 (60.60 to 61.60): VW
Ion 97.90 (97.60 to 98.60): VW



#22

Diisopropyl ether

Concen: 54.046 ug/l

RT: 6.31 min Scan# 723

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Tgt Ion: 45 Resp: 95435


Ion Ratio Lower Upper

45 100



43 54.8 44.6 67.0


87 24.3 20.0 30.0

59 11.3 8.7 13.1



Abundance Ion 45.00 (44.70 to 45.70): VW
Ion 43.00 (42.70 to 43.70): VW
Ion 87.00 (86.70 to 87.70): VW
Ion 59.00 (58.70 to 59.70): VW





#23

Vinyl Acetate

Concen: 224.867 ug/l

RT: 6.26 min Scan# 714

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampleId :

Tot Ion: 43 Resp: 237822

Ion Ratio Lower Upper

43 100

86 9.2 7.0 10.6



#24

1,1-Dichloroethane

Concen: 50.581 ug/l

RT: 6.21 min Scan# 707

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11




Tgt Ion: 63 Resp: 51497


Ion Ratio Lower Upper

63 100

98 6.4 3.3 9.9

100 4.7 1.8 5.5





#25

2-Butanone

Concen: 298.722 ug/l

RT: 7.17 min Scan# 864

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11





Instrument :
MSVOA_W
ClientSampled :

Tot Ion: 43 Resp: 56904

Ion Ratio Lower Upper

43 100

72 22.6 18.2 27.4



#26

2,2-Dichloropropane

Concen: 71.403 ug/l

RT: 7.17 min Scan# 863

Delta R.T. 0.01 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion: 77 Resp: 44936

Ion Ratio Lower Upper

77 100

97 22.4 10.7 32.1






#27




cis-1,2-Dichloroethene
Concen: 48.868 ug/l
RT: 7.17 min Scan# 863
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Instrument :
MSVOA_W
ClientSampled :

Tot Ion: 96 Resp: 28056
Ion Ratio Lower Upper
96 100
61 159.8 0.0 315.4
98 64.9 0.0 131.0




Abundance Ion 95.90 (95.60 to 96.60): VW
Ion 60.90 (60.60 to 61.60): VW
Ion 97.90 (97.60 to 98.60): VW





#28


Bromochloromethane
Concen: 54.371 ug/l
RT: 7.52 min Scan# 921
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 49 Resp: 23299
Ion Ratio Lower Upper
49 100
129 0.2 0.0 1.4
130 73.1 57.8 86.6



Abundance Ion 48.90 (48.60 to 49.60): VW
Ion 128.80 (128.50 to 129.50): V
Ion 129.80 (129.50 to 130.50): V









#29
Tetrahydrofuran
Concen: 305.366 ug/l
RT: 7.53 min Scan# 923
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion: 42 Resp: 33144
Ion Ratio Lower Upper
42 100
72 37.3 31.4 47.0
71 36.7 29.8 44.8



#30
Chloroform
Concen: 50.425 ug/l
RT: 7.68 min Scan# 947
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 83 Resp: 52163
Ion Ratio Lower Upper
83 100
85 63.0 52.8 79.2





#31

Cyclohexane

Concen: 55.018 ug/l

RT: 7.95 min Scan# 992

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampled :


Tot Ion: 56 Resp: 41722

Ion Ratio Lower Upper




56 100

69 31.9 27.0 40.6

84 77.0 66.2 99.2



Abundance Ion 56.00 (55.70 to 56.70): VW
Ion 69.00 (68.70 to 69.70): VW
Ion 84.00 (83.70 to 84.70): VW



#32

1,1,1-Trichloroethane

Concen: 53.003 ug/l

RT: 7.87 min Scan# 978

Delta R.T. -0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11


Tgt Ion: 97 Resp: 45154

Ion Ratio Lower Upper



97 100


99 65.8 53.0 79.4

61 45.8 36.5 54.7



Abundance Ion 96.90 (96.60 to 97.60): VW
Ion 98.90 (98.60 to 99.60): VW
Ion 60.90 (60.60 to 61.60): VW









#33
 1,2-Dichloroethane-d4
 Concen: 49.740 ug/l
 RT: 8.31 min Scan# 1050
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11




Instrument :
 MSVOA_W
 ClientSampleId :


Tot Ion: 65 Resp: 29798
 Ion Ratio Lower Upper
 65 100
 67 51.5 0.0 101.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion: 114 Resp: 97184
 Ion Ratio Lower Upper
 114 100
 63 22.5 0.0 43.4
 88 15.6 0.0 31.6





#35

Dibromofluoromethane

Concen: 48.080 ug/l

RT: 7.88 min Scan# 981

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampleId :


Tot Ion:113 Resp: 25354

Ion Ratio Lower Upper

113 100

111 100.6 82.8 124.2




192 23.5 17.8 26.8



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#36

1,1-Dichloropropene

Concen: 46.590 ug/l

RT: 8.09 min Scan# 1014

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11


Tgt Ion: 75 Resp: 36181

Ion Ratio Lower Upper

75 100

110 33.7 16.4 49.1



77 31.4 25.1 37.7




Abundance Ion 74.90 (74.60 to 75.60): VW

Ion 109.90 (109.60 to 110.60): V

Ion 76.90 (76.60 to 77.60): VW









#37
Ethyl Acetate
Concen: 51.817 ug/l
RT: 7.25 min Scan# 877
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion: 43 Resp: 21359
Ion Ratio Lower Upper
43 100
61 12.4 9.6 14.4
70 9.6 7.6 11.4



#38
Carbon Tetrachloride
Concen: 46.932 ug/l
RT: 8.07 min Scan# 1011
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 117 Resp: 37350
Ion Ratio Lower Upper
117 100
119 96.5 79.4 119.0
121 28.7 24.6 36.8









#39
Methylvlcyclohexane
Concen: 45.852 ug/l
RT: 9.34 min Scan# 1219
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion: 83 Resp: 39019
Ion Ratio Lower Upper
83 100
55 83.0 65.9 98.9
98 46.9 39.6 59.4



#40
Benzene
Concen: 49.131 ug/l
RT: 8.32 min Scan# 1053
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 78 Resp: 106515
Ion Ratio Lower Upper
78 100
77 23.2 19.6 29.4






#41
Methacrylonitrile
Concen: 54.736 ug/l
RT: 7.48 min Scan# 915
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Instrument :
MSVOA_W
ClientSampled :

Tot Ion:	41	Resp:	14858
Ion	Ratio	Lower	Upper
41	100		
39	48.8	48.2	72.4
67	59.8	47.5	71.3
52	24.1	21.0	31.4






Abundance

Ion 41.00 (40.70 to 41.70): VW

Ion 39.00 (38.70 to 39.70): VW


Ion 67.00 (66.70 to 67.70): VW

Ion 52.00 (51.70 to 52.70): VW



#42
1,2-Dichloroethane
Concen: 48.757 ug/l
RT: 8.40 min Scan# 1066
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11



Tgt Ion:	62	Resp:	35434
Ion	Ratio	Lower	Upper
62	100		
98	9.4	0.0	16.8




Abundance

Ion 61.90 (61.60 to 62.60): VW

Ion 97.90 (97.60 to 98.60): VW





#43

Isopropyl Acetate

Concen: 55.750 ug/l

RT: 8.43 min Scan# 1070

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampled :


Tot Ion: 43 Resp: 44123

Ion Ratio Lower Upper

43 100

61 27.4 22.7 34.1




87 11.1 9.4 14.2



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 61.00 (60.70 to 61.70): VW

Ion 87.00 (86.70 to 87.70): VW



#44

Trichloroethene

Concen: 47.997 ug/l

RT: 9.09 min Scan# 1179

Delta R.T. 0.00 min

Lab File: VW013083.D


Acq: 17 Sep 2019 12:11

Tgt Ion:130 Resp: 28502

Ion Ratio Lower Upper



130 100


95 93.1 0.0 204.4



Abundance Ion 129.80 (129.50 to 130.50): V

Ion 94.90 (94.60 to 95.60): VW





#45

1,2-Dichloropropane

Concen: 51.092 ug/l

RT: 9.37 min Scan# 1224

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampleId :

Tot Ion: 63 Resp: 29429

Ion Ratio Lower Upper

63 100

65 29.9 24.6 37.0



#46

Dibromomethane

Concen: 50.254 ug/l

RT: 9.46 min Scan# 1239

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11




Tgt Ion: 93 Resp: 13868


Ion Ratio Lower Upper

93 100

95 85.6 67.0 100.4

174 113.3 90.5 135.7





#47

Bromodichloromethane

Concen: 48.203 ug/l

RT: 9.64 min Scan# 1269

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampled :


Tot Ion: 83 Resp: 37312

Ion Ratio Lower Upper




83 100

85 60.3 50.6 75.8

127 6.9 6.7 10.1



Abundance Ion 82.90 (82.60 to 83.60): VW
Ion 84.90 (84.60 to 85.60): VW
Ion 126.80 (126.50 to 127.50): V



#48

Methyl methacrylate

Concen: 51.872 ug/l

RT: 9.43 min Scan# 1235

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11


Tgt Ion: 41 Resp: 19267

Ion Ratio Lower Upper



41 100


69 86.2 62.8 94.2

39 59.6 48.5 72.7



Abundance Ion 41.00 (40.70 to 41.70): VW
Ion 69.00 (68.70 to 69.70): VW
Ion 39.00 (38.70 to 39.70): VW









#49
1,4-Dioxane
Concen: 1126.074 ug/l
RT: 9.45 min Scan# 1237
Delta R.T. -0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Instrument :
MSVOA_W
ClientSampled :

Tot Ion: 88 Resp: 5207
Ion Ratio Lower Upper
88 100
43 49.1 31.3 46.9#
58 82.5 60.2 90.2




Abundance Ion 88.00 (87.70 to 88.70): VW
Ion 43.00 (42.70 to 43.70): VW
Ion 58.00 (57.70 to 58.70): VW






#50
Toluene-d8
Concen: 50.006 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 98 Resp: 103187
Ion Ratio Lower Upper
98 100
100 64.4 52.1 78.1



Abundance Ion 98.00 (97.70 to 98.70): VW
Ion 100.00 (99.70 to 100.70): VW





#51

4-Methyl-2-Pentanone

Concen: 294.364 ug/l

RT: 10.21 min Scan# 1362

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampled :

Tot Ion: 43 Resp: 120278

Ion Ratio Lower Upper

43 100

58 37.4 29.5 44.3



#52

Toluene

Concen: 49.952 ug/l

RT: 10.39 min Scan# 1392

Delta R.T. 0.01 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion: 92 Resp: 68815

Ion Ratio Lower Upper

92 100

91 170.4 137.5 206.3









#53
t-1,3-Dichloropropene
Concen: 48.770 ug/l
RT: 10.60 min Scan# 1427
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampleId :


Tot Ion: 75 Resp: 37967
Ion Ratio Lower Upper
75 100
77 32.5 24.6 37.0



#54
cis-1,3-Dichloropropene
Concen: 48.735 ug/l
RT: 10.07 min Scan# 1340
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 75 Resp: 43410
Ion Ratio Lower Upper
75 100
77 34.5 25.5 38.3
39 54.4 45.0 67.6






#55
 1,1,2-Trichloroethane
 Concen: 52.575 ug/l
 RT: 10.79 min Scan# 1457
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Instrument :
 MSVOA_W
 ClientSampleId :

Tot Ion:	97	Resp:	22102
Ion	Ratio	Lower	Upper
97	100		
83	77.2	69.4	104.0
85	50.4	43.3	64.9
99	63.9	50.9	76.3






Abundance

Ion 96.90 (96.60 to 97.60): VW

Ion 82.90 (82.60 to 83.60): VW


Ion 84.90 (84.60 to 85.60): VW

Ion 98.90 (98.60 to 99.60): VW



#56
 Ethyl methacrylate
 Concen: 52.486 ug/l
 RT: 10.65 min Scan# 1434
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion:	69	Resp:	29700
Ion	Ratio	Lower	Upper
69	100		
41	82.0	60.8	91.2
39	35.3	29.4	44.0






Abundance

Ion 69.00 (68.70 to 69.70): VW

Ion 41.00 (40.70 to 41.70): VW

Ion 39.00 (38.70 to 39.70): VW





#57

1,3-Dichloropropane

Concen: 52.808 ug/l

RT: 10.93 min Scan# 1481

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampled :

Tot Ion: 76 Resp: 39381

Ion Ratio Lower Upper

76 100

78 32.8 25.6 38.4



#58

2-Chloroethyl Vinyl ether

Concen: 245.078 ug/l

RT: 9.92 min Scan# 1315

Delta R.T. 0.00 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion: 63 Resp: 74392

Ion Ratio Lower Upper

63 100

106 27.3 22.2 33.2









#59
2-Hexanone
Concen: 304.712 ug/l
RT: 10.97 min Scan# 1487
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion: 43 Resp: 86695
Ion Ratio Lower Upper
43 100
58 50.7 25.8 77.3



#60
Dibromochloromethane
Concen: 50.083 ug/l
RT: 11.13 min Scan# 1513
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 129 Resp: 25455
Ion Ratio Lower Upper
129 100
127 76.4 37.4 112.2









#61
 1,2-Dibromoethane
 Concen: 53.641 ug/l
 RT: 11.23 min Scan# 1530
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11




Instrument :
 MSVOA_W
 ClientSampleId :


Tot Ion:107 Resp: 20571
 Ion Ratio Lower Upper
 107 100
 109 94.2 75.0 112.6



#62
 4-Bromofluorobenzene
 Concen: 48.168 ug/l
 RT: 12.62 min Scan# 1757
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion: 95 Resp: 35740
 Ion Ratio Lower Upper
 95 100
 174 85.3 0.0 170.4
 176 81.1 0.0 164.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampleId :


Tot Ion:117 Resp: 84376
Ion Ratio Lower Upper
117 100
82 58.2 46.3 69.5
119 32.7 26.2 39.4



#64
Tetrachloroethene
Concen: 67.532 ug/l
RT: 10.86 min Scan# 1469
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion:164 Resp: 33898
Ion Ratio Lower Upper
164 100
166 128.2 103.3 154.9
129 90.9 73.8 110.8
131 87.8 72.0 108.0









#65
Chlorobenzene
Concen: 48.051 ug/l
RT: 11.66 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion:112 Resp: 72217
Ion Ratio Lower Upper
112 100
114 31.0 26.4 39.6



#66
1,1,1,2-Tetrachloroethane
Concen: 47.376 ug/l
RT: 11.73 min Scan# 1612
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion:131 Resp: 27286
Ion Ratio Lower Upper
131 100
133 98.8 47.9 143.8
119 65.1 30.9 92.7









#67
Ethyl Benzene
Concen: 48.321 ug/l
RT: 11.73 min Scan# 1612
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampleId :


Tot Ion: 91 Resp: 134126
Ion Ratio Lower Upper
91 100
106 29.6 24.3 36.5



#68
m/p-Xylenes
Concen: 96.749 ug/l
RT: 11.84 min Scan# 1630
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion:106 Resp: 98105
Ion Ratio Lower Upper
106 100
91 207.1 165.8 248.8









#69
o-Xylene
Concen: 49.593 ug/l
RT: 12.16 min Scan# 1683
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion:106 Resp: 47146
Ion Ratio Lower Upper
106 100
91 218.9 109.7 329.0



#70
Styrene
Concen: 47.360 ug/l
RT: 12.18 min Scan# 1686
Delta R.T. 0.01 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion:104 Resp: 80091
Ion Ratio Lower Upper
104 100
78 52.7 42.1 63.1
103 54.8 44.2 66.4





#71

Bromoform

Concen: 49.387 ug/l

RT: 12.35 min Scan# 1713

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampled :


Tot Ion:173 Resp: 14941

Ion Ratio Lower Upper




173 100

175 49.7 24.2 72.6

254 0.1 0.1 0.1#



Abundance Ion 172.70 (172.40 to 173.40): V
Ion 174.70 (174.40 to 175.40): V
Ion 254.40 (254.10 to 255.10): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. 0.01 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11


Tgt Ion:152 Resp: 40800

Ion Ratio Lower Upper



152 100


115 55.8 28.8 86.4

150 168.8 0.0 340.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#73

Isopropylbenzene

Concen: 50.681 ug/l

RT: 12.46 min Scan# 1732

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W


ClientSampleId :

Tot Ion:105 Resp: 137058

Ion Ratio Lower Upper




105 100

120 25.4 13.0 39.0



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V



#74

N-ethyl acetate

Concen: 52.052 ug/l

RT: 12.27 min Scan# 1701

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Tgt Ion: 43 Resp: 36211


Ion Ratio Lower Upper

43 100

70 39.0 31.7 47.5

55 24.5 19.4 29.2

61 23.2 18.7 28.1






Abundance Ion 43.00 (42.70 to 43.70): VV

Ion 70.00 (69.70 to 70.70): VV

Ion 55.00 (54.70 to 55.70): VV

Ion 61.00 (60.70 to 61.70): VV





#75

1,1,2,2-Tetrachloroethane

Concen: 56.886 ug/l

RT: 12.71 min Scan# 1773

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampled :





Tot Ion: 83 Resp: 27020

Ion Ratio Lower Upper

83 100

131 11.7 5.7 17.1

85 65.0 31.4 94.3



#76

1,2,3-Trichloropropane

Concen: 96.061 ug/l

RT: 12.77 min Scan# 1782

Delta R.T. 0.00 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion: 75 Resp: 34330

Ion Ratio Lower Upper

75 100

77 0.0 0.0 0.0





#77

Bromobenzene

Concen: 50.112 ug/l

RT: 12.74 min Scan# 1778

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W

ClientSampled :


Tot Ion:156 Resp: 31220

Ion Ratio Lower Upper

156 100

77 193.6 95.2 285.6




158 96.6 49.0 147.2



Abundance Ion 155.80 (155.50 to 156.50): V

Ion 77.00 (76.70 to 77.70): VW

Ion 157.80 (157.50 to 158.50): V



#78

n-propylbenzene

Concen: 49.429 ug/l

RT: 12.80 min Scan# 1788

Delta R.T. 0.00 min

Lab File: VW013083.D


Acq: 17 Sep 2019 12:11

Tgt Ion: 91 Resp: 157240

Ion Ratio Lower Upper



91 100


120 22.4 11.2 33.5



Abundance Ion 91.00 (90.70 to 91.70): VW

Ion 120.00 (119.70 to 120.70): V





#79

2-Chlorotoluene

Concen: 50.817 ug/l

RT: 12.89 min Scan# 1802

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W





ClientSampled :

Tot Ion: 91 Resp: 92928

Ion Ratio Lower Upper

91 100

126 32.8 16.5 49.5



#80

1,3,5-Trimethylbenzene

Concen: 49.364 ug/l

RT: 12.94 min Scan# 1811

Delta R.T. 0.01 min

Lab File: VW013083.D




Acq: 17 Sep 2019 12:11


Tgt Ion:105 Resp: 112937

Ion Ratio Lower Upper

105 100

120 48.9 24.2 72.6









#81
trans-1,4-Dichloro-2-butene
Concen: 50.603 ug/l
RT: 12.51 min Scan# 1740
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampleId :


Tot Ion: 75 Resp: 7972
Ion Ratio Lower Upper
75 100
53 106.6 85.6 128.4
89 40.1 37.2 55.8



#82
4-Chlorotoluene
Concen: 49.000 ug/l
RT: 12.99 min Scan# 1818
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 91 Resp: 94543
Ion Ratio Lower Upper
91 100
126 31.9 16.1 48.3









#83
 tert-Butylbenzene
 Concen: 49.974 ug/l
 RT: 13.21 min Scan# 1854
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11




Instrument :
 MSVOA_W
 ClientSampleId :


Tot Ion:119 Resp: 102268
 Ion Ratio Lower Upper
 119 100
 91 64.8 32.6 98.0
 134 25.7 12.4 37.4



#84
 1,2,4-Trimethylbenzene
 Concen: 50.062 ug/l
 RT: 13.25 min Scan# 1861
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion:105 Resp: 113179
 Ion Ratio Lower Upper
 105 100
 120 44.1 21.9 65.7





#85

sec-Butylbenzene

Concen: 49.851 ug/l

RT: 13.38 min Scan# 1883

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11

Instrument :

MSVOA_W


ClientSampled :

Tot Ion:105 Resp: 138992

Ion Ratio Lower Upper




105 100

134 19.7 10.2 30.4



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 134.00 (133.70 to 134.70): V



#86

p-Isopropyltoluene

Concen: 47.396 ug/l

RT: 13.50 min Scan# 1902

Delta R.T. 0.00 min

Lab File: VW013083.D

Acq: 17 Sep 2019 12:11


Tgt Ion:119 Resp: 121325

Ion Ratio Lower Upper

119 100

134 26.3 12.8 38.3



91 24.4 11.8 35.4




Abundance Ion 119.00 (118.70 to 119.70): V

Ion 134.00 (133.70 to 134.70): V

Ion 91.00 (90.70 to 91.70): V









#87
 1,3-Dichlorobenzene
 Concen: 47.405 ug/l
 RT: 13.50 min Scan# 1902
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11




Instrument :
 MSVOA_W
 ClientSampled :


Tot Ion:146 Resp: 58465
 Ion Ratio Lower Upper
 146 100
 111 40.6 19.8 59.4
 148 64.2 31.9 95.7



#88
 1,4-Dichlorobenzene
 Concen: 46.462 ug/l
 RT: 13.58 min Scan# 1915
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion:146 Resp: 56311
 Ion Ratio Lower Upper
 146 100
 111 38.5 19.4 58.2
 148 64.8 31.9 95.5









#89
n-Butylbenzene
Concen: 45.414 ug/l
RT: 13.82 min Scan# 1955
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11




Instrument :
MSVOA_W
ClientSampled :


Tot Ion: 91 Resp: 109635
Ion Ratio Lower Upper
91 100
92 54.7 27.2 81.5
134 27.1 13.1 39.1



#90
Hexachloroethane
Concen: 46.079 ug/l
RT: 14.09 min Scan# 1999
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion: 117 Resp: 21138
Ion Ratio Lower Upper
117 100
201 91.2 45.3 135.9









#91
 1,2-Dichlorobenzene
 Concen: 49.775 ug/l
 RT: 13.87 min Scan# 1963
 Delta R.T. 0.01 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11




Instrument :
 MSVOA_W
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
146	100		
111	42.4	20.8	62.5
148	62.4	32.7	98.1



#92
 1,2-Dibromo-3-Chloropropane
 Concen: 46.456 ug/l
 RT: 14.48 min Scan# 2063
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion	Ratio	Lower	Upper
75	100		
155	92.9	43.3	129.9
157	113.7	54.7	164.1









#93
 1,2,4-Trichlorobenzene
 Concen: 32.886 ug/l
 RT: 15.13 min Scan# 2169
 Delta R.T. -0.01 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11




Instrument :
 MSVOA_W
 ClientSampled :


Tot Ion	Ratio	Lower	Upper
180	100		
182	95.8	47.4	142.2
145	31.4	14.9	44.7



#94
 Hexachlorobutadiene
 Concen: 38.523 ug/l
 RT: 15.24 min Scan# 2187
 Delta R.T. 0.00 min
 Lab File: VW013083.D
 Acq: 17 Sep 2019 12:11

Tgt Ion	Ratio	Lower	Upper
225	100		
223	62.1	31.8	95.3
227	62.5	31.3	93.8









#95
Naphthalene
Concen: 31.901 ug/l
RT: 15.36 min Scan# 2208
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Instrument :
MSVOA_W
ClientSampleId :

Tot Ion:128 Resp: 41228
Ion Ratio Lower Upper
128 100
127 14.4 11.0 16.6
129 11.3 8.6 12.8



#96
1,2,3-Trichlorobenzene
Concen: 33.714 ug/l
RT: 15.55 min Scan# 2239
Delta R.T. 0.00 min
Lab File: VW013083.D
Acq: 17 Sep 2019 12:11

Tgt Ion:180 Resp: 23052
Ion Ratio Lower Upper
180 100
182 93.7 47.6 142.8
145 31.6 15.4 46.2

