

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW091720\
 Data File : VW016570.D
 Acq On : 17 Sep 2020 11:34
 Operator : SY/VA
 Sample : VW0917SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK16

Manual Integrations
 APPROVED

MMDadoda
 9/18/2020 12:18:51 PM

Quant Time: Sep 18 09:20:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 18 01:46:23 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	621068	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	541462	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	267250	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	110368	18.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.44%
7) Chloroethane-d5	2.91	69	95046	19.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.44%
10) 1,1-Dichloroethene-d2	4.03	63	176137	13.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	52.44%
20) 2-Butanone-d5	7.09	46	60480	36.90	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.80%
24) Chloroform-d	7.66	84	277568	21.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.44%
26) 1,2-Dichloroethane-d4	8.31	65	143358m	21.49	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.96%
29) Benzene-d6	8.28	84	505818	20.83	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.32%
33) 1,2-Dichloropropane-d6	9.28	67	146847	22.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.24%
37) Toluene-d8	10.33	98	463140	19.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.56%
38) trans-1,3-Dichloropropene-	10.59	79	68492	20.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.60%
39) 2-Hexanone-d5	10.93	63	48697	40.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.36%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	115870	20.69	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.76%
61) 1,2-Dichlorobenzene-d4	13.85	152	189745	22.22	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.88%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11303	1.180 ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW091720\
Data File : VW016570.D
Acq On : 17 Sep 2020 11:34
Operator : SY/VA
Sample : VW0917SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VBLK16

Manual Integrations
APPROVED

MMDadoda
9/18/2020 12:18:51 PM

Quant Time: Sep 18 09:20:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 18 01:46:23 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.180 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. -0.00 min
 Lab File: VW016570.D
 Acq: 17 Sep 2020 11:34

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK16

Tot Ion	Ratio	Lower	Upper
84	100		
49	99.2	76.0	141.2
86	53.5	45.6	84.6

Manual Integrations
 APPROVED

MMDadoda
 9/18/2020 12:18:51 PM

