

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW091820\
 Data File : VW016583.D
 Acq On : 18 Sep 2020 14:06
 Operator : SY/VA
 Sample : VW0918SBL02
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK102

Quant Time: Sep 19 00:33:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SFAMWLM091820SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Sep 18 13:07:26 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	605288	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	538004	25.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.56	152	261492	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	160571	23.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.00%
7) Chloroethane-d5	2.90	69	127389	22.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.80%
11) 1,1-Dichloroethene-d2	4.03	63	245826	17.23	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.92%
21) 2-Butanone-d5	7.09	46	80092	52.38	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.76%
24) Chloroform-d	7.65	84	343947	24.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.48%
26) 1,2-Dichloroethane-d4	8.31	65	186029	25.54	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.16%
32) Benzene-d6	8.28	84	674317	24.54	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.16%
36) 1,2-Dichloropropane-d6	9.28	67	188590	24.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.84%
41) Toluene-d8	10.32	98	652532	24.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.36%
43) trans-1,3-Dichloropropene-	10.58	79	91770	25.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	100.16%
47) 2-Hexanone-d5	10.93	63	64760	54.45	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.90%
56) 1,1,2,2-Tetrachloroethane-	12.69	84	154439	26.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	105.00%
66) 1,2-Dichlorobenzene-d4	13.85	152	245729	25.95	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.80%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	17814	2.008 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW091820\
Data File : VW016583.D
Acq On : 18 Sep 2020 14:06
Operator : SY/VA
Sample : VW0918SBL02
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK102

Quant Time: Sep 19 00:33:56 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SFAMWLM091820SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Sep 18 13:07:26 2020
Response via : Initial Calibration

