

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091823\
 Data File : VW027125.D
 Acq On : 18 Sep 2023 14:28
 Operator : SY/MD
 Sample : 04330-09
 Misc : 5.08g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 09/19/2023
 Supervised By :Mahesh Dadoda 09/19/2023

Quant Time: Sep 18 22:37:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091823SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Sep 18 22:36:33 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	505613	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	487222	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	244518	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	171952	21.137	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	84.560%		
7) Chloroethane-d5	2.893	69	132860	21.149	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	84.600%		
11) 1,1-Dichloroethene-d2	4.021	65	74077	21.239	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	84.960%		
21) 2-Butanone-d5	7.075	46	81064	53.816	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	107.640%		
24) Chloroform-d	7.648	84	330946	21.787	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	87.160%		
26) 1,2-Dichloroethane-d4	8.307	65	174224m	23.506	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	94.040%		
32) Benzene-d6	8.276	84	717785	22.812	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	91.240%		
36) 1,2-Dichloropropane-d6	9.276	67	205065	23.032	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	92.120%		
41) Toluene-d8	10.325	98	648900	23.172	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	92.680%		
43) trans-1,3-Dichloroprop...	10.575	79	79840	22.191	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	88.760%		
47) 2-Hexanone-d5	10.922	63	62672	58.417	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	116.840%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	179035	25.097	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	100.400%		
66) 1,2-Dichlorobenzene-d4	13.848	152	216142	24.752	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	99.000%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	30526	3.173	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091823\
Data File : VW027125.D
Acq On : 18 Sep 2023 14:28
Operator : SY/MD
Sample : 04330-09
Misc : 5.08g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Quant Time: Sep 18 22:37:28 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091823SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Sep 18 22:36:33 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 09/19/2023
Supervised By :Mahesh Dadoda 09/19/2023

