

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091823\
 Data File : VW027136.D
 Acq On : 18 Sep 2023 18:51
 Operator : SY/MD
 Sample : 04417-23
 Misc : 6.22g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EYZE7

Quant Time: Sep 18 22:40:03 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091823SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Sep 18 22:36:33 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	605981	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	427506	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	85762	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	166639	17.091	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.360%
7) Chloroethane-d5	2.893	69	155892	20.705	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.800%
11) 1,1-Dichloroethene-d2	4.021	65	78503	18.780	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.120%
21) 2-Butanone-d5	7.081	46	97080	53.774	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.540%
24) Chloroform-d	7.654	84	70900	3.894	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	15.560%#
26) 1,2-Dichloroethane-d4	8.307	65	227881	25.653	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.600%
32) Benzene-d6	8.270	84	853646	30.920	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	123.680%
36) 1,2-Dichloropropane-d6	9.276	67	273699	35.035	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	140.160%#
41) Toluene-d8	10.325	98	623666	25.381	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	101.520%
43) trans-1,3-Dichloroprop...	10.575	79	74179	23.498	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.000%
47) 2-Hexanone-d5	10.922	63	44253	47.011	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.020%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	3498	0.559	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	2.240%#
66) 1,2-Dichlorobenzene-d4	13.848	152	97906	31.967	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	127.880%#
Target Compounds						
					Qvalue	
13) Acetone	4.125	43	14874	8.721	ug/L	98
14) Carbon disulfide	4.387	76	63058	2.140	ug/L	100
25) Chloroform	7.679	83	379762	21.987	ug/L	98
29) Cyclohexane	7.953	56	7533	0.736	ug/L	97
34) Trichloroethene	9.093	95	32390	4.341	ug/L	88
35) Methylcyclohexane	9.331	83	18440	1.449	ug/L	# 86
42) Toluene	10.392	91	21630	0.725	ug/L	89
53) m,p-Xylene	11.837	106	8040	0.641	ug/L	96
63) 1,2,4-Trimethylbenzene	13.245	105	6912	0.776	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091823\
Data File : VW027136.D
Acq On : 18 Sep 2023 18:51
Operator : SY/MD
Sample : 04417-23
Misc : 6.22g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EZY7

Quant Time: Sep 18 22:40:03 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091823SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Sep 18 22:36:33 2023
Response via : Initial Calibration

