

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW092018\
 Data File : VW005528.D
 Acq On : 20 Sep 2018 12:13
 Operator : SY/AP
 Sample : J4970-01
 Misc : 6.31G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E5FD5

Quant Time: Sep 21 01:41:58 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091918S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 21 01:00:52 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	374159	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	342959	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	146897	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	131633	26.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	104.52%
7) Chloroethane-d5	2.89	69	102785	25.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	102.40%
10) 1,1-Dichloroethene-d2	4.01	63	212348	19.16	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.64%
20) 2-Butanone-d5	7.09	46	78554	39.96	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.92%
24) Chloroform-d	7.65	84	250461	24.66	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.64%
26) 1,2-Dichloroethane-d4	8.31	65	157273	25.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.88%
29) Benzene-d6	8.28	84	503835	24.85	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.40%
33) 1,2-Dichloropropane-d6	9.28	67	154611	25.03	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.12%
37) Toluene-d8	10.33	98	460841	24.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.76%
38) trans-1,3-Dichloropropene-	10.59	79	69501	24.52	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	98.08%
39) 2-Hexanone-d5	10.93	63	59444	41.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.38%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	120982	21.68	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.72%
61) 1,2-Dichlorobenzene-d4	13.87	152	147023	25.84	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.36%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	12797	2.068 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW092018\
Data File : VW005528.D
Acq On : 20 Sep 2018 12:13
Operator : SY/AP
Sample : J4970-01
Misc : 6.31G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E5FD5

Quant Time: Sep 21 01:41:58 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091918S.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 21 01:00:52 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.068 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.01 min
 Lab File: VW005528.D
 Acq: 20 Sep 2018 12:13

Instrument :
 MSVOA_W
 ClientSampleId :
 E5FD5

Tot Ion: 84 Resp: 12797
 Ion Ratio Lower Upper
 84 100
 49 139.7 91.5 169.9
 86 64.8 44.8 83.2

