

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW092320\
 Data File : VW016615.D
 Acq On : 22 Sep 2020 17:05
 Operator : SY/VA
 Sample : VIBLK02
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK02

Manual Integrations
 APPROVED

MMDadoda
 9/28/2020 3:16:23 PM

Quant Time: Sep 23 16:31:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 23 07:21:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	542537	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	480154	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	230012	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	93062	17.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.88%
7) Chloroethane-d5	2.91	69	83039	19.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.48%
10) 1,1-Dichloroethene-d2	4.03	63	145616	12.40	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	49.60%
20) 2-Butanone-d5	7.08	46	63819	44.57	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.14%
24) Chloroform-d	7.65	84	238078	20.98	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.92%
26) 1,2-Dichloroethane-d4	8.31	65	128931	22.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.52%
29) Benzene-d6	8.28	84	431818	20.05	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.20%
33) 1,2-Dichloropropane-d6	9.28	67	127148	21.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.16%
37) Toluene-d8	10.33	98	395738	18.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	74.72%
38) trans-1,3-Dichloropropene-	10.58	79	60115	20.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.76%
39) 2-Hexanone-d5	10.93	63	49457	46.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.20%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	116874	23.54	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.16%
61) 1,2-Dichlorobenzene-d4	13.86	152	163323	22.22	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.88%

Target Compounds					Ovalue
13) Acetone	4.14	43	2759m	2.460 ug/L	
16) Methylene chloride	4.92	84	28261	3.377 ug/L	95
44) Toluene	10.39	91	6678	0.231 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW092320\
Data File : VW016615.D
Acq On : 22 Sep 2020 17:05
Operator : SY/VA
Sample : VIBLK02
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK02

Manual Integrations
APPROVED

MMDadoda
9/28/2020 3:16:23 PM

Quant Time: Sep 23 16:31:39 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 23 07:21:48 2020
Response via : Initial Calibration

