

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092822\
 Data File : VW024650.D
 Acq On : 28 Sep 2022 11:10
 Operator : SY/VA
 Sample : N4858-01
 Misc : 5.31g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGSE8

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 09/29/2022
 Supervised By : Mahesh Dadoda 09/29/2022

Quant Time: Sep 29 04:43:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Sep 29 04:41:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	530679	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	288906	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	54066	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	84395	15.200	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.800%
7) Chloroethane-d5	2.891	69	55311	17.143	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.560%
11) 1,1-Dichloroethene-d2	4.019	63	144278	11.227	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	44.920%#
21) 2-Butanone-d5	7.080	46	130101	65.175	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	130.340%
24) Chloroform-d	7.647	84	264835	18.667	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	74.680%
26) 1,2-Dichloroethane-d4	8.305	65	149807m	20.355	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.440%
32) Benzene-d6	8.275	84	481195	26.059	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	104.240%
36) 1,2-Dichloropropane-d6	9.274	67	168257	29.822	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	119.280%
41) Toluene-d8	10.323	98	312917	18.960	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	75.840%
43) trans-1,3-Dichloroprop...	10.579	79	58085	23.118	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.480%
47) 2-Hexanone-d5	10.921	63	89605	92.824	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	185.640%#
56) 1,1,2,2-Tetrachloroeth...	12.688	84	85157	21.183	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.720%
66) 1,2-Dichlorobenzene-d4	13.853	152	30706	16.140	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	64.560%#
Target Compounds	Qvalue					
13) Acetone	4.129	43	9719m	6.673	ug/L	
16) Methylene chloride	4.915	84	77720	7.457	ug/L	95
34) Trichloroethene	9.092	95	38384	7.489	ug/L	94
46) Tetrachloroethene	10.866	164	1348194	387.158	ug/L	94
62) 1,3,5-Trimethylbenzene	12.938	105	3008	0.393	ug/L	90
63) 1,2,4-Trimethylbenzene	13.243	105	8634	1.151	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092822\
Data File : VW024650.D
Acq On : 28 Sep 2022 11:10
Operator : SY/VA
Sample : N4858-01
Misc : 5.31g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BGSE8

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 09/29/2022
Supervised By : Mahesh Dadoda 09/29/2022

Quant Time: Sep 29 04:43:05 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Sep 29 04:41:43 2022
Response via : Initial Calibration









#13
Acetone
Concen: 6.673 ug/L m
RT: 4.129 min Scan# 364
Delta R.T. 0.006 min
Lab File: VW024650.D
Acq: 28 Sep 2022 11:10

Instrument :
MSVOA_W
ClientSampleId :
BGSE8

Tgt Ion: 43 Resp: 9719
Ion Ratio Lower Upper
43 100
58 1.1 0.0 67.6




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 09/29/2022
Supervised By :Mahesh Dadoda 09/29/2022



#16
Methylene chloride
Concen: 7.457 ug/L
RT: 4.915 min Scan# 494
Delta R.T. 0.000 min
Lab File: VW024650.D
Acq: 28 Sep 2022 11:10


Tgt Ion: 84 Resp: 77720
Ion Ratio Lower Upper
84 100
86 66.1 44.0 81.8
49 130.2 87.4 162.2





#34
Trichloroethene
Concen: 7.489 ug/L
RT: 9.092 min Scan# 1179
Delta R.T. 0.000 min
Lab File: VW024650.D
Acq: 28 Sep 2022 11:10




Instrument :
MSVOA_W
ClientSampleId :
BGSE8



Tgt Ion: 95 Resp: 38384
Ion Ratio Lower Upper
95 100
97 64.1 43.5 80.9
132 91.7 61.2 113.8
130 107.8 68.5 127.1




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 09/29/2022
Supervised By :Mahesh Dadoda 09/29/2022



#46
Tetrachloroethene
Concen: 387.158 ug/L
RT: 10.866 min Scan# 1470
Delta R.T. 0.006 min
Lab File: VW024650.D
Acq: 28 Sep 2022 11:10


Tgt Ion:164 Resp: 1348194
Ion Ratio Lower Upper
164 100
129 106.5 74.1 137.5
131 103.0 71.5 132.7
166 124.3 76.3 141.7





#62
1,3,5-Trimethylbenzene
Concen: 0.393 ug/L
RT: 12.938 min Scan# 1810
Delta R.T. 0.000 min
Lab File: VW024650.D
Acq: 28 Sep 2022 11:10




Instrument :
MSVOA_W
ClientSampleId :
BGSE8




Tgt Ion:105 Resp: 3008
Ion Ratio Lower Upper
105 100
120 41.8 38.8 58.2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 09/29/2022
Supervised By :Mahesh Dadoda 09/29/2022



#63
1,2,4-Trimethylbenzene
Concen: 1.151 ug/L
RT: 13.243 min Scan# 1860
Delta R.T. -0.006 min
Lab File: VW024650.D
Acq: 28 Sep 2022 11:10



Tgt Ion:105 Resp: 8634
Ion Ratio Lower Upper
105 100
120 42.6 35.2 52.8

