

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092921\
 Data File : VW020222.D
 Acq On : 29 Sep 2021 10:59
 Operator : SY/VA
 Sample : M3973-03
 Misc : 7.17g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8W9

Quant Time: Sep 30 01:02:24 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Sep 30 00:57:20 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	299935	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	194691	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	34780	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	127337	20.752	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.000%
7) Chloroethane-d5	2.897	69	104743	22.660	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.640%
11) 1,1-Dichloroethene-d2	4.025	63	129431	13.472	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	53.880%
21) 2-Butanone-d5	7.086	46	37783	39.903	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.800%
24) Chloroform-d	7.653	84	201566	21.369	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.480%
26) 1,2-Dichloroethane-d4	8.305	65	105224	20.727	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	82.920%
32) Benzene-d6	8.281	84	353017	28.421	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	113.680%
36) 1,2-Dichloropropane-d6	9.274	67	108990	30.320	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	121.280%#
41) Toluene-d8	10.329	98	266824	23.609	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.440%
43) trans-1,3-Dichloroprop...	10.579	79	33455	21.774	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.080%
47) 2-Hexanone-d5	10.927	63	25622	51.506	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.020%
56) 1,1,2,2-Tetrachloroeth...	12.694	84	70145	25.297	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.200%
66) 1,2-Dichlorobenzene-d4	13.853	152	36127	27.702	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	110.800%
Target Compounds					Qvalue	
13) Acetone	4.129	43	5142	6.341	ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092921\
Data File : VW020222.D
Acq On : 29 Sep 2021 10:59
Operator : SY/VA
Sample : M3973-03
Misc : 7.17g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW8W9

Quant Time: Sep 30 01:02:24 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092121SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Sep 30 00:57:20 2021
Response via : Initial Calibration





#13

Acetone

Concen: 6.341 ug/L

RT: 4.129 min Scan# 365

Delta R.T. 0.006 min

Lab File: VW020222.D

Acq: 29 Sep 2021 10:59

Instrument :

MSVOA_W

ClientSampleId :

EW8W9

Tgt Ion: 43 Resp: 5142

Ion Ratio Lower Upper

43 100

58 24.7 0.0 61.6

