

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092921\
 Data File : VW020249.D
 Acq On : 29 Sep 2021 23:31
 Operator : SY/VA
 Sample : VIBLK443
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK443

Quant Time: Sep 30 02:11:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Sep 30 02:06:51 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	257925	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	243169	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	121755	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	106852	20.250	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.000%
7) Chloroethane-d5	2.897	69	84274	21.201	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.800%
11) 1,1-Dichloroethene-d2	4.025	63	137628	16.659	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.640%
21) 2-Butanone-d5	7.080	46	40265	49.451	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.900%
24) Chloroform-d	7.653	84	177785	21.917	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.680%
26) 1,2-Dichloroethane-d4	8.311	65	100472	23.014	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.040%
32) Benzene-d6	8.281	84	344081	22.179	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.720%
36) 1,2-Dichloropropane-d6	9.280	67	99029	22.057	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.240%
41) Toluene-d8	10.329	98	333109	23.598	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.400%
43) trans-1,3-Dichloroprop...	10.579	79	44111	22.986	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.960%
47) 2-Hexanone-d5	10.927	63	36361	58.521	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.040%
56) 1,1,2,2-Tetrachloroeth...	12.694	84	82833	23.918	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.680%
66) 1,2-Dichlorobenzene-d4	13.853	152	119305	26.132	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.520%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092921\
Data File : VW020249.D
Acq On : 29 Sep 2021 23:31
Operator : SY/VA
Sample : VIBLK443
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK443

Quant Time: Sep 30 02:11:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092121SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Sep 30 02:06:51 2021
Response via : Initial Calibration

