

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW093019\
 Data File : VW013325.D
 Acq On : 30 Sep 2019 10:50
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 30 17:34:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W092019S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 20 15:58:08 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00
2 T	Dichlorodifluoromethane	0.288	0.250	13.2	95	0.00
3 P	Chloromethane	0.371	0.321	13.5	97	0.00
4 C	Vinyl Chloride	0.478	0.460	3.8#	104	0.00
5 T	Bromomethane	0.303	0.292	3.6	100	0.00
6 T	Chloroethane	0.282	0.270	4.3	99	0.00
7 T	Trichlorofluoromethane	0.276	0.266	3.6	101	0.00
8 T	Diethyl Ether	0.235	0.232	1.3	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.449	0.454	-1.1	105	0.00
10 T	Methyl Iodide	0.696	0.704	-1.1	103	0.00
11 T	Tert butyl alcohol	0.034	0.028	17.6	106	0.00
12 CM	1,1-Dichloroethene	0.465	0.471	-1.3#	105	0.00
13 T	Acrolein	0.023	0.021	8.7	87	0.00
14 T	Allyl chloride	0.740	0.759	-2.6	104	0.00
15 T	Acrylonitrile	0.102	0.094	7.8	97	0.00
16 T	Acetone	0.092	0.102	-10.9	120	0.00
17 T	Carbon Disulfide	1.343	1.385	-3.1	105	0.00
18 T	Methyl Acetate	0.259	0.225	13.1	95	0.00
19 T	Methyl tert-butyl Ether	0.712	0.684	3.9	98	0.00
20 T	Methylene Chloride	0.521	0.485	6.9	102	0.00
21 T	trans-1,2-Dichloroethene	0.502	0.506	-0.8	102	0.00
22 T	Diisopropyl ether	1.406	1.398	0.6	99	0.00
23 T	Vinyl Acetate	0.834	0.818	1.9	99	0.00
24 P	1,1-Dichloroethane	0.849	0.856	-0.8	103	0.00
25 T	2-Butanone	0.138	0.129	6.5	102	0.00
26 T	2,2-Dichloropropane	0.563	0.547	2.8	105	0.00
27 T	cis-1,2-Dichloroethene	0.530	0.539	-1.7	103	0.00
28 T	Bromochloromethane	0.326	0.334	-2.5	97	0.00
29 T	Tetrahydrofuran	0.085	0.077	9.4	95	0.00
30 C	Chloroform	0.831	0.809	2.6#	102	0.00
31 T	Cyclohexane	0.885	0.862	2.6	104	0.00
32 T	1,1,1-Trichloroethane	0.673	0.689	-2.4	104	0.00
33 S	1,2-Dichloroethane-d4	0.408	0.403	1.2	100	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.275	0.296	-7.6	106	0.00
36 T	1,1-Dichloropropene	0.484	0.505	-4.3	105	0.00
37 T	Ethyl Acetate	0.206	0.195	5.3	98	0.00
38 T	Carbon Tetrachloride	0.434	0.458	-5.5	104	0.00
39 T	Methylcyclohexane	0.622	0.658	-5.8	104	0.00
40 TM	Benzene	1.351	1.402	-3.8	104	0.00
41 T	Methacrylonitrile	0.123	0.114	7.3	93	0.00
42 TM	1,2-Dichloroethane	0.363	0.350	3.6	96	0.00
43 T	Isopropyl Acetate	0.394	0.374	5.1	97	0.00
44 TM	Trichloroethene	0.379	0.396	-4.5	105	0.00
45 C	1,2-Dichloropropane	0.330	0.338	-2.4#	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW093019\
 Data File : VW013325.D
 Acq On : 30 Sep 2019 10:50
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 30 17:34:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W092019S.M
 Quant Title : SW846 8260
 QLast Update : Fri Sep 20 15:58:08 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.160	0.161	-0.6	101	0.00
47 T	Bromodichloromethane	0.407	0.424	-4.2	102	0.00
48 T	Methyl methacrylate	0.185	0.187	-1.1	102	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	110	0.00
50 S	Toluene-d8	1.151	1.249	-8.5	106	0.00
51 T	4-Methyl-2-Pentanone	0.198	0.186	6.1	96	0.00
52 CM	Toluene	0.866	0.905	-4.5#	104	0.00
53 T	t-1,3-Dichloropropene	0.419	0.443	-5.7	103	0.00
54 T	cis-1,3-Dichloropropene	0.509	0.540	-6.1	105	0.00
55 T	1,1,2-Trichloroethane	0.239	0.239	0.0	101	0.00
56 T	Ethyl methacrylate	0.313	0.320	-2.2	100	0.00
57 T	1,3-Dichloropropane	0.418	0.416	0.5	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.145	0.147	-1.4	96	0.00
59 T	2-Hexanone	0.136	0.138	-1.5	103	0.00
60 T	Dibromochloromethane	0.272	0.290	-6.6	105	0.00
61 T	1,2-Dibromoethane	0.228	0.226	0.9	101	0.00
62 S	4-Bromofluorobenzene	0.393	0.423	-7.6	106	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.379	0.401	-5.8	106	0.00
65 PM	Chlorobenzene	1.044	1.086	-4.0	105	0.00
66 T	1,1,1,2-Tetrachloroethane	0.357	0.382	-7.0	105	0.00
67 C	Ethyl Benzene	1.892	2.000	-5.7#	103	0.00
68 T	m/p-Xylenes	0.721	0.773	-7.2	104	0.00
69 T	o-Xylene	0.670	0.706	-5.4	104	0.00
70 T	Styrene	1.151	1.225	-6.4	103	0.00
71 P	Bromoform	0.188	0.200	-6.4	105	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.694	3.916	-6.0	104	0.00
74 T	N-amyl acetate	0.820	0.797	2.8	95	0.00
75 P	1,1,2,2-Tetrachloroethane	0.618	0.591	4.4	98	0.00
76 T	1,2,3-Trichloropropane	0.442	0.461	-4.3	98	0.00
77 T	Bromobenzene	0.875	0.914	-4.5	101	0.00
78 T	n-propylbenzene	4.323	4.601	-6.4	104	0.00
79 T	2-Chlorotoluene	2.422	2.547	-5.2	103	0.00
80 T	1,3,5-Trimethylbenzene	3.105	3.270	-5.3	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.197	0.206	-4.6	103	0.00
82 T	4-Chlorotoluene	2.554	2.656	-4.0	104	0.00
83 T	tert-Butylbenzene	2.725	2.926	-7.4	105	0.00
84 T	1,2,4-Trimethylbenzene	3.090	3.239	-4.8	103	0.00
85 T	sec-Butylbenzene	3.757	4.022	-7.1	104	0.00
86 T	p-Isopropyltoluene	3.485	3.732	-7.1	104	0.00
87 T	1,3-Dichlorobenzene	1.685	1.766	-4.8	104	0.00
88 T	1,4-Dichlorobenzene	1.652	1.741	-5.4	104	0.00
89 T	n-Butylbenzene	3.182	3.439	-8.1	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW093019\
Data File : VW013325.D
Acq On : 30 Sep 2019 10:50
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Sep 30 17:34:07 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W092019S.M
Quant Title : SW846 8260
QLast Update : Fri Sep 20 15:58:08 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.585	0.645	-10.3	106	0.00
91 T	1,2-Dichlorobenzene	1.457	1.518	-4.2	103	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.094	0.087	7.4	93	0.00
93 T	1,2,4-Trichlorobenzene	1.044	1.144	-9.6	106	0.00
94 T	Hexachlorobutadiene	0.714	0.757	-6.0	105	0.00
95 T	Naphthalene	1.708	1.836	-7.5	101	0.00
96 T	1,2,3-Trichlorobenzene	0.902	0.975	-8.1	105	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6