

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW093020\
 Data File : VW016707.D
 Acq On : 30 Sep 2020 12:15
 Operator : SY/VA
 Sample : L4184-18
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AS2

Quant Time: Oct 01 05:32:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 01 05:05:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	645727	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	561000	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	248952	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	121427	19.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.72%
7) Chloroethane-d5	2.91	69	114636	22.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.84%
10) 1,1-Dichloroethene-d2	4.03	63	203092	14.53	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.12%
20) 2-Butanone-d5	7.09	46	65537	38.46	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.92%
24) Chloroform-d	7.66	84	323116	23.92	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.68%
26) 1,2-Dichloroethane-d4	8.31	65	166198	23.97	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.88%
29) Benzene-d6	8.28	84	626545	24.90	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.60%
33) 1,2-Dichloropropane-d6	9.28	67	179947	26.39	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.56%
37) Toluene-d8	10.33	98	581666	23.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.00%
38) trans-1,3-Dichloropropene-	10.59	79	70291	20.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.80%
39) 2-Hexanone-d5	10.93	63	55608	44.84	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.68%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	137772	23.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.00%
61) 1,2-Dichlorobenzene-d4	13.86	152	204584	25.72	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.88%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	9028	0.906 ug/L	99




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW093020\
Data File : VW016707.D
Acq On : 30 Sep 2020 12:15
Operator : SY/VA
Sample : L4184-18
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AS2

Quant Time: Oct 01 05:32:44 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 01 05:05:13 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.906 ug/L

RT: 4.93 min Scan# 496

Delta R.T. 0.00 min

Lab File: VW016707.D

Acq: 30 Sep 2020 12:15

Instrument :
MSVOA_W
ClientSampleId :
C0AS2

Tot Ion: 84 Resp: 9028

Ion Ratio Lower Upper

84 100

49 110.1 76.0 141.2

86 65.8 45.6 84.6

