

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW093022\
 Data File : VW024693.D
 Acq On : 30 Sep 2022 11:49
 Operator : SY/VA
 Sample : N4852-15
 Misc : 4.75g/10mL/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW823

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/01/2022
 Supervised By :Mahesh Dadoda 10/05/2022

Quant Time: Sep 30 22:14:16 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Sep 30 22:12:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	521041	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	451843	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	195678	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	85810	15.741	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	62.960%		
7) Chloroethane-d5	2.885	69	52632	16.614	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	66.440%		
11) 1,1-Dichloroethene-d2	4.019	63	119438	9.466	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	37.880%#		
21) 2-Butanone-d5	7.080	46	145892	74.437	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	148.880%#		
24) Chloroform-d	7.647	84	301892	21.673	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.680%		
26) 1,2-Dichloroethane-d4	8.305	65	171405m	23.721	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	94.880%		
32) Benzene-d6	8.275	84	497408	17.223	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	68.880%		
36) 1,2-Dichloropropane-d6	9.275	67	192241	21.786	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	87.160%		
41) Toluene-d8	10.323	98	367612	14.242	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	56.960%		
43) trans-1,3-Dichloroprop...	10.579	79	73928	18.813	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	75.240%		
47) 2-Hexanone-d5	10.921	63	106165	70.320	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	140.640%#		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	187863	29.880	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	119.520%		
66) 1,2-Dichlorobenzene-d4	13.853	152	133199	19.344	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	77.360%		
Target Compounds					Qvalue	
13) Acetone	4.129	43	71133	49.744	ug/L	98
16) Methylene chloride	4.916	84	40718	3.979	ug/L	95
22) 2-Butanone	7.177	43	32089	14.030	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW093022\
Data File : VW024693.D
Acq On : 30 Sep 2022 11:49
Operator : SY/VA
Sample : N4852-15
Misc : 4.75g/10mL/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW823

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 10/01/2022
Supervised By :Mahesh Dadoda 10/05/2022

Quant Time: Sep 30 22:14:16 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Sep 30 22:12:13 2022
Response via : Initial Calibration

