

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100118\
 Data File : VW005731.D
 Acq On : 01 Oct 2018 12:02
 Operator : SY/AP
 Sample : VW1001SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK83

Quant Time: Oct 02 05:57:52 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 02 05:44:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	245668	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	235315	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	115663	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	62172	19.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.40%
7) Chloroethane-d5	2.89	69	48071	19.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.68%
10) 1,1-Dichloroethene-d2	4.01	63	103615	15.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.60%
20) 2-Butanone-d5	7.09	46	49579	49.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.62%
24) Chloroform-d	7.65	84	133450	21.14	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.56%
26) 1,2-Dichloroethane-d4	8.31	65	86569	22.65	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.60%
29) Benzene-d6	8.28	84	254242	21.83	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.32%
33) 1,2-Dichloropropane-d6	9.28	67	73811	21.92	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.68%
37) Toluene-d8	10.33	98	235723	20.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.00%
38) trans-1,3-Dichloropropene-	10.59	79	35516	20.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.32%
39) 2-Hexanone-d5	10.93	63	36738	46.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.20%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	73451	22.46	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.84%
61) 1,2-Dichlorobenzene-d4	13.86	152	94085	22.99	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.96%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	6584	1.625 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100118\
Data File : VW005731.D
Acq On : 01 Oct 2018 12:02
Operator : SY/AP
Sample : VW1001SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK83

Quant Time: Oct 02 05:57:52 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 02 05:44:23 2018
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.625 ug/L

RT: 4.92 min Scan# 494

Delta R.T. -0.00 min

Lab File: VW005731.D

Acq: 01 Oct 2018 12:02

Instrument :

MSVOA_W

ClientSampleId :

VBLK83


Tot Ion: 84 Resp: 6584

Ion Ratio Lower Upper

84 100

49 123.2 87.2 162.0

86 58.3 43.2 80.2



Abundance Ion 84.00 (83.70 to 84.70): VW

Ion 49.00 (48.70 to 49.70): VW

Ion 86.00 (85.70 to 86.70): VW

