

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100120\
 Data File : VW016746.D
 Acq On : 01 Oct 2020 18:26
 Operator : SY/VA
 Sample : L4203-16
 Misc : 5.64G/10ML/MSVOA W/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG3T0

Quant Time: Oct 01 22:43:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 01 21:33:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	613222	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	543470	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	259569	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	97501	16.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.72%
7) Chloroethane-d5	2.91	69	93995	19.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.56%
10) 1,1-Dichloroethene-d2	4.03	63	163475	12.32	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	49.28%
20) 2-Butanone-d5	7.09	46	53053	32.78	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	65.56%
24) Chloroform-d	7.65	84	280933	21.90	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.60%
26) 1,2-Dichloroethane-d4	8.31	65	132632	20.14	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	80.56%
29) Benzene-d6	8.28	84	538588	22.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.40%
33) 1,2-Dichloropropane-d6	9.28	67	152881	23.15	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.60%
37) Toluene-d8	10.33	98	503418	20.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.96%
38) trans-1,3-Dichloropropene-	10.59	79	55554	16.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	66.72%
39) 2-Hexanone-d5	10.93	63	42428	35.32	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.64%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	110583	19.68	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	78.72%
61) 1,2-Dichlorobenzene-d4	13.85	152	192362	23.19	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.76%

Target Compounds

					Ovalue
13) Acetone	4.15	43	1966	1.551 ug/L	72
16) Methylene chloride	4.93	84	37381	3.952 ug/L	94
47) Tetrachloroethene	10.87	164	17882	2.350 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100120\
Data File : VW016746.D
Acq On : 01 Oct 2020 18:26
Operator : SY/VA
Sample : L4203-16
Misc : 5.64G/10ML/MSVOA W/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG3T0

Quant Time: Oct 01 22:43:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 01 21:33:07 2020
Response via : Initial Calibration

