

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100218\
 Data File : VW005776.D
 Acq On : 02 Oct 2018 15:03
 Operator : SY/AP
 Sample : J5181-19
 Misc : 3.11G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JLC48

Quant Time: Oct 03 07:01:40 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 03 05:07:10 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	188962	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	211093	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	94663	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	34236	14.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.84%
7) Chloroethane-d5	2.89	69	31527	16.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.12%
10) 1,1-Dichloroethene-d2	4.01	63	64068	12.18	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	48.72%
20) 2-Butanone-d5	7.08	46	35719	46.19	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.38%
24) Chloroform-d	7.65	84	110875	22.84	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.36%
26) 1,2-Dichloroethane-d4	8.31	65	74482	25.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.32%
29) Benzene-d6	8.28	84	184287	17.64	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	70.56%
33) 1,2-Dichloropropane-d6	9.28	67	59656	19.75	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	79.00%
37) Toluene-d8	10.33	98	182348	17.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	70.72%
38) trans-1,3-Dichloropropene-	10.58	79	30476	19.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.84%
39) 2-Hexanone-d5	10.93	63	29596	41.84	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.68%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	67213	22.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.64%
61) 1,2-Dichlorobenzene-d4	13.86	152	84224	25.15	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.60%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	9454	3.034 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100218\
Data File : VW005776.D
Acq On : 02 Oct 2018 15:03
Operator : SY/AP
Sample : J5181-19
Misc : 3.11G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JLC48

Quant Time: Oct 03 07:01:40 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 03 05:07:10 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.034 ug/L
RT: 4.91 min Scan# 493
Delta R.T. -0.01 min
Lab File: VW005776.D
Acq: 02 Oct 2018 15:03

Instrument :
MSVOA_W
ClientSampleId :
JLC48

Tot Ion: 84 Resp: 9454

Ion	Ratio	Lower	Upper
84	100		
49	121.8	87.2	162.0
86	54.1	43.2	80.2

