

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100218\
 Data File : VW005780.D
 Acq On : 02 Oct 2018 16:46
 Operator : SY/AP
 Sample : J5180-07RE
 Misc : 4.58G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JLC16RE

Quant Time: Oct 03 07:19:56 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 03 05:07:10 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	201848	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	181205	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	46679	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	41650	16.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.76%
7) Chloroethane-d5	2.90	69	38657	19.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.04%
10) 1,1-Dichloroethene-d2	4.01	63	73768	13.13	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	52.52%
20) 2-Butanone-d5	7.09	46	34396	41.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.28%
24) Chloroform-d	7.65	84	132336	25.52	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.08%
26) 1,2-Dichloroethane-d4	8.31	65	87094	27.73	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	110.92%
29) Benzene-d6	8.28	84	220115	24.54	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.16%
33) 1,2-Dichloropropane-d6	9.28	67	72085	27.80	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	111.20%
37) Toluene-d8	10.33	98	195740	22.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.40%
38) trans-1,3-Dichloropropene-	10.58	79	31377	23.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.16%
39) 2-Hexanone-d5	10.93	63	24321	40.06	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.12%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	59873	23.77	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.08%
61) 1,2-Dichlorobenzene-d4	13.86	152	39539	23.94	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.76%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	9924	2.982 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100218\
Data File : VW005780.D
Acq On : 02 Oct 2018 16:46
Operator : SY/AP
Sample : J5180-07RE
Misc : 4.58G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JLC16RE

Quant Time: Oct 03 07:19:56 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 03 05:07:10 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.982 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.00 min
Lab File: VW005780.D
Acq: 02 Oct 2018 16:46

Instrument :
MSVOA_W
ClientSampleId :
JLC16RE

Tot Ion: 84 Resp: 9924

Ion	Ratio	Lower	Upper
84	100		
49	114.6	87.2	162.0
86	52.1	43.2	80.2

