

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100218\
 Data File : VW005784.D
 Acq On : 02 Oct 2018 18:30
 Operator : SY/AP
 Sample : J5180-13RE
 Misc : 3.67G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JLC22RE

Quant Time: Oct 03 07:54:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 03 05:07:10 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	209380	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	200145	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	61231	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	42843	16.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.20%
7) Chloroethane-d5	2.90	69	36910	17.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.88%
10) 1,1-Dichloroethene-d2	4.01	63	75969	13.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	52.16%
20) 2-Butanone-d5	7.09	46	30933	36.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.20%
24) Chloroform-d	7.65	84	137669	25.59	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.36%
26) 1,2-Dichloroethane-d4	8.31	65	86417	26.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	106.12%
29) Benzene-d6	8.27	84	223089	22.52	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.08%
33) 1,2-Dichloropropane-d6	9.27	67	72093	25.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.68%
37) Toluene-d8	10.33	98	203302	20.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.12%
38) trans-1,3-Dichloropropene-	10.58	79	31598	21.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.04%
39) 2-Hexanone-d5	10.93	63	25541	38.09	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.18%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	66798	24.01	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.04%
61) 1,2-Dichlorobenzene-d4	13.86	152	51934	23.97	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.88%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11080	3.209 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100218\
Data File : VW005784.D
Acq On : 02 Oct 2018 18:30
Operator : SY/AP
Sample : J5180-13RE
Misc : 3.67G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JLC22RE

Quant Time: Oct 03 07:54:55 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM092818S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 03 05:07:10 2018
Response via : Initial Calibration





#16
 Methylene chloride
 Concen: 3.209 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. -0.00 min
 Lab File: VW005784.D
 Acq: 02 Oct 2018 18:30

Instrument :
 MSVOA_W
 ClientSampleId :
 JLC22RE

Tot Ion: 84 Resp: 11080
 Ion Ratio Lower Upper
 84 100
 49 123.7 87.2 162.0
 86 64.4 43.2 80.2

