

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100220\
 Data File : VW016751.D
 Acq On : 02 Oct 2020 10:18
 Operator : SY/VA
 Sample : VW1002SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK25

Quant Time: Oct 03 05:03:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 03 04:48:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	551379	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	490468	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	235440	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	87359	16.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.48%
7) Chloroethane-d5	2.91	69	84542	19.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.60%
10) 1,1-Dichloroethene-d2	4.03	63	142837	11.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	47.88%
20) 2-Butanone-d5	7.09	46	64180	44.11	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.22%
24) Chloroform-d	7.65	84	274486	23.80	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.20%
26) 1,2-Dichloroethane-d4	8.31	65	138238	23.35	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.40%
29) Benzene-d6	8.28	84	492687	22.40	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.60%
33) 1,2-Dichloropropane-d6	9.28	67	147516	24.75	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.00%
37) Toluene-d8	10.33	98	433843	20.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.20%
38) trans-1,3-Dichloropropene-	10.58	79	59536	19.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	79.24%
39) 2-Hexanone-d5	10.93	63	51350	47.36	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.72%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	130933	25.81	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	103.24%
61) 1,2-Dichlorobenzene-d4	13.85	152	193974	25.79	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.16%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	12438	1.463 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100220\
Data File : VW016751.D
Acq On : 02 Oct 2020 10:18
Operator : SY/VA
Sample : VW1002SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK25

Quant Time: Oct 03 05:03:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 03 04:48:41 2020
Response via : Initial Calibration

