

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW100419\
 Data File : VW013450.D
 Acq On : 04 Oct 2019 20:03
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 07:09:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W100119S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 11:49:57 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.193	0.148	23.3#	75	0.00
3 P	Chloromethane	0.319	0.282	11.6	88	0.00
4 C	Vinyl Chloride	0.453	0.433	4.4#	94	0.00
5 T	Bromomethane	0.278	0.248	10.8	83	0.00
6 T	Chloroethane	0.262	0.232	11.5	88	0.00
7 T	Trichlorofluoromethane	0.196	0.208	-6.1	105	0.00
8 T	Diethyl Ether	0.227	0.227	0.0	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.436	0.427	2.1	95	0.00
10 T	Methyl Iodide	0.704	0.663	5.8	89	0.00
11 T	Tert butyl alcohol	0.037	0.035	5.4	88	0.04
12 CM	1,1-Dichloroethene	0.460	0.444	3.5#	94	0.00
13 T	Acrolein	0.034	0.029	14.7	70	0.00
14 T	Allyl chloride	0.681	0.694	-1.9	98	0.00
15 T	Acrylonitrile	0.103	0.114	-10.7	112	0.00
16 T	Acetone	0.114	0.098	14.0	85	0.00
17 T	Carbon Disulfide	1.284	1.232	4.0	90	0.00
18 T	Methyl Acetate	0.268	0.287	-7.1	117	0.01
19 T	Methyl tert-butyl Ether	0.677	0.721	-6.5	103	0.00
20 T	Methylene Chloride	0.532	0.463	13.0	92	0.00
21 T	trans-1,2-Dichloroethene	0.490	0.474	3.3	94	0.00
22 T	Diisopropyl ether	1.315	1.331	-1.2	95	0.00
23 T	Vinyl Acetate	0.789	0.840	-6.5	101	0.00
24 P	1,1-Dichloroethane	0.801	0.773	3.5	92	0.00
25 T	2-Butanone	0.146	0.146	0.0	98	0.00
26 T	2,2-Dichloropropane	0.514	0.468	8.9	96	0.00
27 T	cis-1,2-Dichloroethene	0.513	0.507	1.2	94	0.00
28 T	Bromochloromethane	0.290	0.306	-5.5	85	0.00
29 T	Tetrahydrofuran	0.085	0.096	-12.9	113	0.00
30 C	Chloroform	0.785	0.752	4.2#	93	0.00
31 T	Cyclohexane	0.854	0.814	4.7	97	0.00
32 T	1,1,1-Trichloroethane	0.615	0.619	-0.7	96	0.00
33 S	1,2-Dichloroethane-d4	0.373	0.372	0.3	95	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
35 S	Dibromofluoromethane	0.262	0.258	1.5	91	0.00
36 T	1,1-Dichloropropene	0.464	0.461	0.6	95	0.00
37 T	Ethyl Acetate	0.218	0.232	-6.4	111	0.00
38 T	Carbon Tetrachloride	0.402	0.406	-1.0	95	0.00
39 T	Methylcyclohexane	0.612	0.621	-1.5	99	0.00
40 TM	Benzene	1.315	1.301	1.1	94	0.00
41 T	Methacrylonitrile	0.124	0.136	-9.7	106	0.00
42 TM	1,2-Dichloroethane	0.338	0.346	-2.4	98	0.00
43 T	Isopropyl Acetate	0.386	0.435	-12.7	109	0.00
44 TM	Trichloroethene	0.370	0.370	0.0	94	0.00
45 C	1,2-Dichloropropane	0.316	0.317	-0.3#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW100419\
 Data File : VW013450.D
 Acq On : 04 Oct 2019 20:03
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 07:09:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W100119S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 11:49:57 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.157	0.160	-1.9	97	0.00
47 T	Bromodichloromethane	0.387	0.393	-1.6	95	0.00
48 T	Methyl methacrylate	0.185	0.218	-17.8	115	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	113	0.02
50 S	Toluene-d8	1.089	1.082	0.6	92	0.00
51 T	4-Methyl-2-Pentanone	0.203	0.226	-11.3	113	0.00
52 CM	Toluene	0.848	0.843	0.6#	94	0.00
53 T	t-1,3-Dichloropropene	0.403	0.421	-4.5	98	0.00
54 T	cis-1,3-Dichloropropene	0.488	0.507	-3.9	97	0.00
55 T	1,1,2-Trichloroethane	0.235	0.245	-4.3	101	0.00
56 T	Ethyl methacrylate	0.316	0.351	-11.1	105	0.00
57 T	1,3-Dichloropropane	0.408	0.426	-4.4	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.130	0.154	-18.5	109	0.00
59 T	2-Hexanone	0.140	0.157	-12.1	105	0.00
60 T	Dibromochloromethane	0.268	0.288	-7.5	99	0.00
61 T	1,2-Dibromoethane	0.227	0.244	-7.5	102	0.00
62 S	4-Bromofluorobenzene	0.364	0.371	-1.9	96	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.380	0.387	-1.8	97	0.00
65 PM	Chlorobenzene	1.024	1.028	-0.4	95	0.00
66 T	1,1,1,2-Tetrachloroethane	0.349	0.366	-4.9	97	0.00
67 C	Ethyl Benzene	1.836	1.865	-1.6#	95	0.00
68 T	m/p-Xylenes	0.709	0.716	-1.0	96	0.00
69 T	o-Xylene	0.655	0.662	-1.1	96	0.00
70 T	Styrene	1.120	1.152	-2.9	93	0.00
71 P	Bromoform	0.189	0.208	-10.1	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	3.657	3.705	-1.3	97	0.00
74 T	N-amyl acetate	0.778	0.884	-13.6	111	0.00
75 P	1,1,2,2-Tetrachloroethane	0.619	0.677	-9.4	113	0.00
76 T	1,2,3-Trichloropropane	0.444	0.429	3.4	89	0.00
77 T	Bromobenzene	0.878	0.863	1.7	97	0.00
78 T	n-propylbenzene	4.207	4.246	-0.9	99	0.00
79 T	2-Chlorotoluene	2.337	2.368	-1.3	97	0.00
80 T	1,3,5-Trimethylbenzene	3.038	3.015	0.8	94	0.00
81 T	trans-1,4-Dichloro-2-butene	0.195	0.230	-17.9	118	0.00
82 T	4-Chlorotoluene	2.448	2.460	-0.5	99	0.00
83 T	tert-Butylbenzene	2.654	2.731	-2.9	98	0.00
84 T	1,2,4-Trimethylbenzene	3.020	3.017	0.1	97	0.00
85 T	sec-Butylbenzene	3.659	3.780	-3.3	100	0.00
86 T	p-Isopropyltoluene	3.391	3.474	-2.4	99	0.00
87 T	1,3-Dichlorobenzene	1.652	1.652	0.0	96	0.00
88 T	1,4-Dichlorobenzene	1.654	1.592	3.7	93	0.00
89 T	n-Butylbenzene	3.057	3.166	-3.6	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW100419\
Data File : VW013450.D
Acq On : 04 Oct 2019 20:03
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Oct 05 07:09:46 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W100119S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 02 11:49:57 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.560	0.584	-4.3	98	0.00
91 T	1,2-Dichlorobenzene	1.461	1.456	0.3	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.093	0.108	-16.1	117	0.00
93 T	1,2,4-Trichlorobenzene	1.048	1.087	-3.7	96	0.00
94 T	Hexachlorobutadiene	0.681	0.705	-3.5	101	0.00
95 T	Naphthalene	1.768	2.073	-17.3	110	0.00
96 T	1,2,3-Trichlorobenzene	0.915	0.961	-5.0	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6