

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100720\
 Data File : VW016802.D
 Acq On : 06 Oct 2020 19:11
 Operator : SY/VA
 Sample : L4171-09
 Misc : 5.02G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK02

Quant Time: Oct 07 03:33:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 07 03:05:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	563972	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	500904	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	241635	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	118224	21.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.00%
7) Chloroethane-d5	2.90	69	100103	21.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.80%
10) 1,1-Dichloroethene-d2	4.03	63	179199	15.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.68%
20) 2-Butanone-d5	7.09	46	48569	38.54	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.08%
24) Chloroform-d	7.65	84	249168	20.94	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.76%
26) 1,2-Dichloroethane-d4	8.31	65	124353	21.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	86.56%
29) Benzene-d6	8.28	84	513523	22.57	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.28%
33) 1,2-Dichloropropane-d6	9.28	67	136269	22.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.16%
37) Toluene-d8	10.33	98	489192	22.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.16%
38) trans-1,3-Dichloropropene-	10.58	79	55721	20.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.64%
39) 2-Hexanone-d5	10.93	63	39872	42.17	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.34%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	102986	20.85	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.40%
61) 1,2-Dichlorobenzene-d4	13.85	152	173874	22.69	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.76%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	6081	0.781 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100720\
Data File : VW016802.D
Acq On : 06 Oct 2020 19:11
Operator : SY/VA
Sample : L4171-09
Misc : 5.02G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK02

Quant Time: Oct 07 03:33:46 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 07 03:05:19 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.781 ug/L
 RT: 4.93 min Scan# 497
 Delta R.T. 0.02 min
 Lab File: VW016802.D
 Acq: 06 Oct 2020 19:11

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK02

Tot Ion:	84	Resp:	6081
Ion	Ratio	Lower	Upper
84	100		
49	99.3	73.1	135.8
86	56.5	46.0	85.4

