

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100720\
 Data File : VW016804.D
 Acq On : 06 Oct 2020 19:58
 Operator : SY/VA
 Sample : L4184-19
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Oct 07 04:18:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 07 03:05:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	497919	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	458227	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	217742	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	108158	22.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.08%
7) Chloroethane-d5	2.90	69	91052	22.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.40%
10) 1,1-Dichloroethene-d2	4.03	63	165200	15.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.36%
20) 2-Butanone-d5	7.08	46	46914	42.17	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.34%
24) Chloroform-d	7.65	84	225121	21.43	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.72%
26) 1,2-Dichloroethane-d4	8.31	65	113195	22.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.24%
29) Benzene-d6	8.28	84	458735	22.04	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.16%
33) 1,2-Dichloropropane-d6	9.28	67	123838	22.14	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.56%
37) Toluene-d8	10.33	98	431817	21.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.96%
38) trans-1,3-Dichloropropene-	10.58	79	50176	20.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.36%
39) 2-Hexanone-d5	10.93	63	37317	43.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	94242	20.86	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.44%
61) 1,2-Dichlorobenzene-d4	13.86	152	158408	22.94	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	91.76%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	6605	0.961 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100720\
Data File : VW016804.D
Acq On : 06 Oct 2020 19:58
Operator : SY/VA
Sample : L4184-19
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Oct 07 04:18:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 07 03:05:19 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.961 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. 0.01 min
 Lab File: VW016804.D
 Acq: 06 Oct 2020 19:58

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Tot Ion	Ratio	Lower	Upper
84	100		
49	107.4	73.1	135.8
86	64.9	46.0	85.4

