

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100820\
 Data File : VW016833.D
 Acq On : 07 Oct 2020 14:51
 Operator : SY/VA
 Sample : VIBLK10
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK10

Quant Time: Oct 08 09:15:13 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 08 08:32:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	532123	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	473406	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	225369	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	108311	20.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.52%
7) Chloroethane-d5	2.90	69	86701	19.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.76%
10) 1,1-Dichloroethene-d2	4.03	63	156907	14.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.32%
20) 2-Butanone-d5	7.09	46	49080	41.28	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.56%
24) Chloroform-d	7.65	84	220010	19.59	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.36%
26) 1,2-Dichloroethane-d4	8.31	65	114585	21.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.52%
29) Benzene-d6	8.27	84	446170	20.75	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.00%
33) 1,2-Dichloropropane-d6	9.27	67	121923	21.10	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.40%
37) Toluene-d8	10.32	98	417158	20.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.24%
38) trans-1,3-Dichloropropene-	10.58	79	49322	19.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.40%
39) 2-Hexanone-d5	10.93	63	40567	45.40	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.80%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	102205	21.90	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.60%
61) 1,2-Dichlorobenzene-d4	13.86	152	151473	21.19	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.76%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	8275	1.127 ug/L	80

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100820\
Data File : VW016833.D
Acq On : 07 Oct 2020 14:51
Operator : SY/VA
Sample : VIBLK10
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK10

Quant Time: Oct 08 09:15:13 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 08 08:32:41 2020
Response via : Initial Calibration

