

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100820\
 Data File : VW016841.D
 Acq On : 07 Oct 2020 18:45
 Operator : SY/VA
 Sample : VIBLK23
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK23

Quant Time: Oct 08 09:39:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 08 08:32:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	530345	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	476636	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	225054	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	107228	20.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.00%
7) Chloroethane-d5	2.89	69	88330	20.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.52%
10) 1,1-Dichloroethene-d2	4.03	63	154562	13.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.64%
20) 2-Butanone-d5	7.09	46	44028	37.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.30%
24) Chloroform-d	7.65	84	219485	19.61	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.44%
26) 1,2-Dichloroethane-d4	8.31	65	109800	20.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.24%
29) Benzene-d6	8.28	84	448402	20.71	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.84%
33) 1,2-Dichloropropane-d6	9.27	67	121514	20.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.56%
37) Toluene-d8	10.33	98	421322	20.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.52%
38) trans-1,3-Dichloropropene-	10.58	79	48286	18.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.28%
39) 2-Hexanone-d5	10.93	63	35725	39.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	95564	20.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	152102	21.31	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.24%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	15274	2.087 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100820\
Data File : VW016841.D
Acq On : 07 Oct 2020 18:45
Operator : SY/VA
Sample : VIBLK23
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK23

Quant Time: Oct 08 09:39:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 08 08:32:41 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.087 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. 0.01 min
 Lab File: VW016841.D
 Acq: 07 Oct 2020 18:45

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK23

Tot Ion: 84 Resp: 15274
 Ion Ratio Lower Upper
 84 100
 49 93.9 73.1 135.8
 86 59.0 46.0 85.4

