

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW100919\
 Data File : VW013514.D
 Acq On : 09 Oct 2019 20:01
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 10 03:44:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W100819S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 09 05:54:09 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	109	0.00
2 T	Dichlorodifluoromethane	0.166	0.146	12.0	97	0.00
3 P	Chloromethane	0.291	0.276	5.2	108	0.00
4 C	Vinyl Chloride	0.429	0.417	2.8#	107	0.00
5 T	Bromomethane	0.256	0.266	-3.9	114	0.00
6 T	Chloroethane	0.241	0.250	-3.7	114	0.00
7 T	Trichlorofluoromethane	0.203	0.214	-5.4	106	0.00
8 T	Diethyl Ether	0.210	0.226	-7.6	121	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.419	0.404	3.6	106	0.00
10 T	Methyl Iodide	0.663	0.693	-4.5	114	0.00
11 T	Tert butyl alcohol	0.033	0.027	18.2	105	0.00
12 CM	1,1-Dichloroethene	0.434	0.426	1.8#	109	0.00
13 T	Acrolein	0.031	0.035	-12.9	112	0.00
14 T	Allyl chloride	0.667	0.698	-4.6	115	0.00
15 T	Acrylonitrile	0.098	0.098	0.0	115	0.00
16 T	Acetone	0.090	0.077	14.4	93	0.00
17 T	Carbon Disulfide	1.218	1.198	1.6	107	0.00
18 T	Methyl Acetate	0.258	0.247	4.3	120	0.00
19 T	Methyl tert-butyl Ether	0.656	0.697	-6.2	118	0.00
20 T	Methylene Chloride	0.495	0.460	7.1	116	0.00
21 T	trans-1,2-Dichloroethene	0.461	0.472	-2.4	113	0.00
22 T	Diisopropyl ether	1.249	1.358	-8.7	120	0.00
23 T	Vinyl Acetate	0.750	0.791	-5.5	117	0.00
24 P	1,1-Dichloroethane	0.764	0.802	-5.0	117	0.00
25 T	2-Butanone	0.132	0.120	9.1	105	0.00
26 T	2,2-Dichloropropane	0.492	0.474	3.7	109	0.00
27 T	cis-1,2-Dichloroethene	0.488	0.511	-4.7	116	0.00
28 T	Bromochloromethane	0.272	0.306	-12.5	115	0.00
29 T	Tetrahydrofuran	0.081	0.080	1.2	113	0.00
30 C	Chloroform	0.739	0.773	-4.6#	116	0.00
31 T	Cyclohexane	0.808	0.746	7.7	107	0.00
32 T	1,1,1-Trichloroethane	0.600	0.622	-3.7	114	0.00
33 S	1,2-Dichloroethane-d4	0.386	0.395	-2.3	116	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	113	0.00
35 S	Dibromofluoromethane	0.279	0.277	0.7	112	0.00
36 T	1,1-Dichloropropene	0.452	0.437	3.3	110	0.00
37 T	Ethyl Acetate	0.205	0.193	5.9	114	0.00
38 T	Carbon Tetrachloride	0.401	0.391	2.5	108	0.00
39 T	Methylcyclohexane	0.586	0.554	5.5	106	0.00
40 TM	Benzene	1.263	1.283	-1.6	116	0.00
41 T	Methacrylonitrile	0.117	0.112	4.3	114	0.00
42 TM	1,2-Dichloroethane	0.319	0.332	-4.1	120	0.00
43 T	Isopropyl Acetate	0.371	0.371	0.0	118	0.00
44 TM	Trichloroethene	0.360	0.367	-1.9	115	0.00
45 C	1,2-Dichloropropane	0.303	0.314	-3.6#	119	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW100919\
 Data File : VW013514.D
 Acq On : 09 Oct 2019 20:01
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 10 03:44:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W100819S.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 09 05:54:09 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.151	0.153	-1.3	118	0.00
47 T	Bromodichloromethane	0.375	0.393	-4.8	119	0.00
48 T	Methyl methacrylate	0.183	0.173	5.5	111	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	108	0.00
50 S	Toluene-d8	1.174	1.159	1.3	112	0.00
51 T	4-Methyl-2-Pentanone	0.195	0.188	3.6	115	0.00
52 CM	Toluene	0.813	0.828	-1.8#	115	0.00
53 T	t-1,3-Dichloropropene	0.390	0.406	-4.1	118	0.00
54 T	cis-1,3-Dichloropropene	0.472	0.493	-4.4	119	0.00
55 T	1,1,2-Trichloroethane	0.227	0.232	-2.2	121	0.00
56 T	Ethyl methacrylate	0.305	0.313	-2.6	116	0.00
57 T	1,3-Dichloropropane	0.389	0.403	-3.6	120	0.00
58 T	2-Chloroethyl Vinyl ether	0.144	0.152	-5.6	116	0.00
59 T	2-Hexanone	0.134	0.127	5.2	107	0.00
60 T	Dibromochloromethane	0.261	0.275	-5.4	118	0.00
61 T	1,2-Dibromoethane	0.216	0.223	-3.2	122	0.00
62 S	4-Bromofluorobenzene	0.394	0.393	0.3	114	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	115	0.00
64 T	Tetrachloroethene	0.368	0.366	0.5	115	0.00
65 PM	Chlorobenzene	0.994	1.013	-1.9	117	0.00
66 T	1,1,1,2-Tetrachloroethane	0.345	0.361	-4.6	120	0.00
67 C	Ethyl Benzene	1.816	1.842	-1.4#	117	0.00
68 T	m/p-Xylenes	0.691	0.705	-2.0	116	0.00
69 T	o-Xylene	0.638	0.656	-2.8	119	0.00
70 T	Styrene	1.096	1.164	-6.2	120	0.00
71 P	Bromoform	0.189	0.194	-2.6	119	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	115	0.00
73 T	Isopropylbenzene	3.582	3.557	0.7	115	0.00
74 T	N-amyl acetate	0.783	0.781	0.3	117	0.00
75 P	1,1,2,2-Tetrachloroethane	0.610	0.593	2.8	118	0.00
76 T	1,2,3-Trichloropropane	0.416	0.389	6.5	120	0.00
77 T	Bromobenzene	0.849	0.871	-2.6	121	0.00
78 T	n-propylbenzene	4.142	4.160	-0.4	116	0.00
79 T	2-Chlorotoluene	2.320	2.329	-0.4	117	0.00
80 T	1,3,5-Trimethylbenzene	2.976	3.016	-1.3	117	0.00
81 T	trans-1,4-Dichloro-2-butene	0.204	0.198	2.9	115	0.00
82 T	4-Chlorotoluene	2.408	2.453	-1.9	118	0.00
83 T	tert-Butylbenzene	2.643	2.672	-1.1	117	0.00
84 T	1,2,4-Trimethylbenzene	2.943	3.015	-2.4	119	0.00
85 T	sec-Butylbenzene	3.652	3.628	0.7	114	0.00
86 T	p-Isopropyltoluene	3.355	3.400	-1.3	116	0.00
87 T	1,3-Dichlorobenzene	1.610	1.681	-4.4	121	0.00
88 T	1,4-Dichlorobenzene	1.577	1.623	-2.9	120	0.00
89 T	n-Butylbenzene	3.031	3.045	-0.5	114	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW100919\
Data File : VW013514.D
Acq On : 09 Oct 2019 20:01
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Oct 10 03:44:46 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W100819S.M
Quant Title : SW846 8260
QLast Update : Wed Oct 09 05:54:09 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.574	0.586	-2.1	119	0.00
91 T	1,2-Dichlorobenzene	1.421	1.474	-3.7	122	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.097	0.091	6.2	115	0.00
93 T	1,2,4-Trichlorobenzene	1.004	1.094	-9.0	125	0.00
94 T	Hexachlorobutadiene	0.667	0.681	-2.1	119	0.00
95 T	Naphthalene	1.738	1.872	-7.7	125	0.00
96 T	1,2,3-Trichlorobenzene	0.878	0.961	-9.5	128	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6