

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100920\
 Data File : VW016851.D
 Acq On : 08 Oct 2020 13:27
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK

Manual Integrations
 APPROVED

MMDadoda
 10/12/2020 1:56:46 PM

Quant Time: Oct 09 09:17:56 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 08 11:39:44 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	532041	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	489147	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	234749	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	126570	24.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.48%
7) Chloroethane-d5	2.90	69	104952	23.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.36%
10) 1,1-Dichloroethene-d2	4.03	63	189360	16.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.96%
20) 2-Butanone-d5	7.09	46	51775	43.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.10%
24) Chloroform-d	7.65	84	266813	23.77	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.08%
26) 1,2-Dichloroethane-d4	8.31	65	131264m	24.21	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.84%
29) Benzene-d6	8.27	84	540751	24.34	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.36%
33) 1,2-Dichloropropane-d6	9.27	67	148355	24.85	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.40%
37) Toluene-d8	10.33	98	505584	24.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.48%
38) trans-1,3-Dichloropropene-	10.58	79	57023	21.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.64%
39) 2-Hexanone-d5	10.93	63	42450	45.98	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.96%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	111159	23.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.20%
61) 1,2-Dichlorobenzene-d4	13.86	152	182769	24.55	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.20%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	16824	2.291 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100920\
Data File : VW016851.D
Acq On : 08 Oct 2020 13:27
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 9 Sample Multiplier: 1




Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Manual Integrations
APPROVED

MMDadoda
10/12/2020 1:56:46 PM

Quant Time: Oct 09 09:17:56 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 08 11:39:44 2020
Response via : Initial Calibration





#16
Methvlene chloride
Concen: 2.291 ug/L
RT: 4.92 min Scan# 494
Delta R.T. -0.00 min
Lab File: VW016851.D
Acq: 08 Oct 2020 13:27

Tot Ion:	84	Resp:	16824
Ion Ratio	Lower	Upper	
84	100		
49	96.3	73.1	135.8
86	58.0	46.0	85.4

Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Manual Integrations
APPROVED

MMDadoda
10/12/2020 1:56:46 PM

