

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW100920\
 Data File : VW016855.D
 Acq On : 08 Oct 2020 16:11
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK

Quant Time: Oct 09 09:33:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 08 11:39:44 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	506469	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	448445	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	210365	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	117626	23.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.16%
7) Chloroethane-d5	2.90	69	98367	23.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.88%
10) 1,1-Dichloroethene-d2	4.03	63	171176	16.13	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.52%
20) 2-Butanone-d5	7.09	46	46937	41.48	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.96%
24) Chloroform-d	7.65	84	242728	22.71	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.84%
26) 1,2-Dichloroethane-d4	8.31	65	119498	23.15	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.60%
29) Benzene-d6	8.28	84	490955	24.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.40%
33) 1,2-Dichloropropane-d6	9.28	67	134254	24.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.12%
37) Toluene-d8	10.33	98	460759	23.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.92%
38) trans-1,3-Dichloropropene-	10.58	79	50618	20.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.88%
39) 2-Hexanone-d5	10.93	63	38018	44.91	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.82%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	100127	22.64	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	166641	24.97	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.88%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	12987	1.858 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW100920\
Data File : VW016855.D
Acq On : 08 Oct 2020 16:11
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Quant Time: Oct 09 09:33:50 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 08 11:39:44 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.858 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW016855.D
Acq: 08 Oct 2020 16:11

Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Tot Ion: 84 Resp: 12987

Ion	Ratio	Lower	Upper
84	100		
49	96.8	73.1	135.8
86	53.6	46.0	85.4

