

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101019\
 Data File : VW013517.D
 Acq On : 10 Oct 2019 11:40
 Operator : SY/VA
 Sample : VSTD00503
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 10 14:14:37 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M

Quant Title : VOC Analysis

QLast Update : Thu Oct 10 14:04:30 2019

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	518233	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	454197	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	221839	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	31117	5.04	ug/L	0.00
7) Chloroethane-d5	2.89	69	23433	4.72	ug/L	0.00
10) 1,1-Dichloroethene-d2	4.02	63	58216	4.79	ug/L	0.00
20) 2-Butanone-d5	7.08	46	18009	8.43	ug/L	0.00
24) Chloroform-d	7.65	84	58901	5.04	ug/L	0.00
26) 1,2-Dichloroethane-d4	8.30	65	30213	4.79	ug/L	0.00
29) Benzene-d6	8.27	84	128349	5.20	ug/L	0.00
33) 1,2-Dichloropropane-d6	9.27	67	37215	5.06	ug/L	0.00
37) Toluene-d8	10.32	98	119272	5.14	ug/L	0.00
38) trans-1,3-Dichloropropene-	10.58	79	15819	4.79	ug/L	0.00
39) 2-Hexanone-d5	10.92	63	13241	8.23	ug/L	0.00
48) 1,1,2,2-Tetrachloroethane-	12.69	84	28619	4.59	ug/L	0.00
61) 1,2-Dichlorobenzene-d4	13.85	152	41895	5.29	ug/L	0.00

Target Compounds

					Qvalue
2) Dichlorodifluoromethane	2.01	85	6541m	2.017	ug/L
3) Chloromethane	2.21	50	19651	4.522	ug/L
5) Vinyl chloride	2.35	62	27823	4.629	ug/L
6) Bromomethane	2.77	94	17002	4.450	ug/L
8) Chloroethane	2.92	64	16204	4.444	ug/L
9) Trichlorofluoromethane	3.25	101	14440	3.877	ug/L
11) 1,1,2-Trichloro-1,2,2-trif	4.06	101	27438	4.661	ug/L
12) 1,1-Dichloroethene	4.04	96	28057	4.696	ug/L
13) Acetone	4.12	43	17571	9.884	ug/L
14) Carbon disulfide	4.38	76	82084	4.840	ug/L
15) Methyl Acetate	4.66	43	13120m	3.825	ug/L
16) Methylene chloride	4.91	84	36167	4.671	ug/L
17) Methyl tert-butyl Ether	5.42	73	46119	4.463	ug/L
18) trans-1,2-Dichloroethene	5.42	96	30998	4.853	ug/L
19) 1,1-Dichloroethane	6.21	63	50941	4.546	ug/L
21) 2-Butanone	7.17	43	19568	7.642	ug/L
22) cis-1,2-Dichloroethene	7.17	96	33333	4.789	ug/L
23) Bromochloromethane	7.52	128	14905	4.759	ug/L
25) Chloroform	7.68	83	51497	4.677	ug/L
27) 1,2-Dichloroethane	8.40	62	32623	4.524	ug/L
30) Cyclohexane	7.96	56	52341	4.798	ug/L
31) 1,1,1-Trichloroethane	7.87	97	41086	4.713	ug/L
32) Carbon tetrachloride	8.07	117	36991	4.450	ug/L
34) Benzene	8.32	78	123745	4.860	ug/L
35) Trichloroethene	9.09	95	30627	4.578	ug/L
36) Methylcyclohexane	9.34	83	56560	4.746	ug/L
40) 1,2-Dichloropropane	9.37	63	29870	4.768	ug/L
41) Bromodichloromethane	9.65	83	35866	4.666	ug/L
42) cis-1,3-Dichloropropene	10.07	75	44852	4.482	ug/L
43) 4-Methyl-2-pentanone	10.21	43	39650	8.268	ug/L


Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101019\
 Data File : VW013517.D
 Acq On : 10 Oct 2019 11:40
 Operator : SY/VA
 Sample : VSTD00503
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 10 14:14:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 10 14:04:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)

44) Toluene	10.39	91	131150	4.731	ug/L	95
45) trans-1,3-Dichloropropene	10.60	75	36205	4.501	ug/L	96
46) 1,1,2-Trichloroethane	10.79	97	22580	4.600	ug/L	96
47) Tetrachloroethene	10.86	164	29168	4.846	ug/L	96
49) 2-Hexanone	10.97	43	25492	7.395	ug/L	98
50) Dibromochloromethane	11.13	129	25612	4.549	ug/L	96
51) 1,2-Dibromoethane	11.24	107	20879	4.330	ug/L #	99
52) Chlorobenzene	11.66	112	82809	4.740	ug/L	99
53) Ethylbenzene	11.73	91	145359	4.730	ug/L	98
54) m,p-Xylene	11.84	106	55819	4.731	ug/L	94
55) o-xylene	12.16	106	52405	4.706	ug/L	97
56) Styrene	12.18	104	89314	4.678	ug/L	97
57) Isopropylbenzene	12.46	105	145509	4.833	ug/L	98
58) 1,1,2,2-Tetrachloroethane	12.71	83	26126	4.320	ug/L	98
59) 1,2,3-Trichloropropane	12.77	75	19629	4.350	ug/L	98
62) Bromoform	12.35	173	15360	4.377	ug/L	99
63) 1,3-Dichlorobenzene	13.50	146	66834	4.896	ug/L	99
64) 1,4-Dichlorobenzene	13.58	146	66157	4.796	ug/L	95
65) 1,2-Dichlorobenzene	13.87	146	59492	4.790	ug/L	95
66) 1,2-Dibromo-3-chloropropan	14.48	75	3909	3.996	ug/L	84
67) 1,3,5-Trichlorobenzene	14.63	180	47726	4.541	ug/L	99
68) 1,2,4-trichlorobenzene	15.13	180	37115	4.424	ug/L	95
69) Naphthalene	15.36	128	60507	3.775	ug/L	99
70) 1,2,3-Trichlorobenzene	15.55	180	33398	4.377	ug/L	96





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#2

Dichlorodifluoromethane
Concen: 2.017 ug/L m
RT: 2.01 min Scan# 18
Delta R.T. 0.01 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40




Tot Ion: 85 Resp: 6541
Ion Ratio Lower Upper
85 100
87 26.1 20.4 38.0




#3

Chloromethane
Concen: 4.522 ug/L
RT: 2.21 min Scan# 50
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tgt Ion: 50 Resp: 19651
Ion Ratio Lower Upper
50 100
52 38.0 22.6 42.0





#5

Vinyl chloride

Concen: 4.629 ug/L

RT: 2.35 min Scan# 74

Delta R.T. -0.01 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tot Ion: 62 Resp: 27823

Ion Ratio Lower Upper




62 100

64 35.3 23.9 44.3



Abundance Ion 62.00 (61.70 to 62.70): VW

Ion 64.00 (63.70 to 64.70): VW



#6

Bromomethane

Concen: 4.450 ug/L

RT: 2.77 min Scan# 142

Delta R.T. -0.01 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tgt Ion: 94 Resp: 17002

Ion Ratio Lower Upper



94 100


96 92.3 9.5 179.9



Abundance Ion 94.00 (93.70 to 94.70): VW

Ion 96.00 (95.70 to 96.70): VW





#8

Chloroethane

Concen: 4.444 ug/L

RT: 2.92 min Scan# 167

Delta R.T. -0.00 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tot Ion: 64 Resp: 16204

Ion Ratio Lower Upper

64 100

66 38.0 23.2 43.0



Abundance Ion 64.00 (63.70 to 64.70): VW

Ion 66.00 (65.70 to 66.70): VW

2.92

6000



4000

2000

0

Time-->

2.85 2.90 2.95 3.00



#9

Trichlorofluoromethane

Concen: 3.877 ug/L

RT: 3.25 min Scan# 221

Delta R.T. -0.01 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tgt Ion: 101 Resp: 14440

Ion Ratio Lower Upper

101 100

103 67.0 46.0 85.4



Abundance Ion 101.00 (100.70 to 101.70): V

Ion 103.00 (102.70 to 103.70): V

3.25

6000


4000


2000

0

Time-->

3.20 3.25 3.30





#11

1,1,2-Trichloro-1,2,2-trifluoroethane

Concen: 4.661 ug/L

RT: 4.06 min Scan# 354


Delta R.T. -0.01 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40

Tot Ion:101 Resp: 27438



Ion	Ratio	Lower	Upper
101	100		
85	40.6	32.0	48.0
151	82.1	67.0	100.6



Abundance Ion 101.00 (100.70 to 101.70): V

Ion 85.00 (84.70 to 85.70): VW

Ion 151.00 (150.70 to 151.70): V



#12

1,1-Dichloroethene

Concen: 4.696 ug/L

RT: 4.04 min Scan# 350


Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40

Tgt Ion: 96 Resp: 28057


Ion	Ratio	Lower	Upper
96	100		
61	165.2	111.0	206.2
63	127.7	86.3	160.3




Abundance Ion 96.00 (95.70 to 96.70): VW

Ion 61.00 (60.70 to 61.70): VW

Ion 63.00 (62.70 to 63.70): VW





#13

Acetone

Concen: 9.884 ug/L

RT: 4.12 min Scan# 364

Delta R.T. -0.00 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tot Ion: 43 Resp: 17571

Ion Ratio Lower Upper




43 100

58 34.0 0.0 67.8



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW



#14

Carbon disulfide

Concen: 4.840 ug/L

RT: 4.38 min Scan# 406

Delta R.T. -0.00 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tgt Ion: 76 Resp: 82084

Ion Ratio Lower Upper



76 100


78 10.1 7.1 10.7



Abundance Ion 76.00 (75.70 to 76.70): VW

Ion 78.00 (77.70 to 78.70): VW





#15

Methvl Acetate

Concen: 3.825 ug/L m

RT: 4.66 min Scan# 452

Delta R.T. -0.01 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tot Ion: 43 Resp: 13120




Ion Ratio Lower Upper

43 100

74 17.5 18.7 28.1#



Abundance Ion 43.00 (42.70 to 43.70): VW
Ion 74.00 (73.70 to 74.70): VW



#16

Methylene chloride

Concen: 4.671 ug/L

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tgt Ion: 84 Resp: 36167

Ion Ratio Lower Upper



84 100


49 124.5 81.3 151.1

86 64.6 46.3 86.1



Abundance Ion 84.00 (83.70 to 84.70): VW
Ion 49.00 (48.70 to 49.70): VW
Ion 86.00 (85.70 to 86.70): VW





#17

Methyl tert-butyl Ether

Concen: 4.463 ug/L

RT: 5.42 min Scan# 577


Delta R.T. -0.00 min

Lab File: VW013517.D




Acq: 10 Oct 2019 11:40

Tot Ion: 73 Resp: 46119

Ion	Ratio	Lower	Upper
73	100		
43	10.6	15.0	22.4#
57	22.8	18.1	27.1



Abundance Ion 73.00 (72.70 to 73.70): VW
Ion 43.00 (42.70 to 43.70): VW
Ion 57.00 (56.70 to 57.70): VW



#18

trans-1,2-Dichloroethene

Concen: 4.853 ug/L

RT: 5.42 min Scan# 576


Delta R.T. -0.01 min

Lab File: VW013517.D



Acq: 10 Oct 2019 11:40


Tgt Ion: 96 Resp: 30998

Ion	Ratio	Lower	Upper
96	100		
61	129.3	93.7	173.9
98	67.5	46.1	85.7



Abundance Ion 96.00 (95.70 to 96.70): VW
Ion 61.00 (60.70 to 61.70): VW
Ion 98.00 (97.70 to 98.70): VW





#19

1,1-Dichloroethane

Concen: 4.546 ug/L

RT: 6.21 min Scan# 707


Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40

Tot Ion: 63 Resp: 50941

Ion	Ratio	Lower	Upper
63	100		
65	31.5	21.6	40.0
83	15.2	9.0	16.6






Abundance

Ion 63.00 (62.70 to 63.70): VW

Ion 65.00 (64.70 to 65.70): VW

Ion 83.00 (82.70 to 83.70): VW



#21

2-Butanone

Concen: 7.642 ug/L

RT: 7.17 min Scan# 864


Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40

Tgt Ion: 43 Resp: 19568



Ion	Ratio	Lower	Upper
43	100		
72	28.4	13.5	40.4




Abundance

Ion 43.00 (42.70 to 43.70): VW

Ion 72.00 (71.70 to 72.70): VW





#22

cis-1,2-Dichloroethene

Concen: 4.789 ug/L

RT: 7.17 min Scan# 863

Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tot Ion: 96 Resp: 33333

Ion Ratio Lower Upper

96 100

61 121.0 86.0 159.8

98 65.6 44.4 82.5






Abundance

Ion 96.00 (95.70 to 96.70): VW

Ion 61.00 (60.70 to 61.70): VW

Ion 98.00 (97.70 to 98.70): VW



#23

Bromochloromethane

Concen: 4.759 ug/L

RT: 7.52 min Scan# 921

Delta R.T. 0.01 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40

Tgt Ion: 128 Resp: 14905


Ion Ratio Lower Upper

128 100

49 137.0 108.0 200.6

130 102.7 89.4 166.0

51 39.8 37.4 56.2





Abundance


Ion 128.00 (127.70 to 128.70): V

Ion 49.00 (48.70 to 49.70): VW

Ion 130.00 (129.70 to 130.70): V





Ion 51.00 (50.70 to 51.70): VW








#25
Chloroform
Concen: 4.677 ug/L
RT: 7.68 min Scan# 947
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40


Tot Ion: 83 Resp: 51497
Ion Ratio Lower Upper
83 100
85 66.7 46.1 85.5



#27
1,2-Dichloroethane
Concen: 4.524 ug/L
RT: 8.40 min Scan# 1065
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tgt Ion: 62 Resp: 32623
Ion Ratio Lower Upper
62 100
98 11.4 9.0 13.4





#30

Cyclohexane

Concen: 4.798 ug/L

RT: 7.96 min Scan# 993

Delta R.T. 0.01 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tot Ion: 56 Resp: 52341

Ion Ratio Lower Upper




56 100

69 31.5 24.7 37.1

84 85.7 70.4 105.6



Abundance Ion 56.00 (55.70 to 56.70): VW
Ion 69.00 (68.70 to 69.70): VW
Ion 84.00 (83.70 to 84.70): VW



#31

1,1,1-Trichloroethane

Concen: 4.713 ug/L

RT: 7.87 min Scan# 979

Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tgt Ion: 97 Resp: 41086

Ion Ratio Lower Upper



97 100


99 63.9 51.8 77.8

61 42.0 33.7 50.5



Abundance Ion 97.00 (96.70 to 97.70): VW
Ion 99.00 (98.70 to 99.70): VW
Ion 61.00 (60.70 to 61.70): VW





#32

Carbon tetrachloride

Concen: 4.450 ug/L

RT: 8.07 min Scan# 1011

Delta R.T. -0.00 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tot Ion:117 Resp: 36991

Ion Ratio Lower Upper




117 100

119 97.2 76.1 114.1



Abundance Ion 117.00 (116.70 to 117.70): V

Ion 119.00 (118.70 to 119.70): V



#34

Benzene

Concen: 4.860 ug/L


RT: 8.32 min Scan# 1053

Delta R.T. -0.00 min



Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tgt Ion: 78 Resp: 123745




Abundance Ion 78.00 (77.70 to 78.70): VW








#35
 Trichloroethene
 Concen: 4.578 ug/L
 RT: 9.09 min Scan# 1178
 Delta R.T. -0.01 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40

Tot Ion: 95 Resp: 30627
 Ion Ratio Lower Upper
 95 100
 97 66.7 45.1 83.7
 132 108.9 73.6 136.8
 130 109.1 76.3 141.7




Abundance Ion 95.00 (94.70 to 95.70): VW
 Ion 97.00 (96.70 to 97.70): VW
 Ion 132.00 (131.70 to 132.70): V
 Ion 130.00 (129.70 to 130.70): V






#36
 Methylcyclohexane
 Concen: 4.746 ug/L
 RT: 9.34 min Scan# 1219
 Delta R.T. -0.00 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40

Tgt Ion: 83 Resp: 56560
 Ion Ratio Lower Upper
 83 100
 55 77.2 60.4 90.6
 98 50.1 39.3 58.9







Abundance Ion 83.00 (82.70 to 83.70): VW
 Ion 55.00 (54.70 to 55.70): VW
 Ion 98.00 (97.70 to 98.70): VW








#40
 1,2-Dichloropropane
 Concen: 4.768 ug/L
 RT: 9.37 min Scan# 1225
 Delta R.T. 0.01 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40


Tot Ion: 63 Resp: 29870
 Ion Ratio Lower Upper
 63 100
 112 5.2 3.8 5.8



#41
 Bromodichloromethane
 Concen: 4.666 ug/L
 RT: 9.65 min Scan# 1270
 Delta R.T. 0.01 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40

Tgt Ion: 83 Resp: 35866
 Ion Ratio Lower Upper
 83 100
 85 63.2 45.1 83.9
 127 9.9 7.1 10.7





#42

cis-1,3-Dichloropropene

Concen: 4.482 ug/L

RT: 10.07 min Scan# 1340

Delta R.T. -0.00 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tot Ion: 75 Resp: 44852

Ion Ratio Lower Upper




75 100

77 32.0 21.6 40.2



Abundance Ion 75.00 (74.70 to 75.70): VW

Ion 77.00 (76.70 to 77.70): VW



#43

4-Methyl-2-pentanone

Concen: 8.268 ug/L

RT: 10.21 min Scan# 1362

Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tgt Ion: 43 Resp: 39650

Ion Ratio Lower Upper

43 100

58 40.2 32.0 48.0



100 16.6 13.7 20.5




Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

Ion 100.00 (99.70 to 100.70): VW





#44

Toluene

Concen: 4.731 ug/L

RT: 10.39 min Scan# 1392

Delta R.T. -0.00 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tot Ion: 91 Resp: 131150

Ion Ratio Lower Upper




91 100

92 60.8 40.0 74.4



Abundance Ion 91.00 (90.70 to 91.70): VW

Ion 92.00 (91.70 to 92.70): VW



#45

trans-1,3-Dichloropropene

Concen: 4.501 ug/L

RT: 10.60 min Scan# 1427

Delta R.T. -0.00 min

Lab File: VW013517.D


Acq: 10 Oct 2019 11:40

Tgt Ion: 75 Resp: 36205

Ion Ratio Lower Upper



75 100


77 30.5 23.0 42.6



Abundance Ion 75.00 (74.70 to 75.70): VW


Ion 77.00 (76.70 to 77.70): VW





#46
1,1,2-Trichloroethane
Concen: 4.600 ug/L
RT: 10.79 min Scan# 1457
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tot Ion:	97	Resp:	22580
Ion	Ratio	Lower	Upper
97	100		
83	80.2	57.5	106.9
85	57.6	36.8	68.4
99	64.8	44.0	81.6






Abundance

Ion 97.00 (96.70 to 97.70): VW

Ion 83.00 (82.70 to 83.70): VW


Ion 85.00 (84.70 to 85.70): VW

Ion 99.00 (98.70 to 99.70): VW



#47
Tetrachloroethene
Concen: 4.846 ug/L
RT: 10.86 min Scan# 1469
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tgt Ion:	164	Resp:	29168
Ion	Ratio	Lower	Upper
164	100		
129	89.8	60.2	111.8
131	85.2	57.0	105.9
166	126.9	91.2	169.4





Abundance


Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V









#49
2-Hexanone
Concen: 7.395 ug/L
RT: 10.97 min Scan# 1487
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tot Ion: 43 Resp: 25492




Ion	Ratio	Lower	Upper
43	100		
58	58.4	45.2	67.8
57	20.9	15.8	23.8
100	14.5	11.0	16.6




#50
Dibromochloromethane
Concen: 4.549 ug/L
RT: 11.13 min Scan# 1513
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tgt Ion: 129 Resp: 25612





Ion	Ratio	Lower	Upper
129	100		
127	74.7	54.7	101.5








#51
1,2-Dibromoethane
Concen: 4.330 ug/L
RT: 11.24 min Scan# 1531
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40


Tot Ion:107 Resp: 20879
Ion Ratio Lower Upper
107 100
109 94.0 65.5 121.7
188 3.2 3.6 5.4#



#52
Chlorobenzene
Concen: 4.740 ug/L
RT: 11.66 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40





Tgt Ion:112 Resp: 82809
Ion Ratio Lower Upper
112 100
77 55.0 44.5 66.7
114 32.7 22.7 42.3








#53
Ethylbenzene
Concen: 4.730 ug/L
RT: 11.73 min Scan# 1612
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40


Tot Ion: 91 Resp: 145359
Ion Ratio Lower Upper
91 100
106 31.6 21.5 39.9



#54
m,p-Xylene
Concen: 4.731 ug/L
RT: 11.84 min Scan# 1630
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40





Tgt Ion: 106 Resp: 55819
Ion Ratio Lower Upper
106 100
91 190.5 139.4 258.8








#55
o-xylene
Concen: 4.706 ug/L
RT: 12.16 min Scan# 1683
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40


Tot Ion:106 Resp: 52405
Ion Ratio Lower Upper
106 100
91 217.2 148.4 275.6



#56
Styrene
Concen: 4.678 ug/L
RT: 12.18 min Scan# 1686
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tgt Ion:104 Resp: 89314
Ion Ratio Lower Upper
104 100
78 38.4 28.4 52.8





#57

Isopropylbenzene

Concen: 4.833 ug/L

RT: 12.46 min Scan# 1732

Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tot Ion: 105 Resp: 145509

Ion Ratio Lower Upper

105 100

120 26.5 21.7 32.5




77 16.4 11.8 17.6



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V

Ion 77.00 (76.70 to 77.70): V



#58

1,1,2,2-Tetrachloroethane

Concen: 4.320 ug/L

RT: 12.71 min Scan# 1773

Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tgt Ion: 83 Resp: 26126

Ion Ratio Lower Upper

83 100

85 65.3 44.7 83.1



131 10.5 7.8 11.6




Abundance Ion 83.00 (82.70 to 83.70): V

Ion 85.00 (84.70 to 85.70): V





Ion 131.00 (130.70 to 131.70): V








#59
 1,2,3-Trichloropropane
 Concen: 4.350 ug/L
 RT: 12.77 min Scan# 1782
 Delta R.T. -0.00 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40


Tot Ion: 75 Resp: 19629
 Ion Ratio Lower Upper
 75 100
 77 32.9 25.5 38.3



#62
 Bromoform
 Concen: 4.377 ug/L
 RT: 12.35 min Scan# 1713
 Delta R.T. -0.00 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40





Tgt Ion: 173 Resp: 15360
 Ion Ratio Lower Upper
 173 100
 175 49.2 39.0 58.6
 254 11.2 10.1 15.1








#63
 1,3-Dichlorobenzene
 Concen: 4.896 ug/L
 RT: 13.50 min Scan# 1902
 Delta R.T. -0.00 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40


Tot Ion	Ratio	Lower	Upper
146	100		
111	36.5	25.3	46.9
148	60.6	42.8	79.4



#64
 1,4-Dichlorobenzene
 Concen: 4.796 ug/L
 RT: 13.58 min Scan# 1915
 Delta R.T. -0.00 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40

Tgt Ion	Ratio	Lower	Upper
146	100		
111	34.6	25.8	47.8
148	57.5	43.7	81.1





#65

1,2-Dichlorobenzene

Concen: 4.790 ug/L

RT: 13.87 min Scan# 1963

Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tot Ion:146 Resp: 59492

Ion Ratio Lower Upper

146 100

111 41.9 31.0 46.4




148 67.2 50.3 75.5



Abundance Ion 146.00 (145.70 to 146.70): V

Ion 111.00 (110.70 to 111.70): V

Ion 148.00 (147.70 to 148.70): V



#66

1,2-Dibromo-3-chloropropane

Concen: 3.996 ug/L

RT: 14.48 min Scan# 2063

Delta R.T. -0.00 min

Lab File: VW013517.D

Acq: 10 Oct 2019 11:40


Tgt Ion: 75 Resp: 3909

Ion Ratio Lower Upper

75 100

157 110.3 102.0 153.0



155 113.7 77.6 116.4




Abundance Ion 75.00 (74.70 to 75.70): VW

Ion 157.00 (156.70 to 157.70): V


Ion 155.00 (154.70 to 155.70): V








#67
 1,3,5-Trichlorobenzene
 Concen: 4.541 ug/L
 RT: 14.63 min Scan# 2087
 Delta R.T. -0.00 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40

Tot Ion:180	Resp:	47726
Ion Ratio	Lower	Upper
180 100		
182 95.1	77.0	115.4
184 31.2	24.7	37.1
145 26.8	22.2	33.2




Abundance Ion 180.00 (179.70 to 180.70): V
 Ion 182.00 (181.70 to 182.70): V
 Ion 184.00 (183.70 to 184.70): V
 Ion 145.00 (144.70 to 145.70): V






#68
 1,2,4-trichlorobenzene
 Concen: 4.424 ug/L
 RT: 15.13 min Scan# 2170
 Delta R.T. -0.00 min
 Lab File: VW013517.D
 Acq: 10 Oct 2019 11:40

Tgt	Ion:180	Resp:	37115
Ion	Ratio	Lower	Upper
180	100		
182	91.5	78.2	117.2
145	27.2	22.8	34.2







Abundance Ion 180.00 (179.70 to 180.70): V
 Ion 182.00 (181.70 to 182.70): V
 Ion 145.00 (144.70 to 145.70): V





#69
Naphthalene
Concen: 3.775 ug/L
RT: 15.36 min Scan# 2208
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tot Ion:128 Resp: 60507
Ion Ratio Lower Upper
128 100
129 10.7 8.5 12.7
127 13.7 10.4 15.6



#70
1,2,3-Trichlorobenzene
Concen: 4.377 ug/L
RT: 15.55 min Scan# 2239
Delta R.T. -0.00 min
Lab File: VW013517.D
Acq: 10 Oct 2019 11:40

Tgt Ion:180 Resp: 33398
Ion Ratio Lower Upper
180 100
182 91.0 76.0 114.0
145 30.7 23.1 34.7

