

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW101019\
 Data File : VW013528.D
 Acq On : 10 Oct 2019 19:37
 Operator : SY/VA
 Sample : K5267-05
 Misc : 7.04G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 11 09:23:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 11 07:46:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	462824	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	408667	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	193079	25.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	2.35	65	99520	18.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.16%
7) Chloroethane-d5	2.89	69	90028	22.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.56%
10) 1,1-Dichloroethene-d2	4.02	63	160095	14.56	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.24%
20) 2-Butanone-d5	7.07	46	77631	48.66	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.32%
24) Chloroform-d	7.65	84	240461	23.92	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.68%
26) 1,2-Dichloroethane-d4	8.31	65	124631	23.93	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.72%
29) Benzene-d6	8.27	84	500273	22.85	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.40%
33) 1,2-Dichloropropane-d6	9.27	67	157436	24.24	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.96%
37) Toluene-d8	10.32	98	459715	22.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.48%
38) trans-1,3-Dichloropropene-	10.58	79	61285	21.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.72%
39) 2-Hexanone-d5	10.92	63	60990	46.95	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.90%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	120646	23.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.68%
61) 1,2-Dichlorobenzene-d4	13.85	152	163870	23.62	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.48%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
35) Trichloroethene	9.09	95	49239	7.646	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW101019\
Data File : VW013528.D
Acq On : 10 Oct 2019 19:37
Operator : SY/VA
Sample : K5267-05
Misc : 7.04G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 11 09:23:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 11 07:46:37 2019
Response via : Initial Calibration





#35

Trichloroethene

Concen: 7.646 ug/L

RT: 9.09 min Scan# 1179

Delta R.T. -0.00 min

Lab File: VW013528.D

Acq: 10 Oct 2019 19:37

Tgt Ion: 95 Resp: 49239



Ion Ratio Lower Upper

95 100

97 65.4 45.1 83.7

132 104.7 73.6 136.8

130 109.9 76.3 141.7



Abundance Ion 95.00 (94.70 to 95.70): VW

Ion 97.00 (96.70 to 97.70): VW

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

