

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101024\
 Data File : VW030508.D
 Acq On : 10 Oct 2024 14:18
 Operator : SY/MD
 Sample : P4346-10
 Misc : 3.28g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampleId :
 EOAX0

Manual Integrations
APPROVED
 Reviewed By :Mahesh Dadoda 10/15/2024
 Supervised By :Semsettin Yesilyurt 10/15/2024

Quant Time: Oct 11 01:22:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 11 01:19:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	500696	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	441003	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	190441	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	113900	14.472	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	57.880%		
7) Chloroethane-d5	2.899	69	90426	15.179	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	60.720%		
11) 1,1-Dichloroethene-d2	4.021	65	39932	12.199	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	48.800%		
21) 2-Butanone-d5	7.075	46	43228	30.521	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	61.040%		
24) Chloroform-d	7.648	84	178833	12.489	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	49.960%		
26) 1,2-Dichloroethane-d4	8.307	65	112012m	15.044	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	60.160%#		
32) Benzene-d6	8.276	84	331395	12.947	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	51.800%		
36) 1,2-Dichloropropane-d6	9.276	67	104986	13.975	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	55.880%#		
41) Toluene-d8	10.325	98	250469	10.719	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	42.880%		
43) trans-1,3-Dichloroprop...	10.581	79	36892	11.727	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	46.920%		
47) 2-Hexanone-d5	10.922	63	31401	32.452	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	64.900%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	68936	12.495	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	49.960%		
66) 1,2-Dichlorobenzene-d4	13.848	152	53269	8.267	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	33.080%#		
Target Compounds						
13) Acetone	4.125	43	12169	5.869	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101024\
 Data File : VW030508.D
 Acq On : 10 Oct 2024 14:18
 Operator : SY/MD
 Sample : P4346-10
 Misc : 3.28g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampleId :
 EOAX0

Quant Time: Oct 11 01:22:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 11 01:19:48 2024
 Response via : Initial Calibration

Manual Integrations
APPROVED
 Reviewed By :Mahesh Dadoda 10/15/2024
 Supervised By :Semsettin Yesilyurt 10/15/2024

