

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101222\
 Data File : VW024874.D
 Acq On : 12 Oct 2022 15:34
 Operator : SY/VA
 Sample : N5049-14RE
 Misc : 5.15g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COBSORE

Quant Time: Oct 12 23:21:15 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Oct 12 23:18:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	532812	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	339986	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	86684	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	134562	21.407	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.640%
7) Chloroethane-d5	2.885	69	89099	24.209	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.840%
11) 1,1-Dichloroethene-d2	4.013	63	211438	15.470	ug/L	-0.02
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.880%
21) 2-Butanone-d5	7.086	46	41218	20.695	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	41.380%
24) Chloroform-d	7.647	84	381092	25.358	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	101.440%
26) 1,2-Dichloroethane-d4	8.305	65	197358	25.093	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.360%
32) Benzene-d6	8.275	84	687498	32.247	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	129.000%
36) 1,2-Dichloropropane-d6	9.275	67	236982	36.241	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	144.960%#
41) Toluene-d8	10.323	98	483820	25.284	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	101.120%
43) trans-1,3-Dichloroprop...	10.579	79	35128	14.164	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	56.640%
47) 2-Hexanone-d5	10.927	63	25182	22.970	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	45.940%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	138299	27.120	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.480%
66) 1,2-Dichlorobenzene-d4	13.847	152	71423	22.547	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.200%
Target Compounds						
13) Acetone	4.135	43	12620	9.055	ug/L	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101222\
Data File : VW024874.D
Acq On : 12 Oct 2022 15:34
Operator : SY/VA
Sample : N5049-14RE
Misc : 5.15g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BS0RE

Quant Time: Oct 12 23:21:15 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM101222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Oct 12 23:18:51 2022
Response via : Initial Calibration





#13

Acetone

Concen: 9.055 ug/L

RT: 4.135 min Scan# 3

Delta R.T. -0.000 min

Lab File: VW024874.D


Acq: 12 Oct 2022 15:34

Instrument :

MSVOA_W

ClientSampleId :

C0BS0RE



Tgt Ion: 43 Resp: 12620

Ion Ratio Lower Upper

43 100

58 32.8 0.0 64.2

