

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101419\
 Data File : VW013554.D
 Acq On : 14 Oct 2019 10:18
 Operator : SY/VA
 Sample : VW1014SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 14 15:32:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
 Quant Title : VOC Analysis
 QLast Update : Mon Oct 14 15:29:36 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	463360	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	402572	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	192599	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	133718	25.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.88%
7) Chloroethane-d5	2.89	69	96333	23.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.64%
10) 1,1-Dichloroethene-d2	4.01	63	208119	18.91	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.64%
20) 2-Butanone-d5	7.08	46	100945	63.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	126.38%
24) Chloroform-d	7.65	84	243567	24.20	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.80%
26) 1,2-Dichloroethane-d4	8.31	65	133578	25.61	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.44%
29) Benzene-d6	8.27	84	552445	25.62	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.48%
33) 1,2-Dichloropropane-d6	9.27	67	160056	25.02	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.08%
37) Toluene-d8	10.32	98	509292	24.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.52%
38) trans-1,3-Dichloropropene-	10.58	79	71206	24.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	99.92%
39) 2-Hexanone-d5	10.93	63	76449	59.74	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	119.48%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	141175	27.52	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	110.08%
61) 1,2-Dichlorobenzene-d4	13.85	152	178612	25.81	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.24%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101419\
Data File : VW013554.D
Acq On : 14 Oct 2019 10:18
Operator : SY/VA
Sample : VW1014SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 14 15:32:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
Quant Title : VOC Analysis
QLast Update : Mon Oct 14 15:29:36 2019
Response via : Initial Calibration

