

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101421\
 Data File : VW020516.D
 Acq On : 15 Oct 2021 01:36
 Operator : SY/VA
 Sample : M4210-04
 Misc : 4.67g/10mL/MSVOA_W/SOIL
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JDGC4

Quant Time: Oct 15 08:00:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100821SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 15 00:58:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	234487	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	192625	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	71780	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	71480	20.950	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.800%
7) Chloroethane-d5	2.879	69	36032	19.992	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.960%
11) 1,1-Dichloroethene-d2	4.013	63	107635	15.395	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.600%
21) 2-Butanone-d5	7.086	46	42219	40.658	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.320%
24) Chloroform-d	7.653	84	165287	22.113	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.440%
26) 1,2-Dichloroethane-d4	8.311	65	91323	21.392	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.560%
32) Benzene-d6	8.275	84	315729	24.918	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.680%
36) 1,2-Dichloropropane-d6	9.275	67	102682	24.865	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.480%
41) Toluene-d8	10.323	98	262359	23.077	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.320%
43) trans-1,3-Dichloroprop...	10.579	79	32277	19.234	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.920%
47) 2-Hexanone-d5	10.927	63	27135	42.715	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.420%
56) 1,1,2,2-Tetrachloroeth...	12.695	84	63318	20.285	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.120%
66) 1,2-Dichlorobenzene-d4	13.853	152	60264	21.462	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.840%
Target Compounds					Qvalue	
13) Acetone	4.129	43	45798	48.039	ug/L	98
14) Carbon disulfide	4.385	76	10163	0.948	ug/L	98
16) Methylene chloride	4.916	84	22812	5.004	ug/L	95
22) 2-Butanone	7.177	43	19892	16.669	ug/L	94
34) Trichloroethene	8.848	95	7648	2.263	ug/L #	8
37) 1,2-Dichloropropane	9.275	63	12246	3.447	ug/L #	87
39) cis-1,3-Dichloropropene	10.037	75	2450	0.500	ug/L #	57
42) Toluene	10.390	91	14238	1.035	ug/L	98
52) Ethylbenzene	11.731	91	13696	0.918	ug/L	99
53) m,p-Xylene	11.835	106	10301	1.863	ug/L	98
54) o-Xylene	12.170	106	5246	1.027	ug/L	97
63) 1,2,4-Trimethylbenzene	13.249	105	7644	0.897	ug/L	93
64) 1,3-Dichlorobenzene	13.579	146	42837	9.397	ug/L	96
65) 1,4-Dichlorobenzene	13.579	146	42837	9.085	ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101421\
Data File : VW020516.D
Acq On : 15 Oct 2021 01:36
Operator : SY/VA
Sample : M4210-04
Misc : 4.67g/10mL/MSVOA_W/SOIL
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JDGC4

Quant Time: Oct 15 08:00:18 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100821SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 15 00:58:32 2021
Response via : Initial Calibration









#13
Acetone
Concen: 48.039 ug/L
RT: 4.129 min Scan# 365
Delta R.T. -0.006 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36




Instrument :
MSVOA_W
ClientSampled :
JDGC4


Tgt Ion: 43 Resp: 45798
Ion Ratio Lower Upper
43 100
58 28.2 0.0 58.4



#14
Carbon disulfide
Concen: 0.948 ug/L
RT: 4.385 min Scan# 407
Delta R.T. 0.000 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36


Tgt Ion: 76 Resp: 10163
Ion Ratio Lower Upper
76 100
78 10.0 7.4 11.2








#16
Methylene chloride
Concen: 5.004 ug/L
RT: 4.916 min Scan# 494
Delta R.T. 0.000 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36

Instrument :
MSVOA_W
ClientSampled :
JDGC4







Tgt Ion:	84	Resp:	22812
Ion Ratio	Lower	Upper	
84	100		
86	58.9	44.7	83.1
49	140.6	101.7	188.9



#22
2-Butanone
Concen: 16.669 ug/L
RT: 7.177 min Scan# 865
Delta R.T. 0.000 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36


Tgt Ion:	43	Resp:	19892
Ion Ratio	Lower	Upper	
43	100		
72	21.4	12.2	36.6








#34
 Trichloroethene
 Concen: 2.263 ug/L
 RT: 8.848 min Scan# 1139
 Delta R.T. -0.244 min
 Lab File: VW020516.D
 Acq: 15 Oct 2021 01:36

Instrument :
 MSVOA_W
 ClientSampled :
 JDGC4



Tgt Ion: 95 Resp: 7648




Ion	Ratio	Lower	Upper
95	100		
97	0.0	43.2	80.2#
132	0.0	62.3	115.7#
130	0.0	66.1	122.7#




#37
 1,2-Dichloropropane
 Concen: 3.447 ug/L
 RT: 9.275 min Scan# 1209
 Delta R.T. -0.097 min
 Lab File: VW020516.D
 Acq: 15 Oct 2021 01:36

Tgt Ion: 63 Resp: 12246

Ion	Ratio	Lower	Upper
63	100		
112	0.0	3.5	5.3#









#39
 cis-1,3-Dichloropropene
 Concen: 0.500 ug/L
 RT: 10.037 min Scan# 1334
 Delta R.T. -0.036 min
 Lab File: VW020516.D
 Acq: 15 Oct 2021 01:36




Instrument :
 MSVOA_W
 ClientSampleId :
 JDGC4


Tgt Ion: 75 Resp: 2450
 Ion Ratio Lower Upper
 75 100
 77 56.0 22.4 41.6#



#42
 Toluene
 Concen: 1.035 ug/L
 RT: 10.390 min Scan# 1392
 Delta R.T. 0.000 min
 Lab File: VW020516.D
 Acq: 15 Oct 2021 01:36

Tgt Ion: 91 Resp: 14238
 Ion Ratio Lower Upper
 91 100
 92 57.7 41.5 77.1









#52
Ethylbenzene
Concen: 0.918 ug/L
RT: 11.731 min Scan# 1612
Delta R.T. 0.000 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36




Instrument :
MSVOA_W
ClientSampled :
JDGC4


Tgt Ion: 91 Resp: 13696
Ion Ratio Lower Upper
91 100
106 29.8 21.3 39.5



#53
m,p-Xylene
Concen: 1.863 ug/L
RT: 11.835 min Scan# 1629
Delta R.T. -0.006 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36

Tgt Ion: 106 Resp: 10301
Ion Ratio Lower Upper
106 100
91 214.8 148.2 275.2









#54
o-Xylene
Concen: 1.027 ug/L
RT: 12.170 min Scan# 1684
Delta R.T. 0.006 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36




Instrument :
MSVOA_W
ClientSampleId :
JDGC4


Tgt Ion:106 Resp: 5246
Ion Ratio Lower Upper
106 100
91 218.8 156.1 289.9



#63
1,2,4-Trimethylbenzene
Concen: 0.897 ug/L
RT: 13.249 min Scan# 1861
Delta R.T. 0.000 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36

Tgt Ion:105 Resp: 7644
Ion Ratio Lower Upper
105 100
120 39.6 35.4 53.2









#64
1,3-Dichlorobenzene
Concen: 9.397 ug/L
RT: 13.579 min Scan# 1915
Delta R.T. 0.080 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36

Instrument :
MSVOA_W
ClientSampled :
JDGC4

Tgt Ion:146 Resp: 42837
Ion Ratio Lower Upper
146 100
111 36.9 29.0 53.8
148 59.7 42.4 78.6



#65
1,4-Dichlorobenzene
Concen: 9.085 ug/L
RT: 13.579 min Scan# 1915
Delta R.T. 0.000 min
Lab File: VW020516.D
Acq: 15 Oct 2021 01:36

Tgt Ion:146 Resp: 42837
Ion Ratio Lower Upper
146 100
111 36.9 30.9 57.5
148 59.7 46.1 85.7

