

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101619\
 Data File : VW013592.D
 Acq On : 16 Oct 2019 10:50
 Operator : SY/VA
 Sample : VW1016SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK07

Quant Time: Oct 16 16:40:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 16 16:38:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	452698	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	407829	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	194578	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	115037	22.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.84%
7) Chloroethane-d5	2.89	69	87775	22.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.28%
10) 1,1-Dichloroethene-d2	4.16	63	114	0.01	ug/L	0.14
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.04%#
20) 2-Butanone-d5	7.08	46	85841	55.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	110.00%
24) Chloroform-d	7.65	84	239589	24.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.44%
26) 1,2-Dichloroethane-d4	8.40	65	145	0.03	ug/L	0.09
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.12%#
29) Benzene-d6	8.27	84	537205	24.59	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.36%
33) 1,2-Dichloropropane-d6	9.27	67	157617	24.32	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.28%
37) Toluene-d8	10.32	98	484034	23.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.36%
38) trans-1,3-Dichloropropene-	10.58	79	67085	23.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.92%
39) 2-Hexanone-d5	10.93	63	66321	51.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.30%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	132275	25.46	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.84%
61) 1,2-Dichlorobenzene-d4	13.85	152	175076	25.04	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.16%


Target Compounds					Ovalue
59) 1,2,3-Trichloropropane	13.55	75	20026	5.038 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101619\
Data File : VW013592.D
Acq On : 16 Oct 2019 10:50
Operator : SY/VA
Sample : VW1016SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK07

Quant Time: Oct 16 16:40:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 16 16:38:03 2019
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 5.038 ug/L

RT: 13.55 min Scan# 1911

Delta R.T. 0.79 min

Lab File: VW013592.D

Acq: 16 Oct 2019 10:50

Instrument :

MSVOA_W

ClientSampleId :

VBLK07

Tot Ion: 75 Resp: 20026

Ion Ratio Lower Upper

75 100

77 37.5 25.5 38.3

