

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101619\
 Data File : VW013600.D
 Acq On : 16 Oct 2019 15:34
 Operator : SY/VA
 Sample : K5378-19
 Misc : 3.09G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 16 16:41:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Oct 16 16:38:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	443959	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	361884	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	124635	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	113367	22.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.24%
7) Chloroethane-d5	2.89	69	88391	22.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.64%
10) 1,1-Dichloroethene-d2	4.01	63	182211	17.28	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.12%
20) 2-Butanone-d5	7.08	46	56860	37.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.30%
24) Chloroform-d	7.65	84	230087	23.86	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.44%
26) 1,2-Dichloroethane-d4	8.30	65	118568	23.73	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.92%
29) Benzene-d6	8.27	84	511871	26.41	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.64%
33) 1,2-Dichloropropane-d6	9.27	67	148512	25.82	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.28%
37) Toluene-d8	10.32	98	456641	24.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.28%
38) trans-1,3-Dichloropropene-	10.58	79	53689	20.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.84%
39) 2-Hexanone-d5	10.93	63	44163	38.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	96675	20.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.88%
61) 1,2-Dichlorobenzene-d4	13.85	152	109865	24.53	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.12%


Target Compounds					Ovalue
35) Trichloroethene	8.85	95	12799	2.244 ug/L #	2
40) 1,2-Dichloropropane	9.27	63	15585	2.959 ug/L #	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101619\
Data File : VW013600.D
Acq On : 16 Oct 2019 15:34
Operator : SY/VA
Sample : K5378-19
Misc : 3.09G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 16 16:41:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
Quant Title : VOC Analysis
QLast Update : Wed Oct 16 16:38:03 2019
Response via : Initial Calibration









#35
 Trichloroethene
 Concen: 2.244 ug/L
 RT: 8.85 min Scan# 1139
 Delta R.T. -0.24 min
 Lab File: VW013600.D
 Acq: 16 Oct 2019 15:34

Instrument :
 MSVOA_W
 ClientSampleId :

Tot Ion:	95	Resp:	12799
Ion	Ratio	Lower	Upper
95	100		
97	0.0	45.1	83.7#
132	0.0	73.6	136.8#
130	1.0	76.3	141.7#



#40
 1,2-Dichloropropane
 Concen: 2.959 ug/L
 RT: 9.27 min Scan# 1209
 Delta R.T. -0.09 min
 Lab File: VW013600.D
 Acq: 16 Oct 2019 15:34

Tgt Ion:	63	Resp:	15585
Ion	Ratio	Lower	Upper
63	100		
112	0.0	3.8	5.8#

