

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW101718\
 Data File : VW006144.D
 Acq On : 18 Oct 2018 00:38
 Operator : VA/AP
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 18 13:02:25 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W101518S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 16 05:36:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.247	0.235	4.9	89	0.00
3 P	Chloromethane	0.318	0.298	6.3	96	0.00
4 C	Vinyl Chloride	0.455	0.443	2.6#	95	0.00
5 T	Bromomethane	0.414	0.409	1.2	101	0.00
6 T	Chloroethane	0.326	0.313	4.0	94	0.00
7 T	Trichlorofluoromethane	0.424	0.384	9.4	87	0.00
8 T	Diethyl Ether	0.225	0.229	-1.8	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.444	0.445	-0.2	102	0.00
10 T	Methyl Iodide	0.739	0.778	-5.3	105	0.00
11 T	Tert butyl alcohol	0.028	0.029	-3.6	114	-0.01
12 CM	1,1-Dichloroethene	0.418	0.423	-1.2#	103	0.00
13 T	Acrolein	0.027	0.028	-3.7	109	-0.01
14 T	Allyl chloride	0.597	0.605	-1.3	103	0.00
15 T	Acrylonitrile	0.081	0.090	-11.1	114	0.00
16 T	Acetone	0.089	0.082	7.9	113	-0.01
17 T	Carbon Disulfide	1.261	1.219	3.3	96	0.00
18 T	Methyl Acetate	0.209	0.227	-8.6	110	0.00
19 T	Methyl tert-butyl Ether	0.636	0.684	-7.5	109	0.00
20 T	Methylene Chloride	0.484	0.471	2.7	109	0.00
21 T	trans-1,2-Dichloroethene	0.466	0.496	-6.4	107	0.00
22 T	Diisopropyl ether	1.180	1.254	-6.3	107	0.00
23 T	Vinyl Acetate	0.697	0.740	-6.2	108	0.00
24 P	1,1-Dichloroethane	0.762	0.815	-7.0	107	0.00
25 T	2-Butanone	0.112	0.120	-7.1	114	0.00
26 T	2,2-Dichloropropane	0.537	0.494	8.0	97	0.00
27 T	cis-1,2-Dichloroethene	0.515	0.552	-7.2	108	0.00
28 T	Bromochloromethane	0.294	0.332	-12.9	106	0.00
29 T	Tetrahydrofuran	0.069	0.077	-11.6	115	0.00
30 C	Chloroform	0.830	0.903	-8.8#	110	0.00
31 T	Cyclohexane	0.759	0.706	7.0	100	0.00
32 T	1,1,1-Trichloroethane	0.749	0.764	-2.0	103	0.00
33 S	1,2-Dichloroethane-d4	0.415	0.433	-4.3	103	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
35 S	Dibromofluoromethane	0.295	0.299	-1.4	101	0.00
36 T	1,1-Dichloropropene	0.461	0.466	-1.1	104	0.00
37 T	Ethyl Acetate	0.171	0.184	-7.6	116	0.00
38 T	Carbon Tetrachloride	0.505	0.502	0.6	102	0.00
39 T	Methylcyclohexane	0.613	0.600	2.1	101	0.00
40 TM	Benzene	1.264	1.316	-4.1	108	0.00
41 T	Methacrylonitrile	0.103	0.110	-6.8	109	0.00
42 TM	1,2-Dichloroethane	0.371	0.403	-8.6	111	0.00
43 T	Isopropyl Acetate	0.350	0.377	-7.7	113	0.00
44 TM	Trichloroethene	0.388	0.403	-3.9	107	0.00
45 C	1,2-Dichloropropane	0.303	0.316	-4.3#	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW101718\
 Data File : VW006144.D
 Acq On : 18 Oct 2018 00:38
 Operator : VA/AP
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 18 13:02:25 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W101518S.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 16 05:36:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.172	0.188	-9.3	113	0.00
47 T	Bromodichloromethane	0.418	0.440	-5.3	107	0.00
48 T	Methyl methacrylate	0.166	0.184	-10.8	113	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	112	-0.01
50 S	Toluene-d8	1.124	1.107	1.5	99	0.00
51 T	4-Methyl-2-Pentanone	0.175	0.191	-9.1	114	0.00
52 CM	Toluene	0.848	0.883	-4.1#	108	0.00
53 T	t-1,3-Dichloropropene	0.416	0.434	-4.3	106	0.00
54 T	cis-1,3-Dichloropropene	0.478	0.496	-3.8	105	0.00
55 T	1,1,2-Trichloroethane	0.241	0.261	-8.3	112	0.00
56 T	Ethyl methacrylate	0.296	0.327	-10.5	114	0.00
57 T	1,3-Dichloropropane	0.399	0.431	-8.0	111	0.00
58 T	2-Chloroethyl Vinyl ether	0.113	0.115	-1.8	109	0.00
59 T	2-Hexanone	0.125	0.134	-7.2	113	0.00
60 T	Dibromochloromethane	0.301	0.324	-7.6	108	0.00
61 T	1,2-Dibromoethane	0.241	0.264	-9.5	111	0.00
62 S	4-Bromofluorobenzene	0.422	0.430	-1.9	101	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.388	0.416	-7.2	112	0.00
65 PM	Chlorobenzene	1.070	1.121	-4.8	110	0.00
66 T	1,1,1,2-Tetrachloroethane	0.380	0.401	-5.5	107	0.00
67 C	Ethyl Benzene	1.855	1.926	-3.8#	108	0.00
68 T	m/p-Xylenes	0.733	0.758	-3.4	107	0.00
69 T	o-Xylene	0.699	0.729	-4.3	107	0.00
70 T	Styrene	1.136	1.205	-6.1	108	0.00
71 P	Bromoform	0.212	0.225	-6.1	106	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.532	3.584	-1.5	106	0.00
74 T	N-amyl acetate	0.686	0.722	-5.2	110	0.00
75 P	1,1,2,2-Tetrachloroethane	0.537	0.577	-7.4	110	0.00
76 T	1,2,3-Trichloropropane	0.382	0.459	-20.2#	130	0.00
77 T	Bromobenzene	0.865	0.913	-5.5	109	0.00
78 T	n-propylbenzene	4.110	4.155	-1.1	105	0.00
79 T	2-Chlorotoluene	2.309	2.385	-3.3	106	0.00
80 T	1,3,5-Trimethylbenzene	2.978	3.059	-2.7	106	0.00
81 T	trans-1,4-Dichloro-2-butene	0.160	0.159	0.6	102	0.00
82 T	4-Chlorotoluene	2.419	2.529	-4.5	108	0.00
83 T	tert-Butylbenzene	2.664	2.724	-2.3	106	0.00
84 T	1,2,4-Trimethylbenzene	3.013	3.118	-3.5	107	0.00
85 T	sec-Butylbenzene	3.764	3.803	-1.0	104	0.00
86 T	p-Isopropyltoluene	3.404	3.480	-2.2	104	0.00
87 T	1,3-Dichlorobenzene	1.722	1.802	-4.6	109	0.00
88 T	1,4-Dichlorobenzene	1.714	1.778	-3.7	108	0.00
89 T	n-Butylbenzene	3.114	3.140	-0.8	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW101718\
Data File : VW006144.D
Acq On : 18 Oct 2018 00:38
Operator : VA/AP
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Oct 18 13:02:25 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W101518S.M
Quant Title : SW846 8260
QLast Update : Tue Oct 16 05:36:33 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.577	0.573	0.7	99	0.00
91 T	1,2-Dichlorobenzene	1.536	1.607	-4.6	109	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.096	0.100	-4.2	108	0.00
93 T	1,2,4-Trichlorobenzene	1.182	1.232	-4.2	111	0.00
94 T	Hexachlorobutadiene	0.742	0.752	-1.3	107	0.00
95 T	Naphthalene	1.966	2.145	-9.1	115	0.00
96 T	1,2,3-Trichlorobenzene	1.022	1.083	-6.0	112	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6