

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101719\
 Data File : VW013609.D
 Acq On : 17 Oct 2019 10:45
 Operator : SY/VA
 Sample : VW1017SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK08

Quant Time: Oct 17 16:59:17 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 17 16:56:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	411672	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	372094	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	180680	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	100991	21.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.76%
7) Chloroethane-d5	2.89	69	77536	21.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.72%
10) 1,1-Dichloroethene-d2	4.01	63	165122	16.89	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.56%
20) 2-Butanone-d5	7.07	46	69051	48.66	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.32%
24) Chloroform-d	7.65	84	212271	23.74	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.96%
26) 1,2-Dichloroethane-d4	8.31	65	115574	24.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.80%
29) Benzene-d6	8.27	84	466182	23.39	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.56%
33) 1,2-Dichloropropane-d6	9.27	67	138146	23.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.44%
37) Toluene-d8	10.32	98	433728	22.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.72%
38) trans-1,3-Dichloropropene-	10.57	79	57872	21.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.88%
39) 2-Hexanone-d5	10.92	63	54389	45.98	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.96%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	114138	24.07	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.28%
61) 1,2-Dichlorobenzene-d4	13.85	152	155783	23.99	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.96%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101719\
Data File : VW013609.D
Acq On : 17 Oct 2019 10:45
Operator : SY/VA
Sample : VW1017SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK08

Quant Time: Oct 17 16:59:17 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM101019S.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 17 16:56:38 2019
Response via : Initial Calibration

